


FLOOD INSURANCE STUDY

A Report of Flood Hazards in
**RANDOLPH COUNTY,
NORTH CAROLINA**
AND INCORPORATED AREAS



Community Name	Community Number	River Basin
Archdale, City of	370273	Cape Fear/Yadkin
Asheboro, City of	370196	Cape Fear/Yadkin
Franklinville, Town of	370197	Cape Fear
Liberty, Town of	370582	Cape Fear
Ramseur, Town of	370198	Cape Fear
Randleman, City of	370199	Cape Fear/Yadkin
Randolph County (Unincorporated Areas)	370195	Cape Fear/Yadkin
Seagrove, Town of	370613	Cape Fear/Yadkin
Trinity, City of	370625	Cape Fear/Yadkin



VOLUME 2 OF 4

January 2, 2008

**Federal Emergency Management Agency
State of North Carolina**

**Flood Insurance Study Number
37151CV002A**

www.fema.gov and www.ncfloodmaps.com



FOREWORD

This countywide Flood Insurance Study (FIS) Report was produced through a unique cooperative partnership between the State of North Carolina and the Federal Emergency Management Agency (FEMA). The State of North Carolina has implemented a long-term approach to floodplain management to decrease the costs associated with flooding. This is demonstrated by the State's commitment to map floodplain areas at the state level. As a part of this effort, the State of North Carolina has joined with FEMA in a Cooperating Technical State (CTS) agreement to produce and maintain this FIS Report and the accompanying digital Flood Insurance Rate Map (FIRM) for North Carolina.

NOTICE TO FLOOD INSURANCE STUDY USERS

Communities participating in the National Flood Insurance Program have established repositories of flood hazard data for floodplain management and flood insurance purposes. This Flood Insurance Study (FIS) may not contain all data available within the repository. It is advisable to contact the community repository for any additional data.

Part of this FIS may be revised by the Letter of Map Revision process, which does not involve republication or redistribution of the FIS. It is, therefore, the responsibility of the user to consult with community officials and to check the community repository to obtain the most current FIS components.

The following is a list of the publication dates of this Countywide FIS Report starting with the initial Report accompanying the North Carolina Statewide FIRM:

January 2, 2008

This FIS has been produced as part of the North Carolina Floodplain Mapping Program. Randolph County, North Carolina, falls under the administrative jurisdiction of Region IV of the Federal Emergency Management Agency (FEMA). Questions concerning this FIS may be directed to the North Carolina Floodplain Mapping Program at www.ncfloodmaps.com, the FEMA Map Assistance Center by calling the toll-free information line at 1-877-FEMA MAP (1-877-336-2627), or by contacting the FEMA Regional Office at the following address:

FEMA, Federal Insurance and Mitigation Administration
Koger Center - Rutgers Building
3003 Chamblee Tucker Road
Atlanta, Georgia 30341
(770) 220-5400

Table of Contents

Volume 1 – January 2, 2008

<u>Section</u>	<u>Page</u>
Section 1.0 — Introduction	1
1.1 The National Flood Insurance Program	1
1.2 Purpose of this Flood Insurance Study	1
1.3 FIS Components	2
Flood Insurance Rate Map	2
Flood Insurance Study Report.....	2
Flood Profiles.....	2
Section 2.0 — Floodplain Management Applications	3
2.1 Floodplains	3
2.2 Floodways	3
2.3 Base Flood Elevations.....	4
2.4 Watershed Characteristics	4
Drainage Area	5
Soil Permeability and Infiltration.....	5
Soil Moisture Conditions	5
Channel and Floodplain Geometry	5
Channel and Floodplain Roughness.....	5
Data Validity and Reliability	6
Developmental and Topographic Changes Over Time	6
Erosion, Deposition, and Debris Flow	6
Meandering and Lateral Migration	6
Section 3.0 — Insurance Applications	7
Section 4.0 — Area Studied	9
4.1 Basin Characteristics	9
Cape Fear River Basin	9
Yadkin River Basin.....	9
4.2 Principal Flood Problems	11
4.3 Historic Flood Elevations.....	12
4.4 Flood Protection Measures.....	13
4.5 Scope of Study.....	14
Section 5.0 — Engineering Methods.....	35
5.1 Hydrologic Analyses	35
Pre-Countywide Analyses.....	35
Revised Analyses for Countywide FIS	35
5.2 Hydraulic Analyses	96
Pre-Countywide Analyses.....	96
Revised Analyses for Countywide FIS	97

Table of Contents

Volume 1 - continued

<u>Section</u>	<u>Page</u>
Section 6.0 — Mapping Methods	105
6.1 Vertical and Horizontal Control	105
Vertical Datum	105
Vertical Control Monuments	106
Horizontal Datum and Control	107
6.2 Base Map	107
6.3 Floodplain and Floodway Delineation	109
Floodplain Delineation	109
Floodway Delineation	109
Section 7.0 — Revising the FIS	111
7.1 Letters of Map Amendment and Letters of Map Revision - Based on Fill	111
7.2 Letters of Map Revision	112
7.3 Physical Map Revisions	112
7.4 Contracted Restudies	112
7.5 Map Revision History	113
Section 8.0 — Study Contracting and Community Coordination	117
8.1 Authority and Acknowledgments	117
8.2 Consultation Coordination Officer’s Meetings/Scoping Meetings	118
Section 9.0 — Guide to Additional Information	123
Section 10.0 — Bibliography and References	125

Table of Contents

Volume 1 - continued

Tables

Table 1—Jurisdictions in Randolph County	2
Table 2—Flood Zone Designations.....	7
Table 3—Historic Flood Elevations.....	13
Table 4—Flood Protection Measures.....	14
Table 5—Flooding Sources Studied by Detailed Methods: Revised or Newly Studied	15
Table 6—Flooding Sources Studied by Detailed Methods: Redelineated	17
Table 7—Flooding Sources Studied by Detailed Methods: Limited Detailed.....	18
Table 8—Summary of Discharges	37
Table 9—Gage Information	96
Table 10—Roughness Coefficients.....	97
Table 12—Datum Conversion Locations and Values	105
Table 14—Community Map History.....	115
Table 15—Authority and Acknowledgments.....	117
Table 16—Consultation Coordination Officer’s Meetings	118
Table 17—Scoping Meetings	120
Table 18—Additional Information.....	123

Figures

Figure 1—Floodway Schematic	4
Figure 2—North Carolina’s State Plane Coordinate System	108

Volume 2 – January 2, 2008

Table 11—Limited Detailed Flood Hazard Data	1
Table 13—Floodway Data	97

Volume 3 – January 2, 2008

Flood Profiles

Caraway Creek	Profiles 01P-08P
Cedar Fork Creek	Profiles 09P-20P
Deep River	Profiles 21P – 29P
Hasketts Creek	Profiles 30P – 36P
Hasketts Creek Tributary 1	Profile 37P
Little Polecat Creek	Profiles 38P – 43P
Little Polecat Creek Tributary 1	Profiles 44P – 46P
Little Polecat Creek Tributary 2	Profile 47P
Little Polecat Creek Tributary 3	Profiles 48P – 49P
Little Polecat Creek Tributary 4	Profiles 50P – 51P
Little Polecat Creek Tributary 5	Profiles 52P – 53P

Table of Contents

Volume 3 – continued

Flood Profiles

Little Uwharrie River	Profiles 54P – 62P
Long Branch	Profiles 63P – 66P
Mill Creek (into Deep River)	Profiles 67P – 74P

Volume 4 – January 2, 2008

Flood Profiles

Muddy Creek	Profiles 75P – 81P
Muddy Creek East Tributary	Profiles 82P – 84P
Muddy Creek West Tributary	Profiles 85P – 86P
Penwood Branch	Profiles 87P – 88P
Penwood Branch Tributary	Profile 89P
Polecat Creek	Profiles 90P – 99P
Polecat Creek Tributary 4	Profiles 100P–101P
Polecat Creek Tributary 5	Profile 102P
Polecat Creek Tributary 6	Profiles 103P–104P
Polecat Creek Tributary 7	Profile 105P
Richland Creek	Profiles 106P–107P
Taylors Creek	Profiles 108P–112P
Uwharrie River	Profiles 113P–118P
Uwharrie River Tributary 10	Profiles 119P–120P
Uwharrie River Tributary 11	Profiles 121P–122P
Vestal Creek	Profiles 123P–124P
Vestal Creek Tributary 1	Profiles 125P–129P
Vestal Creek Tributary 2	Profile 130P
Vestal Creek Tributary 3	Profile 131P

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
ASHEWORTH BRANCH				
019	1,907	1,174	573.9	94 / 13
BACHELOR CREEK				
001	134	3,242	454.6 ⁴	30 / 70
006	605	3,242	454.9	58 / 15
010	1,000	3,242	455.3	37 / 17
015	1,500	3,242	458.6	54 / 69
020	2,000	3,242	458.6	34 / 36
025	2,500	3,242	459.3	19 / 53
030	3,000	3,242	460.4	20 / 33
035	3,500	3,242	461.5	34 / 52
040	4,000	3,211	462.2	191 / 15
045	4,500	3,211	462.7	24 / 278
050	5,000	3,211	463.1	96 / 276
055	5,500	3,211	463.4	320 / 50
060	6,000	3,211	464.1	81 / 400
066	6,623	3,211	464.7	196 / 25
074	7,353	3,211	466.0	21 / 18
080	8,000	3,211	469.2	16 / 51
085	8,500	3,211	470.9	38 / 88
090	9,000	3,211	471.7	296 / 111
095	9,457	3,015	471.8	62 / 249
100	10,000	2,905	472.1	46 / 138
105	10,500	2,905	472.8	79 / 25
115	11,500	2,905	479.3	44 / 30
120	12,000	2,905	482.3	14 / 65
125	12,500	2,905	486.2	38 / 90
130	13,000	2,905	487.7	65 / 75
134	13,420	2,905	489.2	55 / 55
140	14,000	2,905	493.7	117 / 30
150	15,000	2,905	496.3	94 / 30
156	15,582	2,905	497.7	350 / 40
162	16,225	2,905	497.7	27 / 50
175	17,509	2,706	503.3	190 / 50
185	18,500	2,706	505.4	112 / 80
190	19,000	2,497	506.6	50 / 40
195	19,500	2,497	508.1	90 / 130
200	20,000	2,497	509.0	100 / 30
205	20,500	2,497	510.5	44 / 30
210	21,000	2,497	512.3	100 / 100
215	21,500	2,497	513.3	33 / 70
220	21,968	2,497	514.4	113 / 105
225	22,500	2,291	516.0	100 / 85

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BACHELOR CREEK				
230	22,959	2,291	517.1	26 / 124
236	23,565	2,291	519.3	12 / 36
240	24,000	2,291	522.0	14 / 43
245	24,500	2,291	524.6	70 / 26
250	25,000	2,291	525.8	16 / 92
254	25,364	2,201	527.0	148 / 26
260	26,000	2,201	528.5	43 / 14
265	26,500	2,201	531.1	71 / 24
271	27,146	2,201	533.7	28 / 198
275	27,500	2,201	534.7	30 / 78
285	28,500	2,201	537.7	120 / 29
292	29,155	2,201	539.3	88 / 99
298	29,796	2,201	540.9	67 / 108
302	30,167	2,201	542.1	30 / 29
310	31,012	1,976	545.2	174 / 31
315	31,500	1,976	546.1	48 / 109
320	32,000	1,976	547.7	55 / 20
323	32,317	1,976	550.5	31 / 20
330	33,000	1,976	554.8	34 / 140
335	33,500	1,976	556.6	13 / 64
339	33,935	1,976	560.3	41 / 30
345	34,500	1,976	567.9	9 / 43
350	35,000	1,976	571.8	16 / 65
355	35,500	1,976	574.6	23 / 51
360	36,032	1,976	577.4	24 / 101
365	36,500	1,706	578.8	13 / 126
370	36,975	1,706	580.0	62 / 166
375	37,500	1,706	581.0	26 / 165
380	38,000	1,706	582.5	89 / 27
386	38,559	1,706	584.9	183 / 61
392	39,194	1,706	587.3	18 / 180
400	39,956	1,706	591.4	94 / 18
407	40,682	1,706	595.7	14 / 121
415	41,500	1,706	599.0	35 / 26
420	42,000	1,706	602.0	126 / 146
425	42,500	1,706	603.2	52 / 114
429	42,905	1,706	605.5	59 / 90
435	43,500	1,706	609.2	167 / 30
441	44,061	1,411	610.4	69 / 200
446	44,638	1,411	611.5	102 / 161
451	45,127	1,411	613.4	182 / 40
455	45,500	1,411	615.1	118 / 30
465	46,500	1,411	618.4	82 / 65

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BACHELOR CREEK				
470	47,000	1,411	620.8	55 / 107
475	47,500	1,106	622.8	41 / 109
479	47,936	1,106	624.2	19 / 116
485	48,500	1,106	625.9	53 / 91
489	48,911	1,106	627.1	124 / 30
495	49,500	1,106	629.1	114 / 65
499	49,941	1,106	630.9	139 / 42
503	50,312	1,106	632.3	168 / 15
509	50,891	1,106	634.2	64 / 32
513	51,301	1,106	635.9	77 / 17
518	51,825	627	638.2	69 / 11
525	52,495	627	642.1	36 / 27
532	53,248	627	646.7	20 / 118
536	53,596	627	648.4	25 / 79
543	54,293	368	652.7	58 / 20
BACHELOR CREEK TRIBUTARY 1				
003	305	504	471.8 ⁴	7 / 6
009	877	504	480.2	12 / 10
014	1,433	504	489.4	13 / 10
021	2,068	504	496.7	25 / 10
026	2,588	504	503.6	40 / 6
035	3,540	504	513.2	34 / 31
BACHELOR CREEK TRIBUTARY 2				
002	233	643	506.2 ⁴	44 / 28
008	814	643	506.6	89 / 12
014	1,396	643	509.9	129 / 5
021	2,054	643	514.6	31 / 24
025	2,531	643	517.9	11 / 46
031	3,060	544	521.5	13 / 41
036	3,612	544	524.8	21 / 62
BACHELOR CREEK TRIBUTARY 3				
003	278	579	514.5 ⁴	16 / 21
009	868	579	517.1	9 / 19
015	1,511	579	523.2	29 / 7
020	2,033	579	527.7	43 / 10
025	2,500	579	530.7	29 / 23
031	3,104	579	535.2	56 / 30
035	3,500	579	538.2	10 / 19
040	4,000	579	542.5	51 / 25
045	4,541	579	546.1	25 / 9
058	5,848	376	557.0	27 / 19
066	6,597	376	563.9	23 / 20

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BACHELOR CREEK TRIBUTARY 3				
071	7,063	376	573.0	14 / 10
075	7,505	376	580.6	25 / 15
081	8,060	376	594.9	16 / 15
085	8,500	376	604.9	16 / 12
090	9,000	376	614.8	6 / 11
BACHELOR CREEK TRIBUTARY 4				
002	150	621	620.3 ⁴	19 / 65
007	669	621	623.6	38 / 25
012	1,222	621	629.2	12 / 31
018	1,824	621	634.5	23 / 31
022	2,242	621	637.0	14 / 38
BACHELOR CREEK TRIBUTARY 5				
002	162	632	636.8 ⁴	15 / 95
009	879	632	640.5	53 / 46
014	1,434	632	644.7	39 / 19
021	2,050	632	649.5	18 / 46
026	2,641	632	655.6	14 / 16
BACK CREEK				
002	228	7,227	428.6 ⁴	311 / 35
008	781	7,227	428.6 ⁴	96 / 45
013	1,264	7,227	428.6 ⁴	35 / 40
017	1,709	7,227	428.6 ⁴	35 / 41
031	3,108	7,227	428.6 ⁴	176 / 49
036	3,645	7,227	428.6 ⁴	35 / 62
044	4,418	7,116	429.1	196 / 36
049	4,940	7,116	429.5	35 / 34
055	5,469	7,116	430.4	35 / 34
060	6,042	7,116	431.3	35 / 34
065	6,502	7,116	432.1	71 / 35
071	7,101	7,116	433.0	256 / 35
076	7,597	7,116	433.6	580 / 26
083	8,272	7,116	434.4	328 / 37
091	9,108	7,116	435.6	27 / 652
099	9,852	6,487	436.3	40 / 455
106	10,572	6,487	437.2	37 / 251
111	11,115	6,487	438.5	34 / 130
115	11,549	6,487	439.3	32 / 64
121	12,057	6,433	440.3	32 / 32
125	12,547	6,433	441.4	60 / 32
130	13,002	6,433	442.2	33 / 32
137	13,693	6,433	444.0	119 / 32
142	14,166	6,433	444.6	32 / 32

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BACK CREEK				
150	14,965	6,433	447.9	85 / 63
154	15,363	6,433	448.3	164 / 48
161	16,087	6,369	449.1	132 / 291
166	16,578	6,369	449.4	174 / 243
176	17,552	6,369	450.3	584 / 32
180	18,023	6,369	450.6	516 / 83
186	18,646	6,307	450.9	181 / 32
189	18,946	6,307	451.5	212 / 32
199	19,940	6,307	453.2	163 / 244
202	20,158	6,307	453.4	119 / 204
210	21,034	6,307	454.8	32 / 602
217	21,699	6,307	455.6	32 / 180
224	22,403	6,307	456.7	85 / 32
230	23,001	6,307	457.8	32 / 208
235	23,501	6,307	458.4	32 / 204
239	23,881	6,036	458.9	261 / 146
249	24,905	6,036	462.9	186 / 131
254	25,370	6,036	463.1	386 / 164
261	26,100	5,877	463.3	36 / 722
265	26,456	5,877	463.3	30 / 695
272	27,239	5,877	463.6	120 / 47
278	27,761	5,877	464.0	350 / 75
285	28,512	5,877	464.5	124 / 30
289	28,947	5,773	465.3	142 / 176
294	29,419	5,773	465.8	100 / 492
297	29,740	5,773	466.0	59 / 566
305	30,528	5,773	466.5	400 / 125
311	31,083	5,773	466.9	344 / 56
318	31,758	5,617	468.3	40 / 29
331	33,095	5,617	472.5	29 / 508
336	33,597	5,617	473.0	61 / 420
340	34,030	5,617	473.3	29 / 368
345	34,530	5,617	473.8	392 / 33
349	34,885	5,617	474.2	383 / 22
356	35,627	4,208	475.4	25 / 24
361	36,110	4,208	478.0	52 / 34
368	36,761	4,208	479.6	26 / 114
385	38,461	4,208	528.1	207 / 205
390	39,003	4,208	528.1	160 / 226
399	39,932	4,012	528.1	620 / 451
406	40,625	4,012	528.2	419 / 394
417	41,656	3,533	528.2	905 / 380
425	42,466	3,533	528.2	368 / 366

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BACK CREEK				
435	43,544	3,533	528.2	452 / 392
441	44,132	3,533	528.2	391 / 296
450	45,044	3,533	528.2	151 / 390
463	46,301	3,533	528.2	579 / 564
470	47,044	3,120	528.2	473 / 331
476	47,640	3,120	528.2	253 / 182
481	48,128	3,120	528.2	108 / 213
486	48,601	3,120	528.3	97 / 416
502	50,224	3,018	528.8	36 / 265
508	50,830	3,018	529.3	35 / 373
513	51,317	2,949	529.8	194 / 200
519	51,928	2,949	530.4	103 / 178
526	52,593	2,949	531.6	330 / 19
531	53,056	2,949	532.5	323 / 19
536	53,563	2,949	533.3	347 / 19
540	54,025	2,949	534.0	319 / 19
546	54,582	2,709	535.0	135 / 146
550	55,049	2,709	536.0	19 / 119
554	55,449	2,709	537.1	19 / 235
562	56,151	2,709	538.8	19 / 214
565	56,484	2,709	539.3	19 / 74
571	57,067	2,709	540.9	125 / 55
575	57,546	2,709	541.6	185 / 44
581	58,065	2,709	542.7	111 / 19
585	58,547	2,709	543.7	74 / 35
596	59,584	2,282	547.9	128 / 17
602	60,247	2,282	551.2	372 / 17
606	60,629	2,282	552.0	234 / 18
612	61,192	2,282	554.2	153 / 41
615	61,547	2,282	555.7	131 / 25
621	62,082	2,282	557.9	38 / 23
626	62,597	2,282	560.8	28 / 64
635	63,509	2,163	563.6	17 / 18
642	64,208	2,163	570.2	31 / 18
646	64,553	2,163	571.9	37 / 37
BACK CREEK TRIBUTARY 1				
003	254	1,423	571.4 ⁴	33 / 14
008	841	1,423	575.0	100 / 25
014	1,400	1,423	576.6	20 / 25
021	2,145	1,423	593.6	55 / 250
025	2,516	1,423	596.7	113 / 14
030	2,967	824	598.1	12 / 172
035	3,506	824	600.0	37 / 70

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BACK CREEK TRIBUTARY 1				
040	3,989	824	603.4	170 / 8
044	4,398	824	605.7	60 / 91
BACK CREEK TRIBUTARY 1A				
001	96	878	597.3 ⁴	96 / 12
007	712	878	600.8	25 / 93
011	1,051	878	602.1	102 / 30
BETTY McGEES CREEK				
004	434	2,778	396.5 ⁴	37 / 171
011	1,062	2,778	396.5 ⁴	157 / 19
017	1,738	2,778	396.5 ⁴	19 / 368
024	2,352	2,778	396.5 ⁴	416 / 19
029	2,930	2,778	396.5 ⁴	557 / 19
034	3,391	2,778	396.5 ⁴	478 / 24
038	3,785	2,778	396.5 ⁴	365 / 19
042	4,204	2,778	396.5 ⁴	35 / 51
047	4,721	2,778	396.5 ⁴	129 / 19
051	5,059	2,671	396.5 ⁴	118 / 21
061	6,098	2,671	396.5 ⁴	19 / 189
065	6,481	2,671	397.1	110 / 59
071	7,140	2,671	398.5	209 / 19
076	7,589	2,671	399.2	51 / 25
081	8,118	2,671	401.4	19 / 230
090	8,966	2,671	403.0	29 / 19
097	9,698	2,671	405.8	19 / 44
100	10,000	2,671	406.8	39 / 46
104	10,411	2,671	407.9	109 / 103
110	11,038	2,671	408.9	19 / 30
117	11,652	2,671	411.4	19 / 122
121	12,087	2,557	412.2	130 / 18
126	12,620	2,557	413.2	203 / 19
130	13,000	2,557	413.7	42 / 18
134	13,424	2,557	415.0	18 / 54
139	13,852	2,557	417.2	16 / 24
144	14,431	2,557	420.6	17 / 16
149	14,918	2,557	423.3	9 / 10
154	15,441	2,557	425.7	14 / 15
161	16,086	2,445	432.0	9 / 9
167	16,662	2,445	436.4	9 / 9
171	17,107	2,445	446.9	9 / 8
176	17,607	2,445	455.2	14 / 14
181	18,118	2,445	460.2	50 / 16
186	18,560	2,445	461.8	42 / 60
192	19,156	2,331	466.4	12 / 12

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BETTY MCGEES CREEK				
196	19,561	2,331	470.8	17 / 17
201	20,081	2,216	475.0	40 / 30
205	20,494	2,216	477.2	7 / 8
210	21,000	2,216	483.4	41 / 25
215	21,500	2,216	489.5	30 / 10
220	21,960	2,216	495.0	70 / 30
225	22,547	2,216	497.4	82 / 15
230	23,000	2,216	498.9	82 / 35
236	23,570	2,216	500.3	112 / 16
242	24,161	2,118	501.6	35 / 31
245	24,500	2,118	502.1	15 / 19
251	25,145	2,118	504.8	105 / 15
BIG BRANCH				
002	239	1,234	656.4 ⁴	13 / 13
007	724	1,234	658.6	17 / 26
014	1,419	1,234	665.0	24 / 24
018	1,807	1,234	668.0	51 / 18
024	2,366	1,234	672.4	13 / 13
029	2,948	1,234	683.0	16 / 33
035	3,503	1,188	686.4	35 / 34
BLOOD RUN CREEK				
010	1,000	2,714	495.3 ⁴	21 / 192
BOODOM CREEK				
021	2,094	1,637	566.5	149 / 81
025	2,539	1,637	566.8	10 / 121
030	3,000	1,637	567.8	41 / 90
035	3,500	1,637	569.0	10 / 164
047	4,671	1,637	572.0	30 / 126
051	5,128	1,637	575.1	18 / 94
056	5,597	1,637	576.7	10 / 148
060	5,993	1,514	577.8	10 / 106
065	6,500	1,514	580.3	123 / 19
069	6,868	1,514	581.6	157 / 9
072	7,201	1,210	582.9	64 / 34
085	8,500	1,210	589.8	10 / 37
091	9,072	1,088	592.2	152 / 14
096	9,646	586	598.4	79 / 7
107	10,692	586	605.6	7 / 30
110	11,000	586	609.5	27 / 20
115	11,461	586	612.6	17 / 7
119	11,929	586	618.4	25 / 23
125	12,472	586	625.8	7 / 21
135	13,459	586	645.1	46 / 12

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BOODOM CREEK				
140	14,000	586	649.9	20 / 24
145	14,465	406	655.7	48 / 29
151	15,091	406	663.6	6 / 29
155	15,500	406	671.6	59 / 7
160	16,000	406	679.9	8 / 15
164	16,446	406	689.8	15 / 11
BOODOM CREEK TRIBUTARY 1				
004	427	566	566.4 ⁴	38 / 30
010	1,000	566	568.1	37 / 30
015	1,500	566	572.8	12 / 7
020	2,000	566	577.4	6 / 16
026	2,587	566	584.2	6 / 4
030	3,000	566	590.9	9 / 11
034	3,426	566	596.4	5 / 11
040	4,000	566	604.5	6 / 34
046	4,629	566	611.0	9 / 5
050	4,957	566	616.4	10 / 7
055	5,529	566	626.0	8 / 14
060	6,000	566	631.7	10 / 29
065	6,500	367	638.2	11 / 4
070	7,000	367	646.0	9 / 12
075	7,500	367	653.6	9 / 9
079	7,897	367	661.2	5 / 16
085	8,500	367	670.5	4 / 13
090	9,000	367	681.6	5 / 5
095	9,456	367	702.1	4 / 13
100	10,000	367	712.3	32 / 8
105	10,534	367	720.8	8 / 8
110	10,963	367	733.5	8 / 13
BOODOM CREEK TRIBUTARY 2				
002	159	673	582.0 ⁴	10 / 5
009	945	673	589.6	16 / 24
015	1,500	673	593.3	11 / 15
020	2,000	673	598.6	47 / 6
025	2,538	673	605.4	24 / 11
031	3,086	673	612.2	40 / 7
036	3,561	673	618.1	32 / 8
039	3,899	673	623.2	23 / 8
045	4,466	673	630.6	9 / 8
049	4,909	673	637.4	11 / 24
055	5,500	673	644.1	9 / 33
061	6,086	673	652.0	6 / 93

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BOODOM CREEK TRIBUTARY 2				
065	6,500	376	656.8	7 / 6
080	8,000	376	696.2	52 / 90
086	8,620	376	696.2	81 / 52
091	9,076	376	696.2	49 / 38
094	9,397	376	699.3	8 / 12
106	10,635	376	727.2	5 / 12
BRIER CREEK				
002	234	5,702	534.3 ⁴	121 / 30
008	828	5,702	534.3 ⁴	30 / 29
014	1,375	5,702	534.8	52 / 73
019	1,920	5,702	535.5	155 / 30
025	2,483	5,702	536.8	223 / 64
035	3,500	5,702	540.8	38 / 88
039	3,930	5,702	541.7	41 / 85
044	4,415	5,702	542.9	46 / 107
051	5,061	5,702	543.9	265 / 30
056	5,565	5,702	544.7	66 / 122
060	6,000	5,702	545.3	30 / 131
064	6,428	5,702	546.1	155 / 62
BRIER CREEK TRIBUTARY 1				
005	500	1,410	546.3 ⁴	146 / 14
010	1,000	1,410	547.8	122 / 30
016	1,559	1,410	552.5	123 / 30
020	2,000	1,410	555.3	124 / 30
025	2,500	1,410	558.3	125 / 30
030	3,000	1,410	562.3	126 / 30
035	3,523	1,370	565.2	127 / 30
039	3,897	1,370	568.6	128 / 30
053	5,293	1,370	580.7	129 / 30
055	5,539	1,370	581.9	130 / 30
060	6,000	1,370	584.8	131 / 30
BRUSH CREEK				
001	107	10,559	362.5 ⁴	48 / 80
008	820	10,559	362.5 ⁴	83 / 37
014	1,351	10,559	362.5 ⁴	77 / 47
020	2,000	10,559	362.5 ⁴	43 / 77
025	2,534	10,559	362.5 ⁴	41 / 62
029	2,938	10,559	362.5 ⁴	114 / 42
034	3,357	10,559	362.5 ⁴	58 / 72
039	3,897	10,559	362.5 ⁴	127 / 41
044	4,405	10,559	362.5 ⁴	78 / 93
050	5,000	10,559	362.8	77 / 66
055	5,452	10,559	365.2	50 / 38

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BRUSH CREEK				
060	6,000	10,518	367.6	34 / 44
064	6,444	10,518	369.2	41 / 37
070	7,000	10,518	370.9	36 / 36
074	7,420	10,518	372.3	54 / 66
080	8,000	10,423	373.4	36 / 35
084	8,352	10,423	374.4	50 / 37
093	9,274	10,423	375.8	53 / 53
100	10,040	10,423	376.9	67 / 41
106	10,597	10,349	377.3	38 / 36
111	11,102	10,349	378.3	33 / 71
117	11,658	10,349	378.9	48 / 52
122	12,223	10,349	379.8	72 / 43
130	13,029	10,349	382.1	76 / 35
135	13,500	10,349	382.8	36 / 44
140	14,000	10,349	383.7	45 / 35
145	14,500	10,349	384.6	35 / 35
151	15,071	10,349	385.9	33 / 36
155	15,500	10,349	386.7	41 / 48
159	15,886	10,349	387.3	35 / 59
163	16,332	10,349	387.9	55 / 36
170	17,000	10,349	388.7	36 / 149
174	17,395	10,349	389.1	51 / 75
178	17,820	10,272	389.6	45 / 68
185	18,467	10,272	390.2	49 / 56
189	18,859	10,272	390.6	34 / 52
193	19,285	10,272	391.0	34 / 64
200	20,000	9,899	392.2	53 / 68
205	20,500	9,899	392.8	37 / 63
210	21,000	9,899	393.5	33 / 62
216	21,592	9,899	394.1	39 / 55
220	22,000	9,899	394.6	77 / 42
225	22,500	9,899	395.1	85 / 47
230	23,000	9,899	395.6	38 / 87
235	23,500	9,899	396.4	35 / 52
240	24,000	9,899	397.4	40 / 60
244	24,353	9,899	398.3	54 / 73
249	24,947	9,899	399.6	33 / 49
255	25,500	9,899	403.5	36 / 62
259	25,939	9,899	406.0	33 / 47
263	26,324	9,899	408.0	43 / 61
268	26,845	7,725	409.6	29 / 98
273	27,330	7,725	410.5	26 / 93
280	28,041	7,725	411.6	27 / 96

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BRUSH CREEK				
284	28,403	7,725	412.1	79 / 49
289	28,912	7,725	413.1	91 / 46
299	29,921	7,725	416.1	39 / 32
303	30,335	7,725	417.8	70 / 33
310	31,000	7,637	419.2	28 / 60
315	31,500	7,637	420.3	29 / 108
320	32,000	7,637	421.2	74 / 31
325	32,500	7,637	422.2	41 / 40
329	32,942	7,637	424.0	29 / 29
341	34,132	7,483	428.8	30 / 42
346	34,631	7,483	430.2	31 / 51
350	35,000	7,483	431.0	40 / 105
355	35,461	7,483	431.4	28 / 55
360	36,000	7,483	432.2	28 / 76
364	36,423	7,483	432.8	42 / 42
371	37,078	7,483	433.6	37 / 46
375	37,500	7,483	434.2	54 / 31
382	38,154	7,483	435.2	40 / 32
391	39,120	7,483	440.8	27 / 69
395	39,500	7,483	441.8	34 / 71
401	40,056	7,373	442.9	34 / 50
406	40,569	7,373	443.8	27 / 38
410	41,000	7,373	444.8	26 / 71
416	41,564	7,373	445.8	37 / 58
421	42,066	7,373	446.5	48 / 56
425	42,500	7,373	447.1	51 / 40
430	43,000	7,373	448.2	46 / 89
437	43,737	7,373	449.3	47 / 33
443	44,281	7,291	450.3	40 / 54
450	44,975	7,291	451.6	167 / 29
455	45,500	7,291	452.2	109 / 66
460	46,000	7,291	452.6	26 / 73
466	46,606	7,291	453.6	26 / 75
472	47,154	7,291	454.4	37 / 48
476	47,598	7,291	455.0	55 / 38
481	48,149	7,291	455.8	43 / 63
486	48,597	7,291	456.4	70 / 60
490	49,000	7,291	456.7	52 / 40
494	49,447	7,175	457.7	34 / 182
501	50,076	7,175	458.1	45 / 31
506	50,601	7,175	460.2	27 / 27
513	51,329	7,175	465.2	30 / 28
520	52,000	7,175	467.4	35 / 42

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BRUSH CREEK				
525	52,500	7,175	468.9	36 / 45
530	53,000	7,175	471.2	36 / 45
535	53,500	7,094	473.7	30 / 65
541	54,100	7,094	476.4	27 / 65
549	54,857	6,881	478.1	31 / 44
552	55,223	6,881	478.8	33 / 29
558	55,809	6,881	479.9	27 / 29
563	56,296	6,881	480.6	28 / 28
573	57,279	6,881	482.1	26 / 30
581	58,076	6,881	483.4	46 / 49
590	59,000	6,881	484.3	26 / 79
595	59,500	6,881	484.8	28 / 76
599	59,929	6,881	485.3	35 / 62
603	60,313	6,881	485.7	116 / 29
610	61,000	6,806	486.5	26 / 114
614	61,442	6,558	486.9	38 / 109
621	62,060	6,558	487.4	37 / 65
626	62,642	6,329	488.4	34 / 68
630	63,000	6,329	488.8	45 / 34
634	63,423	6,329	489.7	62 / 27
639	63,926	6,329	490.6	31 / 70
643	64,325	6,329	491.1	96 / 48
651	65,114	6,329	492.0	159 / 72
656	65,571	6,329	492.4	121 / 135
660	66,000	6,329	492.5	40 / 90
665	66,500	6,298	493.0	78 / 71
670	67,000	5,951	493.5	215 / 109
676	67,579	5,951	493.7	77 / 36
681	68,063	5,951	494.2	50 / 84
685	68,538	5,951	494.7	183 / 23
690	68,962	5,951	495.0	42 / 257
694	69,411	4,815	495.4	50 / 150
700	70,000	4,815	495.8	27 / 123
705	70,500	4,815	496.5	260 / 19
713	71,253	4,815	497.2	77 / 70
718	71,791	4,815	497.6	40 / 64
930	93,000	3,957	552.5	23 / 145
935	93,500	3,957	553.0	195 / 23
940	94,000	3,957	553.6	46 / 33
945	94,500	3,957	554.5	34 / 35
947	94,725	3,957	555.2	92 / 34
956	95,623	3,580	556.5	66 / 14
959	95,905	3,580	557.7	43 / 57

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BRUSH CREEK				
966	96,602	3,580	559.4	13 / 173
973	97,250	3,545	560.4	176 / 225
980	98,000	3,143	560.9	198 / 114
991	99,118	3,143	562.2	34 / 156
1000	100,000	3,005	564.5	67 / 42
1003	100,325	3,005	565.2	88 / 34
1010	101,035	3,005	566.4	86 / 36
1017	101,709	3,005	567.3	202 / 20
1024	102,427	2,340	567.7	111 / 278
1032	103,229	2,340	567.8	63 / 25
1037	103,696	2,340	568.8	217 / 61
1043	104,334	2,340	569.2	24 / 346
1052	105,242	2,340	569.8	145 / 219
1055	105,549	2,340	570.2	93 / 175
1060	106,027	2,340	571.4	114 / 41
1065	106,454	2,340	572.3	160 / 86
1069	106,928	2,340	573.0	144 / 136
1076	107,586	2,266	574.1	10 / 196
1082	108,235	2,266	575.5	19 / 21
1088	108,844	2,266	578.5	59 / 176
1093	109,309	2,019	579.0	208 / 146
1099	109,946	2,019	579.7	75 / 17
1104	110,422	2,019	582.1	10 / 61
1110	110,965	2,019	584.7	103 / 43
1114	111,446	2,019	586.2	66 / 46
1121	112,054	2,019	589.4	129 / 14
1123	112,315	2,019	589.8	68 / 13
1130	113,000	2,019	592.1	28 / 16
1134	113,395	2,019	593.9	14 / 40
1140	113,971	2,019	596.5	94 / 11
1146	114,561	1,738	598.0	40 / 63
1150	115,000	1,738	599.4	101 / 14
1155	115,477	1,738	601.1	41 / 27
1160	116,000	1,738	603.3	29 / 90
1165	116,500	1,738	604.9	107 / 10
1169	116,879	1,738	606.8	27 / 79
1175	117,482	1,738	608.5	48 / 125
1180	118,000	1,738	609.5	247 / 10
1184	118,403	1,738	610.8	53 / 18
1187	118,728	1,738	612.4	20 / 20
BRUSH CREEK TRIBUTARY 1				
003	342	1,210	567.6 ⁴	70 / 61
008	775	1,210	567.9	14 / 93

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BRUSH CREEK TRIBUTARY 1				
019	1,888	1,210	572.0	114 / 33
025	2,501	1,124	574.7	48 / 23
033	3,317	1,124	578.2	96 / 66
039	3,915	1,124	580.5	29 / 23
044	4,378	1,124	583.8	93 / 11
049	4,861	1,124	585.3	11 / 99
058	5,823	1,124	588.2	29 / 58
073	7,269	923	597.3	45 / 35
BUSH CREEK				
004	363	3,774	490.9 ⁴	60 / 80
010	1,000	3,774	492.4	15 / 30
015	1,500	3,774	497.5	30 / 30
020	1,983	3,774	499.1	21 / 22
025	2,491	3,774	500.5	35 / 22
030	3,000	3,774	503.1	20 / 17
035	3,542	3,774	505.2	37 / 23
040	4,029	3,774	506.2	28 / 46
045	4,500	3,774	507.5	57 / 37
051	5,142	3,674	508.9	94 / 24
055	5,500	3,674	510.0	84 / 81
060	6,044	3,674	510.7	70 / 21
066	6,598	3,674	512.5	51 / 25
070	7,000	3,674	514.2	37 / 20
075	7,500	3,674	519.3	19 / 20
080	8,000	3,674	525.2	20 / 21
085	8,500	3,674	529.8	20 / 41
090	8,954	3,674	530.8	17 / 27
095	9,541	3,674	534.7	89 / 18
100	10,000	3,674	536.0	82 / 26
105	10,500	3,674	538.3	17 / 27
110	11,000	3,674	540.6	19 / 37
114	11,437	3,674	542.6	39 / 91
120	12,000	3,674	543.9	89 / 45
125	12,500	3,674	545.0	25 / 61
130	13,000	3,674	546.7	44 / 73
140	14,000	3,528	548.6	21 / 90
145	14,500	3,528	553.4	66 / 44
150	15,000	3,528	557.9	40 / 61
160	16,000	3,528	565.9	36 / 33
165	16,500	3,528	569.4	124 / 52
170	17,000	3,528	571.3	11 / 155
175	17,500	2,181	572.5	15 / 90
181	18,109	2,181	574.9	14 / 59

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BUSH CREEK				
185	18,500	2,181	578.3	100 / 18
190	19,000	2,181	579.3	40 / 17
195	19,500	2,181	583.5	13 / 79
200	20,000	2,181	588.1	13 / 10
205	20,500	2,181	595.6	10 / 10
210	21,000	2,181	601.7	35 / 17
215	21,485	2,181	603.2	45 / 19
220	22,000	2,181	604.6	27 / 22
225	22,500	2,181	606.6	116 / 42
230	23,038	2,067	607.9	26 / 94
235	23,500	2,067	610.2	21 / 100
240	24,000	2,067	613.2	194 / 17
247	24,678	2,067	615.1	10 / 203
251	25,128	2,067	616.5	18 / 177
257	25,662	2,067	618.7	178 / 34
261	26,087	2,067	619.7	45 / 147
270	27,000	1,832	623.0	16 / 206
275	27,500	1,832	624.1	195 / 16
280	28,000	1,832	625.5	64 / 136
286	28,609	1,832	627.4	142 / 21
291	29,121	1,832	629.0	100 / 42
295	29,500	1,832	630.5	11 / 77
300	30,000	1,832	633.0	40 / 53
305	30,500	1,832	635.0	76 / 16
310	31,000	1,578	638.3	84 / 47
315	31,500	1,578	640.1	118 / 32
321	32,069	1,578	642.0	30 / 58
326	32,587	1,578	644.8	102 / 90
331	33,056	1,578	645.8	62 / 69
335	33,500	1,578	647.7	93 / 156
340	33,956	1,578	649.1	15 / 82
345	34,500	1,578	652.0	55 / 13
349	34,859	1,578	653.9	35 / 42
355	35,500	1,446	656.0	127 / 15
360	36,000	1,446	657.3	23 / 74
365	36,500	1,446	658.7	15 / 88
370	37,000	1,446	660.4	55 / 11
375	37,500	1,446	663.9	74 / 14
380	38,000	1,446	666.1	44 / 14
385	38,500	1,446	668.7	31 / 60
391	39,059	1,446	671.6	20 / 46
395	39,543	1,446	674.0	35 / 39
403	40,318	1,446	678.5	18 / 39

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
BUSH CREEK				
410	41,000	1,446	682.6	48 / 28
415	41,500	1,446	685.5	35 / 34
420	42,000	1,446	689.1	65 / 15
429	42,888	1,446	693.0	38 / 21
434	43,415	1,446	700.7	33 / 15
440	43,975	1,196	705.4	96 / 12
445	44,500	1,196	707.7	18 / 18
BUSH CREEK TRIBUTARY				
004	396	2,153	572.3 ⁴	22 / 10
010	1,000	2,153	578.2	36 / 14
015	1,500	2,153	583.0	28 / 12
019	1,939	2,153	591.5	24 / 12
025	2,500	2,153	602.4	132 / 10
031	3,085	2,153	606.0	104 / 26
035	3,500	2,153	606.5	14 / 17
040	4,000	2,153	610.8	27 / 32
045	4,500	2,153	613.3	160 / 27
055	5,540	2,038	615.4	107 / 141
060	6,000	2,038	616.0	149 / 115
065	6,500	2,038	617.4	9 / 134
070	7,000	2,038	620.0	54 / 122
075	7,500	2,038	621.3	70 / 102
080	8,000	1,549	623.2	120 / 30
085	8,500	1,549	625.0	205 / 17
CABLE CREEK				
004	412	1,924	435.7 ⁴	17 / 27
008	837	1,924	435.7 ⁴	17 / 150
016	1,561	1,924	437.8	34 / 93
020	2,035	1,924	439.7	125 / 300
025	2,463	1,856	441.2	215 / 16
031	3,125	1,856	443.0	203 / 16
037	3,656	1,856	445.1	75 / 78
044	4,418	1,755	447.6	185 / 16
048	4,844	1,755	449.0	16 / 156
051	5,135	1,755	450.3	129 / 69
060	5,986	1,755	452.8	16 / 205
064	6,359	1,755	453.8	16 / 153
068	6,827	1,755	455.6	151 / 59
CARAWAY CREEK				
011	1,106	13,096	410.8 ⁴	786 / 777
015	1,531	13,096	410.8 ⁴	887 / 58
021	2,098	13,096	410.8 ⁴	453 / 160
026	2,564	13,096	410.8 ⁴	36 / 510

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
CARAWAY CREEK				
031	3,135	13,096	410.8 ⁴	143 / 567
035	3,504	13,057	410.8 ⁴	37 / 529
040	4,015	13,057	410.8 ⁴	138 / 138
045	4,545	13,057	410.8 ⁴	46 / 80
050	5,034	13,057	411.1	75 / 36
055	5,500	13,057	412.0	36 / 122
061	6,051	13,057	412.8	36 / 428
066	6,613	13,014	413.1	353 / 48
071	7,059	13,014	413.4	45 / 286
076	7,625	12,134	413.8	62 / 320
080	7,970	12,134	414.0	374 / 42
085	8,500	12,134	414.5	730 / 35
092	9,161	12,134	414.9	252 / 406
097	9,687	12,134	415.1	691 / 114
102	10,167	12,134	415.3	721 / 120
106	10,554	12,134	415.5	450 / 330
113	11,277	12,134	415.7	813 / 35
126	12,614	12,134	416.2	142 / 885
132	13,176	12,103	416.3	497 / 413
137	13,670	12,103	416.4	720 / 51
140	13,966	12,103	416.5	838 / 39
149	14,873	12,103	417.0	370 / 119
152	15,164	12,103	417.1	190 / 46
155	15,457	12,103	417.1	69 / 33
159	15,909	12,103	418.3	131 / 65
164	16,361	12,103	419.2	629 / 250
179	17,910	12,065	420.4	171 / 307
185	18,511	12,065	420.7	35 / 404
192	19,201	12,021	421.3	290 / 662
197	19,708	12,021	421.4	346 / 706
202	20,224	12,021	421.5	596 / 364
206	20,563	12,021	421.6	646 / 592
210	21,034	12,021	421.7	853 / 350
219	21,944	12,021	422.0	111 / 589
225	22,523	12,021	422.1	36 / 179
229	22,882	12,021	422.6	74 / 72
235	23,451	11,975	423.8	130 / 272
241	24,074	11,975	424.6	115 / 45
251	25,058	11,975	426.7	95 / 94
256	25,642	11,975	427.7	284 / 54
263	26,301	11,975	428.1	110 / 250
272	27,177	8,220	428.6	64 / 134
276	27,636	8,220	429.0	69 / 466

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
CARAWAY CREEK				
282	28,161	8,220	429.1	503 / 512
288	28,769	8,220	429.1	57 / 771
296	29,570	8,191	429.3	283 / 654
300	30,012	8,191	429.4	31 / 903
310	30,951	8,191	429.6	701 / 136
314	31,357	8,191	429.6	450 / 236
318	31,848	8,191	429.8	105 / 370
326	32,610	8,191	430.2	642 / 39
333	33,316	8,167	430.5	164 / 812
337	33,718	8,167	430.7	141 / 616
346	34,579	8,167	431.0	42 / 759
350	35,010	8,118	431.2	41 / 679
355	35,466	8,118	431.5	30 / 736
359	35,887	8,118	431.7	30 / 517
366	36,596	8,118	432.4	275 / 213
370	36,968	8,118	432.7	361 / 30
374	37,422	8,118	433.4	508 / 30
383	38,310	8,046	434.1	30 / 1,016
387	38,709	8,046	434.4	207 / 925
391	39,127	8,046	434.7	126 / 697
396	39,585	8,046	435.0	30 / 722
405	40,500	8,046	436.0	337 / 333
410	40,952	8,046	436.4	325 / 380
414	41,448	7,998	436.9	38 / 512
420	42,019	7,998	437.7	65 / 525
426	42,553	7,865	438.4	97 / 778
430	42,974	7,865	438.6	29 / 766
436	43,636	7,865	439.3	350 / 201
440	44,032	7,865	439.9	169 / 509
448	44,823	7,865	440.6	25 / 920
458	45,825	7,773	441.3	29 / 683
463	46,348	7,773	442.0	148 / 543
468	46,839	7,773	442.5	293 / 454
476	47,589	7,773	443.2	29 / 953
482	48,189	7,773	443.7	29 / 734
487	48,732	7,484	444.3	616 / 635
492	49,244	7,484	444.7	567 / 227
497	49,732	7,484	445.3	302 / 208
510	50,980	7,357	449.2	229 / 49
523	52,345	7,357	450.7	65 / 821
530	52,994	7,357	450.9	451 / 710
536	53,642	7,357	451.0	195 / 280
541	54,144	7,357	451.4	39 / 186

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
CARAWAY CREEK				
547	54,683	7,357	451.9	53 / 49
551	55,124	7,357	452.5	36 / 43
555	55,500	7,357	453.2	38 / 59
561	56,136	7,357	454.0	55 / 28
566	56,647	7,225	454.9	41 / 49
571	57,087	7,225	456.5	42 / 56
575	57,481	7,225	457.7	91 / 53
579	57,945	7,225	458.6	27 / 367
585	58,500	7,225	459.1	287 / 36
590	59,000	7,225	459.7	454 / 27
596	59,588	7,225	459.9	211 / 28
601	60,056	7,225	460.5	67 / 172
606	60,646	5,905	460.9	62 / 32
611	61,132	5,905	461.6	25 / 250
616	61,604	5,905	462.7	30 / 260
621	62,126	5,905	463.7	409 / 80
625	62,500	5,905	464.0	26 / 321
631	63,095	5,905	464.8	388 / 125
640	64,033	5,905	466.3	215 / 24
645	64,467	5,905	466.9	335 / 35
650	65,017	5,905	467.4	286 / 59
656	65,648	5,781	468.1	155 / 291
661	66,109	5,781	468.5	116 / 108
667	66,696	5,781	469.3	26 / 198
672	67,150	5,781	470.0	26 / 383
677	67,672	5,781	470.4	40 / 114
683	68,314	5,781	471.3	62 / 26
687	68,717	5,781	472.0	27 / 126
691	69,067	5,781	472.5	26 / 118
696	69,586	5,781	473.3	171 / 26
702	70,177	5,781	474.0	26 / 271
706	70,574	5,781	474.6	26 / 454
714	71,368	5,698	475.4	356 / 172
721	72,149	5,698	476.2	57 / 132
725	72,540	5,698	476.8	34 / 139
732	73,218	5,698	477.7	298 / 39
738	73,820	5,698	478.5	200 / 25
750	74,958	5,698	480.1	26 / 574
754	75,448	5,698	480.4	26 / 416
759	75,911	5,698	481.0	34 / 318
766	76,599	5,624	482.2	26 / 181
770	76,977	5,624	483.8	108 / 160
774	77,382	5,549	484.8	55 / 278

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
CARAWAY CREEK				
779	77,873	5,549	485.8	359 / 26
785	78,500	5,455	486.9	191 / 180
796	79,595	5,296	489.1	89 / 214
801	80,102	5,296	490.1	118 / 27
806	80,555	5,296	490.8	56 / 24
811	81,080	5,296	492.0	25 / 126
814	81,429	5,296	492.6	25 / 102
819	81,894	5,296	493.6	47 / 54
823	82,291	5,296	494.0	116 / 24
827	82,653	4,431	494.9	404 / 22
831	83,125	4,431	496.4	292 / 22
837	83,719	4,431	498.1	470 / 98
842	84,235	4,431	499.1	131 / 22
847	84,663	4,431	500.2	22 / 102
850	85,000	4,431	501.2	22 / 96
856	85,646	4,431	503.3	26 / 22
860	86,021	4,431	505.1	22 / 59
865	86,542	4,402	507.3	24 / 22
872	87,198	4,402	509.7	48 / 21
876	87,627	4,402	510.9	26 / 38
881	88,092	4,402	512.0	22 / 103
886	88,625	4,402	512.9	34 / 95
890	88,959	4,402	513.4	28 / 26
895	89,489	4,202	514.8	34 / 21
903	90,322	4,202	517.0	74 / 26
911	91,060	4,202	518.8	48 / 32
917	91,718	4,202	520.6	54 / 21
922	92,227	4,202	522.1	21 / 91
927	92,692	4,202	522.8	62 / 44
935	93,477	4,202	524.9	21 / 110
CARAWAY CREEK TRIBUTARY 1				
004	391	2,105	494.2 ⁴	15 / 15
010	1,027	2,105	495.5	20 / 93
015	1,500	2,105	496.9	17 / 32
020	2,000	2,105	499.1	17 / 17
025	2,500	2,105	501.6	16 / 32
030	3,000	2,105	503.4	22 / 17
034	3,373	2,105	505.1	17 / 17
040	4,000	2,023	508.7	44 / 12
045	4,500	2,023	511.0	17 / 29
052	5,201	2,023	513.8	17 / 117
058	5,754	2,023	515.1	17 / 45
064	6,390	2,023	519.7	17 / 51

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
CARAWAY CREEK TRIBUTARY 1				
068	6,833	1,911	522.4	76 / 16
075	7,500	1,911	526.1	20 / 16
080	8,000	1,911	529.4	16 / 17
084	8,385	1,911	532.5	37 / 45
089	8,906	1,911	536.3	120 / 47
095	9,500	1,911	538.0	75 / 16
102	10,171	1,911	541.9	39 / 36
108	10,844	1,485	545.9	123 / 15
116	11,612	1,485	548.8	14 / 165
125	12,540	1,485	555.2	58 / 5
130	12,983	1,485	558.3	14 / 35
137	13,700	1,485	564.6	15 / 37
140	14,030	1,485	566.8	21 / 14
147	14,700	1,485	572.5	26 / 17
158	15,797	1,336	593.1	117 / 190
165	16,500	1,336	593.1	57 / 41
170	17,000	1,336	593.2	17 / 21
174	17,383	1,336	594.3	9 / 11
CARAWAY CREEK TRIBUTARY 2				
002	157	2,066	542.6 ⁴	17 / 17
006	647	2,066	542.6 ⁴	17 / 17
015	1,547	1,885	547.0	61 / 16
021	2,076	1,885	551.8	16 / 29
025	2,521	1,885	556.1	7 / 6
030	3,000	1,885	565.5	15 / 17
036	3,577	1,885	571.9	16 / 64
040	4,000	1,885	574.8	27 / 18
045	4,479	1,449	578.4	14 / 24
050	4,953	1,449	582.9	31 / 18
055	5,500	1,449	590.2	14 / 14
060	6,000	1,449	597.6	11 / 11
066	6,560	1,449	608.2	11 / 11
079	7,863	1,449	624.2	14 / 98
083	8,332	1,449	627.2	14 / 39
CARAWAY CREEK TRIBUTARY 3				
001	140	777	681.1 ⁴	12 / 68
008	829	777	682.5	54 / 25
015	1,500	746	686.9	12 / 29
019	1,945	746	689.4	27 / 68
023	2,256	746	690.6	12 / 16
DEEP RIVER				
3105	310,471	41,731	353.7	337 / 211
3117	311,711	41,731	353.9	236 / 132

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER				
3128	312,802	39,628	354.1	232 / 132
3138	313,805	39,628	354.3	134 / 132
3147	314,671	39,628	354.4	134 / 112
3158	315,763	39,628	354.7	135 / 120
3168	316,790	39,616	354.9	140 / 143
3179	317,868	39,616	355.1	124 / 174
3188	318,786	39,616	355.3	137 / 122
3198	319,779	39,616	355.5	130 / 147
3208	320,790	39,574	355.6	121 / 140
3218	321,797	39,574	355.8	115 / 127
3228	322,797	39,480	356.1	136 / 118
3238	323,811	39,480	356.2	112 / 120
3250	324,985	39,480	356.4	116 / 127
3258	325,798	39,480	356.6	131 / 129
3268	326,798	39,480	356.9	140 / 305
3277	327,669	39,435	357.0	205 / 150
3288	328,779	39,435	357.1	114 / 200
3306	330,632	38,783	357.6	152 / 136
3313	331,278	38,783	357.8	152 / 136
3323	332,300	38,783	358.1	152 / 136
3332	333,245	38,783	358.5	152 / 136
3341	334,128	38,783	358.7	133 / 119
3353	335,346	38,758	359.0	152 / 136
3365	336,462	38,758	359.2	152 / 136
3374	337,414	38,715	359.4	152 / 136
3381	338,100	38,715	359.5	152 / 136
3391	339,058	38,642	359.7	110 / 130
3403	340,293	38,642	359.9	135 / 121
3412	341,165	38,427	360.1	135 / 121
3423	342,281	38,427	360.4	135 / 121
3433	343,294	38,421	360.7	135 / 121
3443	344,272	38,421	360.9	135 / 121
3453	345,284	38,421	361.2	135 / 121
3463	346,278	38,421	361.5	135 / 121
3473	347,313	38,421	361.8	147 / 168
3483	348,294	38,421	362.2	110 / 186
3492	349,237	38,421	362.4	116 / 123
3503	350,258	37,235	362.7	99 / 120
3512	351,209	37,229	363.1	97 / 113
3522	352,230	37,229	363.6	97 / 150
3533	353,317	37,229	364.5	97 / 258
3543	354,342	37,229	365.0	97 / 141
3553	355,313	37,229	365.8	97 / 130

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER				
3562	356,236	37,229	366.9	120 / 97
3571	357,149	37,229	368.0	113 / 133
3584	358,371	36,160	369.7	89 / 125
3593	359,285	36,160	371.3	131 / 90
3602	360,193	36,152	372.6	93 / 130
3612	361,229	36,152	374.4	90 / 99
3623	362,342	36,134	376.5	93 / 127
3632	363,206	36,134	378.0	109 / 146
3644	364,350	36,115	379.4	88 / 102
3652	365,228	36,115	380.6	88 / 102
3663	366,337	36,091	382.2	100 / 132
3672	367,218	36,091	383.5	126 / 141
3683	368,319	36,091	385.3	87 / 119
3694	369,367	36,080	389.2	158 / 120
3702	370,219	36,080	393.1	179 / 140
3733	373,286	36,080	407.6	88 / 121
3742	374,214	36,063	409.6	88 / 121
3751	375,147	35,990	411.3	131 / 92
3763	376,287	35,990	413.1	118 / 148
3773	377,303	35,936	414.8	118 / 148
3782	378,238	35,936	416.0	118 / 135
3793	379,300	35,936	417.3	128 / 145
3803	380,263	35,936	419.0	191 / 221
3813	381,263	35,936	420.1	86 / 150
3823	382,301	35,927	421.4	86 / 113
3833	383,337	35,864	422.8	95 / 125
3843	384,313	35,864	423.9	150 / 141
3853	385,293	35,864	425.1	101 / 121
3878	387,763	35,864	428.0	87 / 120
3888	388,830	35,600	428.8	89 / 116
3898	389,811	35,600	429.6	86 / 129
3907	390,706	35,600	430.2	99 / 97
3919	391,905	35,120	430.9	99 / 97
3928	392,836	35,120	431.6	99 / 97
3938	393,794	35,120	432.1	88 / 96
3948	394,777	35,120	432.7	88 / 114
3959	395,876	35,106	433.3	98 / 107
3970	396,980	35,106	434.0	119 / 129
3977	397,701	35,106	434.4	84 / 84
3989	398,946	35,078	435.0	89 / 98
3998	399,789	35,078	435.4	91 / 106
4008	400,769	35,078	435.9	93 / 107
4018	401,757	35,078	436.3	99 / 125

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER				
CROSS SECTIONS SHOWN ON FLODWAY DATA TABLE AND PROFILE FOR THIS PORTION				
4610	461,049	24,500	580.3	100 / 450
4620	461,956	24,500	580.8	350 / 200
4628	462,807	24,500	581.0	250 / 450
4638	463,807	24,500	581.5	125 / 200
4648	464,807	24,400	581.9	480 / 145
4656	465,603	24,400	582.1	650 / 160
4667	466,740	24,300	582.3	200 / 230
4673	467,307	24,300	582.6	200 / 210
4682	468,176	24,300	582.9	200 / 218
4688	468,807	24,300	583.2	150 / 200
4695	469,504	24,300	583.4	100 / 300
4700	470,018	24,100	583.5	80 / 300
4708	470,807	24,100	583.6	50 / 150
4715	471,480	24,100	584.0	200 / 100
4723	472,300	24,100	584.2	100 / 150
4730	473,036	24,100	584.5	300 / 200
4738	473,807	24,100	584.7	200 / 110
4745	474,477	24,100	584.9	70 / 300
4757	475,730	24,100	598.4	264 / 205
4763	476,307	19,900	598.5	187 / 137
4767	476,733	19,900	598.6	209 / 144
4773	477,307	19,800	598.9	174 / 218
4778	477,764	19,800	599.0	168 / 241
4783	478,307	19,800	599.1	167 / 121
4788	478,807	19,800	599.2	100 / 176
4793	479,307	19,800	599.6	140 / 284
4796	479,643	19,800	599.6	158 / 300
4803	480,307	19,800	599.8	147 / 203
4808	480,807	19,800	599.9	76 / 152
4813	481,305	19,800	600.1	55 / 226
4818	481,807	19,800	600.3	180 / 126
4823	482,259	19,800	600.5	265 / 78
4828	482,807	19,800	600.7	92 / 244
4834	483,441	19,800	600.8	52 / 270
4840	484,044	19,800	601.0	67 / 163
4849	484,863	19,800	601.6	71 / 144
4853	485,307	19,800	601.7	55 / 120
4858	485,807	19,700	602.2	143 / 113
4863	486,307	19,700	602.8	158 / 95
4868	486,807	19,700	603.2	73 / 99

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER				
4878	487,807	19,700	604.3	55 / 140
4888	488,760	19,500	606.1	52 / 54
4893	489,307	19,500	609.9	54 / 89
4898	489,807	19,500	611.5	226 / 57
4908	490,807	19,500	612.4	29 / 100
4913	491,307	19,500	617.6	67 / 129
4923	492,303	19,500	618.0	228 / 29
4931	493,144	19,500	620.0	81 / 209
4938	493,807	19,500	621.4	38 / 291
4943	494,295	19,500	622.9	29 / 264
4953	495,307	19,400	624.8	136 / 139
4958	495,807	19,400	625.8	137 / 98
4968	496,807	19,400	628.0	115 / 144
4973	497,307	19,400	629.1	316 / 85
4978	497,807	19,400	629.4	101 / 228
4983	498,307	19,400	631.3	79 / 131
4993	499,307	19,400	633.2	69 / 174
5002	500,152	19,100	634.4	862 / 102
5008	500,807	19,100	634.7	599 / 93
5013	501,307	19,100	635.1	320 / 139
5035	503,471	19,100	636.4	207 / 158
5043	504,307	18,900	637.8	666 / 181
5053	505,307	16,900	638.4	179 / 370
5064	506,418	16,900	638.6	59 / 80
5073	507,307	16,900	643.2	28 / 231
5083	508,307	16,900	645.6	262 / 184
5088	508,807	16,800	646.1	578 / 199
5098	509,807	16,800	646.5	27 / 325
5109	510,903	16,800	647.8	24 / 156
5114	511,415	16,800	648.5	27 / 164
5128	512,807	16,800	649.9	103 / 71
5135	513,462	16,800	650.6	47 / 119
5143	514,307	16,800	651.7	143 / 73
5153	515,307	16,800	652.7	47 / 282
5159	515,881	16,800	653.1	52 / 156
5168	516,807	16,800	654.0	33 / 111
5178	517,807	16,700	655.1	199 / 75
5183	518,281	16,700	655.4	186 / 73
5193	519,307	16,700	656.2	123 / 74
5198	519,807	16,700	656.7	102 / 113
5207	520,732	16,700	657.4	151 / 64
5213	521,307	16,700	657.8	74 / 209
5223	522,307	16,700	658.7	48 / 193

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER				
5233	523,307	16,700	659.2	272 / 69
5238	523,807	16,600	659.3	143 / 120
5248	524,807	16,600	660.3	116 / 220
5253	525,307	16,600	660.6	157 / 80
5267	526,727	16,500	661.7	67 / 195
5273	527,307	16,500	662.1	185 / 153
5283	528,307	16,500	662.5	42 / 150
5293	529,307	16,500	663.5	121 / 285
5304	530,449	16,100	664.1	560 / 168
5321	532,081	16,100	665.5	159 / 263
5328	532,764	16,100	665.9	46 / 173
5333	533,307	16,100	666.5	111 / 92
5338	533,807	16,100	667.3	154 / 113
5348	534,807	16,100	668.2	166 / 103
5353	535,307	16,100	668.6	193 / 81
5364	536,416	16,000	669.8	134 / 150
5373	537,307	16,000	670.6	261 / 134
5383	538,307	16,000	670.9	124 / 241
5393	539,307	15,900	671.7	32 / 740
5403	540,307	15,900	672.0	35 / 262
DEEP RIVER TRIBUTARY 15				
010	1,000	760	445.6 ⁴	11 / 7
015	1,500	760	456.8	9 / 7
026	2,573	760	468.9	16 / 16
030	3,000	760	475.5	19 / 18
044	4,412	468	501.3	30 / 17
057	5,740	468	517.4	16 / 6
070	7,000	468	537.5	16 / 19
075	7,500	468	549.0	41 / 23
DEEP RIVER TRIBUTARY 16				
009	857	1,958	449.8 ⁴	30 / 68
029	2,872	1,917	452.9	15 / 15
032	3,157	1,123	457.9	51 / 45
035	3,500	1,123	458.6	70 / 8
041	4,090	1,123	463.6	70 / 70
046	4,574	1,123	467.4	50 / 50
049	4,949	1,123	468.8	21 / 40
056	5,610	1,123	474.5	20 / 60
060	6,000	1,123	477.9	40 / 70
065	6,500	1,123	482.2	45 / 5
070	7,033	1,123	486.4	19 / 34
075	7,500	1,123	489.6	31 / 5
079	7,944	1,123	494.8	72 / 11

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER TRIBUTARY 16				
085	8,459	1,123	497.4	20 / 13
093	9,335	1,123	512.6	40 / 159
099	9,893	772	513.1	16 / 61
105	10,500	772	514.3	52 / 25
109	10,907	772	515.9	21 / 27
115	11,500	772	519.8	27 / 32
DEEP RIVER TRIBUTARY 17				
005	500	1,126	458.8 ⁴	10 / 9
010	1,000	1,126	458.8 ⁴	10 / 10
015	1,500	1,126	458.8 ⁴	10 / 7
020	1,977	1,126	458.8 ⁴	17 / 22
025	2,500	1,126	460.9	14 / 22
029	2,900	1,126	464.5	10 / 10
030	3,023	1,126	466.7	20 / 20
036	3,625	1,126	469.2	45 / 12
047	4,670	1,126	475.6	13 / 10
057	5,668	834	481.3	45 / 10
064	6,378	834	486.1	10 / 10
069	6,945	834	493.4	19 / 11
075	7,453	834	501.7	10 / 15
080	8,000	834	512.2	50 / 10
085	8,500	834	518.2	12 / 26
090	9,000	834	523.0	9 / 10
097	9,710	834	529.0	80 / 10
DEEP RIVER TRIBUTARY 18				
001	113	889	467.0 ⁴	14 / 22
010	1,000	889	475.7	9 / 33
015	1,539	475	481.2	25 / 42
020	2,000	475	484.9	4 / 12
024	2,376	475	491.9	21 / 9
033	3,313	475	508.4	21 / 17
039	3,904	475	517.8	10 / 10
043	4,348	281	524.0	30 / 12
050	5,000	281	534.0	7 / 6
055	5,500	281	554.2	13 / 6
060	6,030	281	581.1	18 / 6
064	6,443	281	599.8	14 / 13
DEEP RIVER TRIBUTARY 19				
001	82	649	477.6 ⁴	46 / 6
010	1,000	649	487.9	45 / 25
015	1,547	649	494.4	21 / 20
020	2,000	649	500.9	43 / 15
031	3,052	649	515.9	5 / 20

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER TRIBUTARY 19				
035	3,500	649	523.1	32 / 28
040	4,000	383	545.0	5 / 5
045	4,500	383	561.7	24 / 30
DEEP RIVER TRIBUTARY 20				
004	369	460	599.9 ⁴	7 / 13
010	1,000	460	614.5	7 / 13
015	1,500	460	629.8	7 / 29
028	2,819	297	647.1	16 / 16
035	3,500	297	655.9	20 / 20
040	4,040	297	666.6	33 / 8
045	4,481	297	675.0	25 / 8
DEEP RIVER TRIBUTARY 21				
002	226	1,240	604.3 ⁴	24 / 9
010	1,000	1,240	614.8	4 / 128
025	2,500	1,240	622.4	18 / 19
030	3,000	1,240	628.5	25 / 30
040	4,000	733	634.7	5 / 16
044	4,374	733	641.2	16 / 16
054	5,401	733	655.0	10 / 14
060	6,000	733	661.5	22 / 52
069	6,877	733	667.7	24 / 47
075	7,467	733	677.6	58 / 55
078	7,825	733	678.3	60 / 25
085	8,500	412	681.0	5 / 12
091	9,138	412	686.8	105 / 30
DEEP RIVER TRIBUTARY 22				
000	39	948	634.0 ⁴	12 / 13
010	1,000	948	646.9	14 / 60
016	1,570	948	649.0	20 / 100
025	2,500	948	655.8	105 / 10
030	3,000	948	658.1	31 / 100
045	4,500	476	666.0	5 / 54
050	5,000	476	671.6	55 / 10
055	5,500	476	674.9	41 / 8
060	6,000	476	680.3	37 / 20
065	6,500	476	684.2	17 / 34
070	7,000	476	687.2	28 / 14
075	7,500	476	691.6	38 / 3
080	8,000	476	697.8	13 / 13
DEEP RIVER TRIBUTARY 23				
000	12	676	660.7 ⁴	7 / 8
016	1,631	676	675.0	13 / 11
020	2,000	676	680.3	21 / 20

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER TRIBUTARY 23				
025	2,500	676	682.9	51 / 37
032	3,158	676	688.6	54 / 20
041	4,072	676	698.7	17 / 15
055	5,514	341	714.3	87 / 37
066	6,564	341	714.4	19 / 15
070	7,000	341	718.4	3 / 5
075	7,500	341	728.5	30 / 20
080	8,029	341	736.1	12 / 12
DEEP RIVER TRIBUTARY 24				
002	176	756	623.3 ⁴	5 / 66
005	500	756	623.3 ⁴	55 / 14
011	1,109	756	623.3 ⁴	47 / 7
015	1,500	756	623.5	62 / 7
020	2,000	756	633.6	8 / 17
025	2,500	756	642.7	44 / 35
030	3,000	756	649.0	89 / 7
035	3,500	756	658.5	20 / 13
040	4,000	756	665.2	64 / 11
045	4,500	756	671.0	25 / 37
050	5,000	756	680.3	67 / 14
055	5,500	552	680.9	60 / 7
060	6,000	552	683.7	7 / 50
065	6,500	552	688.5	50 / 19
070	7,000	552	691.6	34 / 7
075	7,500	552	694.9	12 / 72
080	8,000	552	699.7	7 / 26
085	8,500	552	705.6	12 / 27
090	9,000	552	711.1	7 / 35
095	9,500	552	718.6	39 / 42
098	9,813	552	723.7	28 / 7
DEEP RIVER TRIBUTARY 26				
001	127	2,042	663.9 ⁴	10 / 36
011	1,061	2,042	663.9 ⁴	27 / 13
017	1,721	2,042	663.9 ⁴	20 / 68
021	2,074	2,042	663.9 ⁴	44 / 134
025	2,500	2,042	663.9 ⁴	21 / 173
029	2,860	2,042	663.9 ⁴	20 / 129
035	3,500	2,042	663.9 ⁴	407 / 25
040	3,998	2,042	663.9 ⁴	179 / 28
046	4,632	2,042	665.1	25 / 55
051	5,081	1,923	669.9	15 / 57
060	6,000	1,923	678.6	17 / 13
065	6,500	1,923	681.3	27 / 31

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
DEEP RIVER TRIBUTARY 26				
071	7,102	1,923	683.1	21 / 102
075	7,500	1,923	684.6	15 / 54
080	8,000	1,923	686.9	99 / 10
085	8,500	1,923	688.8	41 / 23
091	9,051	1,923	690.4	69 / 197
095	9,500	1,648	690.8	234 / 15
100	9,950	1,648	692.3	40 / 50
105	10,548	1,648	695.6	84 / 30
109	10,918	1,648	696.5	18 / 57
115	11,540	1,648	698.5	50 / 47
120	12,000	1,648	699.7	37 / 99
122	12,243	1,648	700.2	50 / 77
DODSONS LAKE				
005	500	1,568	582.6 ⁴	124 / 68
010	1,000	1,568	582.6 ⁴	69 / 156
015	1,500	1,568	583.8	133 / 78
020	2,000	1,568	585.5	160 / 16
035	3,543	1,568	607.7	406 / 594
049	4,919	1,466	607.7	414 / 450
058	5,837	1,466	607.7	69 / 180
070	7,031	1,144	607.7	13 / 95
083	8,270	1,144	611.4	41 / 55
089	8,889	1,144	612.6	157 / 103
093	9,311	724	613.3	36 / 22
104	10,364	724	619.4	10 / 10
109	10,861	724	625.1	40 / 38
119	11,947	724	633.5	15 / 44
125	12,509	724	636.5	10 / 45
133	13,335	724	641.7	12 / 17
DODSONS LAKE 2				
001	137	435	612.9 ⁴	7 / 70
005	509	435	614.6	55 / 12
011	1,095	435	617.4	6 / 5
017	1,702	435	625.9	9 / 7
DODSONS LAKE TRIBUTARY 1				
005	500	586	607.7 ⁴	37 / 38
011	1,117	586	607.7 ⁴	25 / 16
025	2,530	586	634.4	80 / 90
033	3,346	586	654.7	50 / 200
FORK CREEK				
002	232	8,448	354.0 ⁴	91 / 274
009	938	8,448	354.0 ⁴	176 / 184
014	1,414	8,448	354.0 ⁴	259 / 156

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
FORK CREEK				
019	1,878	8,412	354.0 ⁴	216 / 191
024	2,420	8,412	354.0 ⁴	181 / 202
031	3,103	8,412	354.0 ⁴	288 / 109
036	3,580	8,412	354.0 ⁴	277 / 55
041	4,090	8,412	354.0 ⁴	111 / 38
045	4,500	8,412	354.0 ⁴	86 / 40
049	4,871	8,412	354.0 ⁴	143 / 35
056	5,611	8,412	354.0 ⁴	114 / 38
062	6,235	8,313	354.0 ⁴	58 / 43
069	6,901	8,204	354.0 ⁴	39 / 33
074	7,437	8,204	354.0 ⁴	56 / 53
091	9,129	8,194	354.0 ⁴	32 / 32
098	9,805	8,194	354.0 ⁴	38 / 33
108	10,809	7,731	354.0 ⁴	32 / 32
115	11,500	7,731	354.0 ⁴	58 / 39
120	11,985	7,731	354.0 ⁴	69 / 33
129	12,948	7,731	354.5	85 / 58
134	13,433	7,731	354.9	50 / 32
141	14,113	7,731	355.6	27 / 40
145	14,461	7,731	356.0	30 / 38
149	14,850	7,731	356.4	30 / 31
155	15,500	7,731	357.1	38 / 38
163	16,283	7,731	357.7	30 / 36
169	16,855	7,627	358.6	51 / 29
175	17,456	7,382	359.5	237 / 28
186	18,564	7,382	359.9	37 / 50
190	19,000	7,382	360.3	37 / 38
202	20,161	6,458	363.8	26 / 45
207	20,744	6,458	364.9	26 / 44
213	21,333	6,458	369.4	29 / 38
219	21,925	6,458	371.2	29 / 26
226	22,557	6,458	372.9	26 / 27
230	23,000	6,458	374.1	27 / 31
234	23,431	6,458	374.8	23 / 25
240	24,000	6,458	376.1	64 / 30
246	24,596	6,458	376.9	156 / 26
251	25,087	6,458	378.1	273 / 29
257	25,680	6,458	378.8	263 / 30
269	26,877	6,360	380.4	26 / 28
274	27,416	6,360	381.6	74 / 84
279	27,856	6,360	382.1	247 / 65
286	28,591	6,360	383.2	245 / 70
294	29,384	6,360	384.3	56 / 38

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
FORK CREEK				
301	30,106	6,360	385.7	65 / 27
305	30,500	6,360	386.3	41 / 25
311	31,102	6,242	388.1	33 / 29
316	31,608	5,562	390.7	37 / 34
323	32,258	5,207	392.4	31 / 57
328	32,788	5,207	393.2	24 / 23
335	33,500	5,207	394.6	21 / 25
340	34,000	5,207	395.9	44 / 21
345	34,530	5,207	396.7	24 / 21
349	34,893	5,207	397.4	22 / 46
355	35,475	5,207	399.0	29 / 62
360	35,987	5,207	399.6	21 / 34
366	36,629	5,207	401.4	19 / 20
371	37,112	5,207	404.1	78 / 19
376	37,559	5,207	404.8	21 / 21
381	38,137	5,207	409.1	38 / 23
386	38,590	5,207	410.4	23 / 37
389	38,901	5,207	411.4	26 / 30
394	39,426	5,207	412.8	40 / 36
404	40,425	5,092	415.8	21 / 207
410	41,000	3,977	416.7	73 / 139
418	41,801	3,977	417.8	212 / 124
425	42,500	3,977	419.1	191 / 65
432	43,184	3,977	422.1	37 / 44
439	43,918	3,977	425.5	19 / 34
444	44,426	3,977	427.8	26 / 68
452	45,185	3,977	431.8	31 / 167
459	45,919	3,977	433.0	170 / 16
466	46,628	3,977	434.9	26 / 22
470	47,033	3,977	436.5	24 / 26
475	47,500	3,872	438.6	21 / 230
481	48,066	3,872	439.3	21 / 81
489	48,942	3,872	440.8	19 / 86
496	49,551	3,872	441.6	22 / 39
506	50,555	3,872	443.7	38 / 168
510	51,043	3,872	444.1	13 / 27
515	51,500	3,872	446.4	37 / 42
520	51,969	3,872	448.2	51 / 50
525	52,458	3,872	450.0	37 / 270
530	53,000	3,872	450.5	68 / 201
534	53,441	3,872	451.0	108 / 200
539	53,915	3,872	452.0	141 / 46
550	54,952	3,178	454.6	121 / 70

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
FORK CREEK				
556	55,599	3,178	455.5	212 / 25
564	56,400	3,178	457.5	57 / 55
572	57,190	2,845	461.1	50 / 72
577	57,729	2,845	463.0	50 / 48
586	58,566	2,800	466.5	67 / 41
597	59,685	2,800	470.0	29 / 50
601	60,097	2,800	471.4	15 / 188
608	60,820	2,800	471.8	157 / 35
614	61,412	2,800	472.5	67 / 110
619	61,947	2,800	473.2	123 / 43
624	62,399	2,800	473.9	81 / 13
635	63,453	2,606	476.8	52 / 13
643	64,252	2,606	480.6	18 / 244
650	64,960	2,606	483.0	100 / 16
654	65,408	2,606	485.5	26 / 20
659	65,919	2,606	487.9	31 / 75
666	66,566	2,606	490.0	66 / 87
669	66,949	2,606	491.1	86 / 45
674	67,385	2,606	492.4	57 / 34
678	67,777	2,606	493.9	45 / 25
685	68,500	2,606	497.0	42 / 10
691	69,105	2,606	500.0	20 / 14
695	69,500	2,606	502.9	18 / 55
701	70,105	2,606	505.6	59 / 16
705	70,500	1,252	508.3	23 / 74
709	70,930	1,252	510.2	8 / 75
716	71,608	1,252	512.0	42 / 112
720	71,974	1,252	513.1	223 / 11
725	72,500	1,252	516.1	13 / 60
729	72,889	1,252	518.6	14 / 44
736	73,570	1,252	523.1	7 / 114
739	73,903	1,252	526.4	14 / 119
744	74,449	1,252	530.6	27 / 16
750	74,959	979	535.5	40 / 25
755	75,500	979	543.8	10 / 13
760	76,042	979	552.1	19 / 27
765	76,500	979	556.0	28 / 31
771	77,082	979	561.6	13 / 92
775	77,456	979	564.2	64 / 9
780	78,000	979	567.9	60 / 7
784	78,368	979	571.0	25 / 33
791	79,108	979	574.9	145 / 5
796	79,600	511	577.3	31 / 11

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
FORK CREEK				
801	80,079	511	582.7	32 / 33
805	80,534	511	589.1	4 / 17
811	81,078	511	608.7	12 / 5
818	81,774	511	633.2	5 / 19
822	82,187	511	642.2	2 / 36
FORK CREEK TRIBUTARY 1				
000	27	1,813	506.8 ⁴	35 / 35
005	500	1,813	512.3	27 / 35
010	1,000	1,813	513.9	47 / 53
016	1,554	1,813	515.2	50 / 52
020	2,000	1,355	517.5	58 / 50
025	2,500	1,355	522.3	53 / 66
030	3,000	1,355	527.7	33 / 34
035	3,500	1,355	531.8	21 / 36
040	4,000	1,355	534.3	25 / 24
046	4,614	1,355	538.0	35 / 55
050	5,000	1,355	542.5	23 / 32
055	5,500	1,355	547.0	24 / 35
060	6,000	1,355	550.8	30 / 18
065	6,500	807	555.2	40 / 64
070	7,000	807	558.2	38 / 16
075	7,500	807	565.0	46 / 30
080	8,000	807	568.9	35 / 18
085	8,500	807	574.6	16 / 19
088	8,820	807	580.1	22 / 12
095	9,500	807	592.7	14 / 10
102	10,177	807	609.7	13 / 11
107	10,657	807	620.7	9 / 24
114	11,445	807	643.3	8 / 10
120	12,000	807	654.4	25 / 18
125	12,500	497	665.7	7 / 14
128	12,827	497	682.4	9 / 11
135	13,453	497	701.2	21 / 32
148	14,819	497	734.2	20 / 20
FORK CREEK TRIBUTARY 2				
001	130	957	515.7 ⁴	76 / 5
009	948	957	520.0	72 / 7
015	1,457	957	522.8	129 / 10
021	2,051	957	526.7	22 / 76
024	2,438	957	530.1	36 / 9
034	3,429	957	536.4	18 / 51
042	4,192	957	542.0	53 / 40
047	4,675	957	545.6	41 / 5

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
FORK CREEK TRIBUTARY 2				
052	5,169	957	550.1	14 / 62
060	6,000	957	556.6	20 / 19
065	6,483	606	561.4	38 / 41
070	7,000	606	566.2	18 / 60
075	7,500	606	571.4	43 / 22
077	7,744	606	572.8	38 / 6
084	8,400	606	580.3	15 / 22
091	9,138	606	590.5	12 / 10
094	9,425	606	594.4	10 / 30
104	10,394	606	601.9	9 / 28
109	10,924	606	609.0	11 / 16
116	11,579	606	615.3	57 / 29
121	12,121	606	622.7	25 / 10
125	12,500	606	631.7	17 / 14
132	13,222	606	644.6	9 / 10
FORK CREEK TRIBUTARY 3				
002	232	879	555.0 ⁴	8 / 88
009	940	879	558.5	15 / 36
014	1,438	879	563.7	7 / 39
020	2,000	879	569.7	50 / 36
025	2,500	879	572.8	102 / 8
030	3,000	879	576.1	53 / 49
035	3,500	879	579.7	19 / 43
040	3,978	879	583.3	52 / 32
045	4,500	879	585.8	28 / 25
050	5,000	879	591.2	31 / 5
055	5,500	879	595.7	38 / 35
060	6,000	879	599.0	65 / 18
065	6,500	545	602.4	42 / 8
070	7,000	545	607.1	8 / 34
075	7,500	545	611.5	40 / 5
080	8,000	545	616.4	30 / 5
085	8,496	545	621.6	37 / 5
GABRIELS CREEK				
003	279	2,485	547.5 ⁴	61 / 147
009	894	2,485	547.5 ⁴	153 / 111
014	1,358	2,485	547.7	201 / 39
018	1,831	2,485	547.9	184 / 64
025	2,500	2,485	548.3	276 / 37
030	3,000	2,485	548.6	89 / 70
035	3,500	2,485	550.0	157 / 30
040	4,000	1,616	551.3	130 / 35
047	4,707	1,616	555.3	30 / 35

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
GABRIELS CREEK				
060	6,000	1,616	560.1	15 / 17
064	6,449	1,616	565.7	51 / 20
069	6,943	1,464	568.6	57 / 10
075	7,500	1,464	573.3	64 / 52
080	8,000	1,464	575.6	71 / 26
085	8,500	1,464	578.4	11 / 81
090	9,000	1,464	583.7	110 / 25
094	9,436	1,464	585.6	60 / 30
100	10,000	1,464	588.0	120 / 20
105	10,500	1,464	590.7	48 / 105
109	10,946	1,464	593.6	17 / 32
115	11,500	1,130	599.3	20 / 55
120	12,000	1,130	601.5	51 / 17
126	12,579	1,130	603.8	110 / 20
131	13,099	1,130	605.5	16 / 120
135	13,500	1,130	607.9	22 / 32
156	15,597	1,130	618.9	12 / 43
160	16,000	1,130	621.6	65 / 60
165	16,500	1,130	623.4	26 / 43
170	17,000	1,130	626.9	50 / 25
175	17,521	815	630.0	139 / 19
180	18,000	815	632.6	37 / 43
186	18,554	815	637.3	30 / 80
190	18,997	815	640.4	70 / 10
194	19,439	815	645.3	60 / 25
200	20,000	815	650.9	45 / 15
220	22,049	815	703.2	10 / 10
GABRIELS CREEK TRIBUTARY 1				
002	157	1,514	550.8 ⁴	50 / 50
010	1,000	1,514	557.6	24 / 22
015	1,500	1,514	561.8	190 / 13
020	2,000	1,471	564.9	80 / 50
033	3,339	1,471	583.4	36 / 178
038	3,817	1,471	583.9	62 / 83
045	4,521	1,471	586.1	22 / 89
052	5,199	1,471	589.5	58 / 22
058	5,814	1,471	593.6	25 / 61
063	6,330	1,471	596.9	65 / 84
068	6,827	1,471	598.1	19 / 78
079	7,903	1,471	603.6	160 / 8
085	8,500	1,143	605.6	53 / 16
090	9,015	1,143	609.8	33 / 33
095	9,500	1,143	612.4	106 / 15

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
GABRIELS CREEK TRIBUTARY 1				
100	10,038	1,143	615.4	15 / 84
106	10,583	1,143	619.0	21 / 93
111	11,062	1,143	622.6	8 / 83
117	11,707	1,143	627.1	29 / 30
125	12,500	1,143	632.2	26 / 42
130	13,000	1,143	636.6	13 / 18
135	13,500	1,143	641.3	9 / 56
140	14,000	1,143	646.2	42 / 30
145	14,500	1,143	649.5	42 / 101
153	15,335	1,143	652.6	66 / 13
160	16,000	1,143	659.2	13 / 28
167	16,657	768	663.6	10 / 14
177	17,694	768	674.4	20 / 15
185	18,458	768	684.4	17 / 13
191	19,056	768	695.8	18 / 21
GABRIELS CREEK TRIBUTARY 2				
005	477	419	606.6	20 / 15
015	1,500	419	630.3	12 / 8
020	2,000	419	643.6	8 / 19
025	2,452	419	652.1	8 / 22
030	2,972	419	660.1	13 / 25
035	3,500	419	668.1	8 / 21
040	3,959	419	676.1	26 / 6
045	4,500	419	687.1	5 / 19
049	4,864	419	694.7	10 / 19
HANNAHS CREEK				
004	437	2,831	392.1 ⁴	95 / 19
011	1,123	2,831	392.1 ⁴	166 / 27
015	1,500	2,831	392.1 ⁴	60 / 162
019	1,945	2,831	392.1 ⁴	38 / 65
035	3,458	2,831	392.1 ⁴	26 / 30
039	3,940	2,831	394.7	94 / 136
046	4,633	2,831	403.8	10 / 10
051	5,114	2,831	415.3	13 / 13
057	5,687	2,586	431.8	9 / 9
064	6,360	2,586	447.4	8 / 9
070	6,977	2,586	459.2	15 / 68
075	7,490	2,586	465.7	10 / 140
080	7,965	2,586	470.0	19 / 140
083	8,323	2,586	473.3	48 / 30
090	9,000	2,586	476.2	17 / 17
095	9,500	2,586	481.8	39 / 24
101	10,064	2,586	487.0	50 / 20

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
HANNAHS CREEK				
106	10,588	2,586	493.5	8 / 77
111	11,068	2,262	496.3	8 / 87
116	11,615	2,262	500.6	8 / 87
120	12,000	2,262	503.5	14 / 37
126	12,560	2,262	505.8	15 / 15
132	13,199	2,241	511.8	15 / 16
139	13,888	2,241	516.7	14 / 15
HASKETTS CREEK				
347	34,724	806	736.4	12 / 21
351	35,067	806	743.8	21 / 14
356	35,567	806	753.1	16 / 14
361	36,067	806	763.1	24 / 22
366	36,567	806	767.2	7 / 67
371	37,067	806	771.3	7 / 45
376	37,567	806	777.1	27 / 13
381	38,067	806	783.2	37 / 16
386	38,567	806	791.0	10 / 13
391	39,067	806	799.0	67 / 11
396	39,567	806	809.6	93 / 7
401	40,067	806	815.6	60 / 105
HASKETTS CREEK TRIBUTARY 1				
050	5,022	1,010	669.7	30 / 10
055	5,500	1,010	676.0	35 / 91
060	6,000	1,010	677.2	7 / 208
065	6,500	1,010	683.5	151 / 7
070	6,973	1,010	683.8	109 / 13
074	7,373	1,010	685.0	20 / 60
HASKETTS CREEK TRIBUTARY 2				
008	792	956	752.4	30 / 20
014	1,433	956	759.9	81 / 35
019	1,933	956	761.7	63 / 50
024	2,433	956	763.5	7 / 94
029	2,933	956	767.2	118 / 7
033	3,344	956	770.8	71 / 15
038	3,765	956	772.5	52 / 85
044	4,433	956	776.1	58 / 11
049	4,933	956	780.4	93 / 111
054	5,433	956	782.6	19 / 38
059	5,933	716	785.2	48 / 56
064	6,433	716	787.3	11 / 24
069	6,933	716	791.2	21 / 12
073	7,287	716	793.6	10 / 10

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
JACKSON CREEK				
001	92	4,739	417.6 ⁴	425 / 30
010	981	4,739	417.6 ⁴	161 / 407
016	1,567	4,739	417.6 ⁴	178 / 367
023	2,333	4,739	417.6 ⁴	307 / 34
028	2,798	4,739	417.6 ⁴	691 / 16
032	3,159	4,739	417.6 ⁴	732 / 16
045	4,506	4,739	417.6 ⁴	25 / 493
051	5,096	4,739	414.5 ⁴	322 / 149
057	5,706	4,739	417.6 ⁴	187 / 71
061	6,069	4,739	417.6 ⁴	286 / 40
069	6,912	4,665	417.6 ⁴	58 / 482
074	7,359	4,665	417.6 ⁴	22 / 569
078	7,834	4,665	417.6 ⁴	86 / 517
082	8,201	4,665	417.6 ⁴	22 / 463
086	8,641	4,665	417.6 ⁴	246 / 448
091	9,100	4,595	417.6 ⁴	190 / 599
097	9,650	4,595	417.6 ⁴	216 / 274
100	10,044	4,595	417.7	321 / 79
109	10,854	4,521	418.8	529 / 50
113	11,288	4,521	419.3	682 / 50
116	11,646	4,521	419.5	615 / 50
137	13,653	4,443	424.1	45 / 423
147	14,653	4,443	425.2	529 / 80
152	15,168	4,443	425.2	46 / 22
157	15,699	4,443	427.4	69 / 20
163	16,257	4,350	428.8	239 / 30
168	16,816	4,350	430.0	20 / 45
171	17,112	4,350	431.1	151 / 87
177	17,653	4,350	431.8	43 / 174
182	18,170	4,350	432.6	174 / 35
186	18,644	4,350	433.7	19 / 295
194	19,380	4,350	434.7	36 / 28
210	20,997	4,250	438.1	37 / 22
213	21,290	4,250	439.1	31 / 68
217	21,687	4,250	439.5	23 / 125
222	22,210	4,250	439.9	40 / 15
227	22,707	4,134	443.2	102 / 15
233	23,281	4,134	444.1	15 / 15
238	23,771	4,134	447.3	15 / 15
242	24,164	4,071	448.0	20 / 15
246	24,609	4,071	449.8	30 / 50
254	25,445	4,071	453.8	40 / 85
258	25,792	4,071	454.5	50 / 45

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
JACKSON CREEK				
262	26,220	4,071	457.5	52 / 15
267	26,704	4,071	462.2	50 / 50
275	27,533	4,071	465.6	50 / 15
280	27,952	4,071	467.4	35 / 100
284	28,381	3,987	467.5	50 / 28
288	28,766	3,987	470.1	30 / 14
293	29,328	3,987	476.5	18 / 23
297	29,736	3,987	478.8	14 / 15
303	30,260	3,987	493.4	14 / 28
310	30,951	3,987	499.0	24 / 19
320	32,018	3,987	502.5	17 / 16
325	32,542	2,893	508.5	21 / 21
330	32,969	2,893	510.4	10 / 10
342	34,223	2,893	541.1	34 / 68
347	34,713	2,893	552.2	15 / 16
352	35,184	2,845	558.6	50 / 30
357	35,665	2,845	559.9	19 / 55
361	36,078	2,845	561.5	19 / 41
366	36,616	2,845	563.5	208 / 114
373	37,303	2,845	564.6	119 / 65
KINGS CREEK				
006	600	2,337	585.3 ⁴	39 / 17
011	1,125	2,337	585.3 ⁴	22 / 62
016	1,560	2,337	585.3 ⁴	23 / 9
017	1,741	2,337	585.3 ⁴	19 / 18
023	2,324	2,337	587.3	33 / 18
028	2,847	2,337	589.3	122 / 18
034	3,370	2,337	590.0	33 / 17
041	4,068	2,337	593.2	48 / 18
046	4,562	2,337	594.9	44 / 17
050	4,991	2,220	597.9	130 / 17
055	5,521	2,220	599.7	140 / 18
060	6,009	2,220	601.6	34 / 18
065	6,488	2,220	603.4	28 / 18
068	6,835	2,220	604.6	18 / 17
074	7,366	2,220	607.0	24 / 18
LAKES CREEK				
002	180	659	371.5 ⁴	8 / 6
005	466	659	371.5 ⁴	23 / 20
010	977	659	377.0	7 / 7
015	1,503	567	389.7	7 / 7
020	1,997	567	408.4	12 / 12
022	2,248	567	417.7	7 / 7

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LAMBERT CREEK				
004	376	1,411	452.6 ⁴	21 / 15
008	790	1,411	454.8	44 / 10
016	1,559	1,411	457.9	67 / 52
019	1,944	1,411	459.4	56 / 102
026	2,626	1,411	462.1	31 / 48
035	3,543	1,339	467.5	32 / 31
LANIERS CREEK				
001	112	3,096	384.7 ⁵	119 / 22
010	992	3,096	384.7 ⁵	582 / 20
016	1,597	3,096	384.7 ⁵	388 / 20
023	2,327	3,096	385.4 ⁵	171 / 289
027	2,679	3,096	385.4 ⁵	115 / 86
032	3,227	3,096	385.4 ⁵	455 / 20
036	3,634	3,096	385.4 ⁵	44 / 20
040	3,950	3,096	385.4 ⁵	26 / 52
046	4,619	3,096	386.8	66 / 100
053	5,252	2,918	387.4	19 / 40
056	5,595	2,918	390.5	31 / 100
062	6,200	2,918	392.8	21 / 49
071	7,058	2,886	397.2	33 / 19
077	7,731	2,886	401.2	88 / 23
081	8,126	2,886	402.7	45 / 23
087	8,668	2,886	408.1	49 / 23
090	9,023	2,886	409.6	24 / 21
094	9,371	2,886	412.8	23 / 14
098	9,833	2,886	416.8	24 / 29
105	10,514	2,886	424.6	40 / 76
113	11,306	2,647	429.2	12 / 11
117	11,700	2,647	435.0	28 / 19
121	12,099	2,647	439.0	65 / 22
126	12,576	2,429	443.6	18 / 85
130	12,996	2,229	447.7	20 / 20
136	13,598	2,229	454.8	17 / 81
140	13,994	2,229	458.2	18 / 68
147	14,692	2,210	465.1	71 / 28
151	15,054	2,210	468.8	96 / 17
162	16,162	2,210	478.5	50 / 17
169	16,858	2,087	485.7	59 / 17
173	17,316	2,087	489.7	39 / 17
180	18,015	1,960	496.1	15 / 14
186	18,599	1,960	502.4	54 / 23
191	19,081	1,960	506.7	19 / 18
196	19,636	1,960	512.3	17 / 32

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LANIERS CREEK				
203	20,317	1,960	519.2	18 / 17
209	20,935	1,840	527.4	34 / 22
214	21,419	1,840	532.7	14 / 14
220	22,039	1,840	539.6	14 / 14
224	22,418	1,703	543.4	15 / 15
230	22,976	1,703	553.1	15 / 85
233	23,291	1,703	557.9	15 / 16
LITTLE BRUSH CREEK				
001	88	4,804	408.7 ⁴	49 / 21
008	805	4,804	409.4	30 / 19
014	1,400	4,804	411.3	58 / 20
021	2,086	4,804	412.6	24 / 23
025	2,500	4,804	414.0	56 / 18
030	3,000	4,804	415.5	47 / 28
035	3,500	4,804	416.6	22 / 22
040	4,000	4,804	418.4	36 / 35
045	4,500	4,804	419.5	19 / 98
049	4,867	4,804	420.4	20 / 37
055	5,456	4,804	422.7	72 / 26
067	6,712	4,804	425.7	24 / 114
075	7,500	4,804	426.8	23 / 37
080	8,000	4,804	427.9	22 / 62
085	8,500	4,700	428.8	24 / 37
089	8,944	4,700	430.0	20 / 45
095	9,500	4,429	433.1	60 / 41
100	10,034	4,429	434.5	30 / 30
110	11,000	4,429	441.9	30 / 30
114	11,428	4,429	443.5	18 / 16
118	11,835	4,429	446.8	20 / 31
124	12,432	4,429	451.8	20 / 31
130	13,000	4,429	453.9	80 / 26
LITTLE CARAWAY CREEK				
001	113	3,184	460.6 ⁴	20 / 247
006	642	3,184	460.6 ⁴	23 / 25
010	1,000	3,184	460.6 ⁴	44 / 20
015	1,500	3,184	460.6 ⁴	35 / 20
022	2,167	3,184	462.2	72 / 24
027	2,674	3,184	463.5	20 / 44
032	3,240	3,184	465.6	24 / 107
038	3,829	3,021	468.2	167 / 40
045	4,500	3,021	469.9	46 / 60
050	4,954	3,021	471.5	38 / 275
054	5,431	3,021	474.0	121 / 29

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LITTLE CARAWAY CREEK				
060	6,000	2,960	476.2	33 / 19
065	6,451	2,960	480.0	84 / 12
070	7,000	2,960	486.0	20 / 77
077	7,651	2,960	493.7	20 / 49
085	8,500	2,960	501.0	173 / 24
090	9,000	2,960	503.0	33 / 25
095	9,500	2,960	505.6	20 / 112
100	10,000	2,734	508.0	19 / 226
104	10,437	2,734	508.8	44 / 166
110	11,000	2,734	509.9	110 / 234
114	11,431	2,734	510.3	282 / 170
122	12,207	2,734	511.0	19 / 231
125	12,500	2,539	511.6	18 / 400
134	13,427	2,444	512.3	246 / 221
140	14,000	2,444	512.8	256 / 27
145	14,539	2,444	513.9	18 / 408
150	15,000	2,444	514.5	104 / 308
155	15,457	2,444	515.3	185 / 66
161	16,141	2,444	517.6	164 / 14
165	16,500	2,444	519.4	283 / 18
169	16,909	2,444	520.1	155 / 44
175	17,500	2,195	525.5	25 / 222
180	18,000	2,195	525.7	65 / 148
185	18,500	2,195	526.0	221 / 18
189	18,947	2,195	526.5	152 / 18
196	19,649	2,078	528.1	17 / 271
200	20,000	2,078	528.7	17 / 188
206	20,641	2,078	530.4	117 / 17
213	21,285	2,078	531.9	17 / 138
216	21,551	2,078	532.1	18 / 22
220	22,000	2,078	534.5	144 / 17
222	22,212	2,078	535.0	137 / 51
229	22,866	1,309	536.6	14 / 119
236	23,614	1,309	539.7	22 / 54
240	23,963	1,309	541.9	13 / 69
248	24,773	1,309	547.5	29 / 94
255	25,500	1,309	549.3	29 / 48
260	26,049	1,148	553.5	40 / 73
265	26,500	1,148	556.0	36 / 13
271	27,089	1,148	560.5	13 / 107
275	27,541	1,148	561.9	19 / 13
279	27,883	1,148	566.3	13 / 44
285	28,500	1,148	570.5	13 / 47

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LITTLE CARAWAY CREEK				
290	29,000	1,148	574.2	69 / 47
294	29,381	1,148	576.2	80 / 28
301	30,064	1,148	580.7	13 / 157
306	30,562	1,148	585.1	13 / 79
310	31,023	1,148	589.1	13 / 81
314	31,444	981	591.8	60 / 17
320	32,040	981	595.2	13 / 50
324	32,410	981	598.4	16 / 13
LITTLE CARAWAY CREEK TRIBUTARY 1				
001	75	1,332	535.8	23 / 109
006	565	1,332	537.6	84 / 15
013	1,254	1,332	540.9	125 / 51
017	1,690	1,332	542.8	20 / 35
021	2,070	1,332	545.4	16 / 33
025	2,476	1,332	548.5	16 / 27
028	2,836	1,332	551.5	60 / 14
037	3,670	1,332	557.0	17 / 101
041	4,109	1,332	560.3	13 / 13
049	4,925	1,332	567.9	74 / 44
LITTLE RIVER				
2372	237,189	8,147	573.2	34 / 35
2392	239,209	8,147	576.9	35 / 144
2411	241,085	7,830	578.6	100 / 38
2432	243,163	7,830	580.8	144 / 48
2447	244,730	7,556	582.4	110 / 34
2464	246,366	7,556	584.5	150 / 90
2480	247,970	7,556	585.2	100 / 100
2496	249,570	6,696	586.3	150 / 60
2510	250,975	6,696	587.7	70 / 80
2526	252,610	6,563	589.0	60 / 40
2543	254,298	6,368	595.2	35 / 25
2556	255,641	6,368	598.3	50 / 25
2568	256,817	6,368	599.9	26 / 245
2579	257,854	6,368	600.7	160 / 110
2593	259,305	6,251	602.2	190 / 45
2620	261,994	5,655	605.5	40 / 22
2634	263,379	5,655	608.8	90 / 21
2651	265,114	5,558	611.6	30 / 30
2660	265,966	5,558	613.5	30 / 25
2682	268,171	5,071	618.4	35 / 28
2698	269,800	5,071	625.9	46 / 25
2717	271,702	5,071	633.7	22 / 45
2731	273,072	5,071	637.1	45 / 20

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LITTLE RIVER				
2744	274,418	5,071	640.3	39 / 50
2763	276,281	5,071	642.7	26 / 81
2780	277,952	4,936	646.3	65 / 40
2794	279,426	4,936	648.4	70 / 45
2811	281,122	4,936	650.3	185 / 212
2830	283,042	4,767	651.5	168 / 50
2844	284,375	4,485	653.1	200 / 75
2860	285,955	4,485	654.9	50 / 75
2877	287,735	4,060	656.9	35 / 60
2893	289,259	4,060	659.9	20 / 26
2903	290,349	4,014	664.6	50 / 120
2914	291,449	4,014	668.6	40 / 300
2935	293,484	3,668	673.5	266 / 84
2950	295,005	3,668	674.1	17 / 108
2969	296,928	3,668	676.9	92 / 91
2983	298,323	2,706	678.4	26 / 12
2995	299,541	2,706	682.4	15 / 34
3008	300,757	2,706	686.3	25 / 130
3021	302,120	2,706	689.2	20 / 38
3032	303,224	2,706	692.9	52 / 72
3055	305,477	2,442	699.4	40 / 85
3071	307,078	2,442	703.0	50 / 300
3086	308,630	2,442	706.3	20 / 100
3108	310,845	2,357	715.5	200 / 110
3124	312,351	2,013	718.3	100 / 90
3139	313,900	2,013	727.1	100 / 75
3154	315,391	2,013	732.4	80 / 110
3179	317,939	1,831	739.7	100 / 84
3189	318,943	1,831	742.0	67 / 60
LITTLE RIVER TRIBUTARY 2				
001	89	891	577.6 ⁴	10 / 10
006	572	705	577.6 ⁴	45 / 20
011	1,119	705	577.6 ⁴	9 / 22
017	1,656	705	587.2	15 / 15
019	1,913	705	589.7	14 / 81
022	2,237	705	595.3	30 / 7
025	2,470	705	597.6	11 / 70
LITTLE RIVER TRIBUTARY 3				
004	389	587	586.1 ⁴	28 / 6
010	958	587	586.2	10 / 31
015	1,500	587	594.6	28 / 10
020	2,000	587	600.8	44 / 15
024	2,423	587	605.5	12 / 26

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LITTLE RIVER TRIBUTARY 4				
003	291	707	588.2 ⁴	7 / 9
008	812	707	592.3	35 / 20
012	1,210	707	606.6	7 / 16
LITTLE RIVER TRIBUTARY 5				
000	26	410	601.3 ⁴	6 / 5
004	350	410	606.4	4 / 31
006	577	410	609.7	5 / 20
011	1,119	410	630.7	57 / 59
015	1,500	410	630.9	85 / 64
020	1,976	410	631.3	74 / 2
LITTLE RIVER TRIBUTARY 6				
004	385	180	613.9 ⁴	5 / 10
007	682	180	627.0	9 / 14
010	1,000	180	641.8	7 / 14
014	1,415	180	653.1	12 / 13
LITTLE RIVER TRIBUTARY 7				
003	326	496	650.5 ⁴	10 / 6
008	772	496	659.7	35 / 6
012	1,187	496	663.6	19 / 65
LITTLE RIVER TRIBUTARY 8				
003	346	1,053	652.5 ⁴	6 / 21
007	677	1,053	655.6	18 / 12
011	1,142	1,053	660.5	10 / 93
019	1,870	585	665.3	15 / 44
LITTLE RIVER TRIBUTARY 9				
001	106	255	663.6 ⁴	5 / 9
004	447	255	665.0	12 / 5
007	701	255	671.0	18 / 2
009	866	255	676.4	20 / 5
010	1,009	255	677.9	12 / 12
012	1,154	255	681.5	12 / 12
014	1,375	255	685.5	5 / 22
LITTLE RIVER TRIBUTARY 10				
004	425	484	668.7 ⁴	23 / 39
009	901	484	668.7 ⁴	12 / 60
011	1,108	484	668.7 ⁴	12 / 12
016	1,646	484	677.9	55 / 5
LITTLE RIVER TRIBUTARY 11				
004	395	913	672.4 ⁴	42 / 11
009	926	913	672.4 ⁴	6 / 38
013	1,343	913	680.4	10 / 60
LITTLE RIVER TRIBUTARY 12				
002	169	793	717.5 ⁴	10 / 120

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LITTLE RIVER TRIBUTARY 12				
004	432	793	718.4	10 / 10
010	1,044	793	726.0	10 / 32
016	1,629	793	730.6	29 / 10
020	2,000	793	732.0	10 / 8
026	2,585	793	737.4	9 / 10
030	3,047	793	740.2	52 / 10
040	3,981	663	748.8	10 / 15
045	4,486	663	755.9	6 / 65
050	4,976	663	758.7	50 / 6
LITTLE UWHARRIE RIVER				
004	384	7,864	457.3 ⁴	34 / 43
010	955	7,864	460.4	50 / 32
015	1,500	7,864	471.1	29 / 58
020	1,963	7,864	479.7	30 / 32
025	2,470	7,864	485.2	41 / 39
029	2,906	7,864	486.7	37 / 150
033	3,306	7,804	487.3	55 / 55
037	3,708	7,804	488.1	43 / 115
055	5,544	7,624	491.8	44 / 36
060	5,959	7,624	492.9	69 / 201
065	6,462	7,624	493.3	40 / 94
070	7,000	7,624	494.1	43 / 44
075	7,455	7,624	494.8	64 / 64
079	7,948	7,624	495.6	180 / 212
085	8,500	7,624	495.8	36 / 171
090	8,981	7,624	496.1	36 / 37
095	9,534	7,624	497.2	36 / 101
100	9,969	7,624	498.0	302 / 37
104	10,377	7,624	498.2	151 / 157
110	11,000	7,454	498.5	105 / 36
114	11,364	7,454	499.1	231 / 36
118	11,841	7,454	499.4	311 / 59
125	12,456	7,454	500.4	36 / 36
131	13,062	7,454	501.9	36 / 48
146	14,589	7,272	509.0	41 / 36
150	15,000	7,272	512.1	45 / 35
156	15,557	7,272	516.4	35 / 35
159	15,946	7,272	520.3	61 / 70
164	16,440	7,272	521.7	35 / 210
169	16,937	7,272	522.6	150 / 43
173	17,340	7,272	523.3	123 / 35
179	17,851	7,272	524.3	268 / 35
185	18,524	7,232	525.1	43 / 345

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LITTLE UWHARRIE RIVER				
191	19,058	7,232	525.6	35 / 377
194	19,427	7,232	525.8	35 / 226
199	19,866	7,232	526.4	160 / 187
203	20,340	7,232	526.8	240 / 180
209	20,942	7,232	527.4	35 / 468
216	21,594	7,232	527.9	35 / 52
231	23,067	7,056	531.5	39 / 35
235	23,500	7,056	532.7	89 / 38
238	23,843	7,049	533.5	310 / 35
LITTLE UWHARRIE RIVER TRIBUTARY 1				
001	97	920	491.5 ⁴	17 / 12
006	555	920	491.5 ⁴	120 / 100
012	1,249	889	494.8	11 / 17
017	1,668	889	500.8	106 / 18
022	2,184	889	506.1	20 / 12
LITTLE UWHARRIE TRIBUTARY 4				
001	62	429	690.7 ⁴	12 / 6
005	500	429	701.7	20 / 16
010	1,000	429	721.6	10 / 20
015	1,500	429	733.6	59 / 21
019	1,901	429	744.8	8 / 10
029	2,867	325	781.2	10 / 6
034	3,355	325	807.0	11 / 17
045	4,500	325	846.0	12 / 12
053	5,311	325	873.0	25 / 30
058	5,753	325	888.1	16 / 12
LITTLE UWHARRIE RIVER TRIBUTARY 5				
001	58	279	703.5 ⁴	4 / 8
005	540	279	726.7	4 / 3
011	1,070	176	742.9	13 / 12
015	1,506	176	755.0	3 / 3
021	2,060	176	789.6	70 / 70
LITTLE UWHARRIE RIVER TRIBUTARY 6				
001	119	415	733.9 ⁴	20 / 21
006	644	297	750.9	8 / 9
013	1,253	297	765.2	12 / 12
019	1,928	161	786.4	5 / 10
021	2,141	161	801.8	5 / 8
025	2,511	161	816.2	12 / 12
031	3,066	161	835.9	6 / 5
035	3,537	161	864.6	3 / 4
039	3,886	161	896.2	6 / 4

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LITTLE UWHARRIE RIVER TRIBUTARY 6A				
002	189	306	744.5 ⁴	15 / 12
006	630	306	761.5	18 / 18
011	1,054	306	780.9	15 / 17
014	1,380	306	793.8	10 / 10
021	2,067	240	819.8	12 / 12
026	2,567	240	849.9	15 / 12
LITTLE UWHARRIE RIVER TRIBUTARY 7				
001	133	401	778.6 ⁴	32 / 23
011	1,083	401	789.4	32 / 30
020	1,993	401	800.6	6 / 4
031	3,062	276	818.8	44 / 25
047	4,671	276	841.1	40 / 50
LITTLE UWHARRIE RIVER TRIBUTARY 8				
002	164	443	792.8 ⁴	12 / 14
008	810	336	800.4	31 / 29
014	1,392	336	811.0	8 / 16
020	2,000	336	821.0	26 / 12
025	2,500	336	831.9	18 / 12
038	3,816	230	858.3	63 / 27
043	4,292	230	867.1	20 / 8
048	4,769	230	886.4	12 / 12
052	5,179	230	896.5	12 / 12
LITTLE UWHARRIE RIVER TRIBUTARY 8A				
001	87	228	795.0 ⁴	3 / 27
006	594	228	804.2	31 / 2
011	1,055	228	811.4	3 / 10
015	1,501	228	823.9	21 / 3
021	2,131	138	841.0	3 / 11
026	2,602	138	860.2	8 / 3
032	3,224	138	886.4	6 / 3
LITTLE UWHARRIE RIVER TRIBUTARY 10				
003	297	581	813.5 ⁴	60 / 56
009	933	581	815.9	100 / 12
014	1,391	581	821.4	60 / 30
020	1,969	434	827.7	55 / 30
024	2,401	434	831.3	12 / 30
029	2,897	434	837.7	40 / 12
037	3,708	389	846.8	33 / 14
041	4,124	389	853.7	50 / 80
047	4,723	389	858.3	28 / 12
LITTLE UWHARRIE RIVER TRIBUTARY 10A				
002	193	279	825.5 ⁴	22 / 18
007	736	279	833.3	25 / 14

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
LITTLE UWHARRIE RIVER TRIBUTARY 10A				
014	1,365	279	842.5	12 / 12
019	1,937	279	854.9	22 / 12
030	3,049	217	880.7	13 / 12
034	3,425	217	890.4	5 / 5
039	3,926	217	904.4	5 / 5
LITTLE UWHARRIE RIVER TRIBUTARY 11				
002	214	461	829.4 ⁴	90 / 108
006	635	461	829.4 ⁴	164 / 19
015	1,522	461	839.4	178 / 31
027	2,695	318	847.6	12 / 12
LITTLE UWHARRIE RIVER TRIBUTARY 11A				
002	180	220	839.4 ⁴	18 / 12
015	1,500	220	861.6	15 / 24
024	2,353	220	876.1	12 / 12
MILE BRANCH TRIBUTARY 1				
010	1,000	454	730.5	6 / 12
015	1,488	454	735.3	8 / 9
019	1,863	306	744.8	2 / 19
021	2,100	306	750.8	13 / 12
025	2,500	306	757.5	20 / 4
030	3,000	306	764.1	8 / 8
MILE BRANCH TRIBUTARY 2				
001	55	269	739.4	11 / 6
003	295	269	745.2	7 / 5
005	458	269	752.1	6 / 6
009	850	269	762.0	10 / 7
011	1,143	269	767.8	30 / 4
015	1,526	269	776.7	11 / 5
017	1,743	269	780.5	54 / 4
MILL CREEK (INTO DEEP RIVER)				
489	48,866	1,228	576.0	98 / 45
499	49,921	1,228	583.1	143 / 8
507	50,665	717	586.3	50 / 91
512	51,157	717	589.4	84 / 13
519	51,907	717	594.7	48 / 72
524	52,432	717	598.8	58 / 115
530	52,958	717	603.4	4 / 47
537	53,705	443	609.5	7 / 40
541	54,102	443	613.1	31 / 2
546	54,638	443	618.9	47 / 40
MILL CREEK (INTO UWHARRIE RIVER)				
003	273	889	383.9 ⁴	25 / 20
013	1,287	811	383.9 ⁴	20 / 8

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
MILL CREEK (INTO UWHARRIE RIVER)				
017	1,659	811	383.9 ⁴	31 / 8
025	2,545	811	400.4	85 / 70
MILL CREEK TRIBUTARY 1				
003	276	1,085	543.4 ⁴	50 / 150
014	1,415	1,085	547.4	113 / 39
020	2,000	1,085	549.5	17 / 105
025	2,544	1,085	552.7	65 / 13
030	2,962	1,085	554.3	73 / 98
035	3,544	1,085	560.8	80 / 80
040	3,984	1,085	560.9	160 / 50
045	4,500	1,085	561.4	90 / 15
050	5,000	1,085	565.4	70 / 20
055	5,500	1,085	567.3	100 / 20
060	5,981	1,085	569.2	30 / 80
065	6,500	1,085	572.2	60 / 40
070	7,000	655	575.8	25 / 40
074	7,417	655	578.2	10 / 75
081	8,112	655	583.4	45 / 25
086	8,626	655	586.7	20 / 40
092	9,233	655	597.7	40 / 100
096	9,649	655	597.8	55 / 15
101	10,081	655	602.2	35 / 15
107	10,690	655	611.8	15 / 20
111	11,101	655	618.7	22 / 15
115	11,500	655	625.5	25 / 25
119	11,943	655	631.0	15 / 15
MILL CREEK TRIBUTARY 2				
002	236	1,029	546.5 ⁴	57 / 7
011	1,050	1,029	552.8	50 / 7
014	1,377	1,029	554.5	14 / 65
024	2,417	1,029	559.9	4 / 100
029	2,947	1,029	561.8	85 / 22
035	3,534	1,029	563.8	74 / 69
040	4,000	1,029	565.1	21 / 57
045	4,531	1,029	567.5	153 / 22
050	5,000	1,029	569.9	8 / 40
055	5,536	435	573.6	141 / 12
061	6,093	435	574.8	34 / 8
068	6,751	435	583.0	49 / 4
074	7,440	435	588.6	7 / 43
080	8,044	435	597.8	6 / 33
088	8,785	435	609.0	17 / 24

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
MILL CREEK TRIBUTARY 3				
003	269	676	572.5	19 / 22
007	697	676	575.5	55 / 16
015	1,500	676	581.4	25 / 34
025	2,544	676	598.4	76 / 71
032	3,214	396	598.5	23 / 39
039	3,857	396	600.0	17 / 19
MILL CREEK TRIBUTARY 4				
002	171	756	584.8 ⁴	31 / 58
013	1,271	756	590.1	9 / 72
018	1,760	756	594.3	67 / 16
024	2,395	756	597.6	4 / 76
032	3,170	756	602.9	43 / 13
035	3,500	756	605.2	80 / 5
041	4,052	469	608.0	59 / 9
047	4,686	469	612.6	16 / 16
053	5,264	469	617.9	41 / 22
MILLSTONE CREEK				
002	164	3,151	428.6 ⁴	13 / 19
010	1,000	3,151	428.6 ⁴	14 / 24
021	2,081	3,151	428.6 ⁴	48 / 20
026	2,566	3,151	428.6 ⁴	47 / 60
030	3,047	3,151	428.6 ⁴	31 / 47
035	3,500	3,151	428.6 ⁴	37 / 61
040	4,000	3,151	429.0	56 / 37
046	4,590	3,151	429.8	36 / 99
050	5,000	3,151	430.3	135 / 34
057	5,652	3,000	430.7	32 / 28
061	6,147	3,000	432.4	22 / 158
065	6,500	3,000	432.7	116 / 75
071	7,130	3,000	433.5	36 / 237
075	7,500	3,000	433.9	15 / 312
082	8,158	2,800	434.6	22 / 224
085	8,500	2,800	435.2	18 / 201
090	9,000	2,800	436.1	13 / 148
095	9,500	2,800	437.2	39 / 63
100	10,000	2,800	438.6	59 / 88
105	10,500	2,800	439.4	95 / 28
108	10,752	2,800	440.1	17 / 111
114	11,410	2,800	441.3	314 / 25
123	12,274	2,800	442.2	85 / 76
131	13,077	2,649	443.5	48 / 101
136	13,622	2,649	444.9	43 / 36
141	14,111	2,649	446.0	99 / 15

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
MILLSTONE CREEK				
151	15,057	2,649	447.8	30 / 13
156	15,584	2,649	450.0	22 / 25
161	16,079	2,649	451.4	9 / 47
165	16,500	2,649	452.9	16 / 37
172	17,158	2,649	454.0	10 / 49
179	17,933	2,649	455.6	339 / 14
185	18,549	2,649	455.7	40 / 50
191	19,121	2,649	457.7	30 / 48
200	20,000	2,649	460.2	13 / 16
206	20,615	2,435	464.4	112 / 11
212	21,213	1,690	465.7	88 / 98
214	21,429	1,015	466.0	27 / 65
MOUNT PLEASANT CREEK				
001	121	3,129	502.6 ⁴	46 / 71
008	753	3,129	502.6 ⁴	45 / 23
015	1,500	3,129	502.6 ⁴	34 / 324
021	2,063	3,129	502.6 ⁴	137 / 164
029	2,858	3,129	502.9	98 / 269
035	3,500	3,129	503.3	15 / 428
039	3,851	3,129	503.5	15 / 233
045	4,500	3,002	505.2	134 / 15
052	5,180	3,002	508.2	25 / 210
055	5,500	3,002	508.8	15 / 294
060	6,000	3,002	509.5	89 / 48
064	6,384	2,801	510.4	88 / 58
070	7,000	2,801	511.8	144 / 14
074	7,437	2,801	512.9	112 / 30
080	8,000	2,801	514.2	322 / 14
085	8,500	2,801	514.7	225 / 14
095	9,500	2,801	518.3	12 / 31
097	9,737	2,801	518.4	14 / 14
105	10,500	2,801	524.6	14 / 14
120	12,000	2,801	532.9	14 / 44
125	12,500	2,801	534.7	14 / 31
130	13,000	2,594	536.6	13 / 30
134	13,417	2,594	538.6	17 / 23
140	14,000	2,149	541.3	34 / 17
145	14,500	2,149	542.8	31 / 56
150	15,000	2,149	544.0	12 / 128
155	15,500	2,149	545.1	14 / 173
160	16,000	1,822	546.6	169 / 11
165	16,500	1,822	549.2	94 / 10
170	17,000	1,822	552.8	16 / 17

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
MOUNT PLEASANT CREEK				
175	17,500	1,822	555.7	29 / 33
180	18,000	1,822	557.8	11 / 105
185	18,500	1,822	559.5	33 / 56
190	19,000	1,822	561.8	66 / 83
198	19,795	1,822	566.0	69 / 11
205	20,500	1,822	570.3	28 / 83
210	21,000	1,822	571.7	48 / 24
215	21,500	1,822	574.8	70 / 56
220	22,000	1,822	576.3	143 / 56
224	22,404	1,822	577.4	32 / 103
230	23,000	1,615	580.3	10 / 114
235	23,500	1,615	582.0	31 / 117
251	25,088	1,615	589.1	10 / 135
257	25,664	1,615	591.4	10 / 56
260	26,000	1,615	592.9	10 / 67
265	26,500	1,615	594.3	154 / 30
270	27,000	1,615	595.4	12 / 105
281	28,111	1,311	601.4	18 / 226
285	28,500	1,311	601.7	63 / 122
290	29,000	1,311	602.4	9 / 103
295	29,500	1,311	605.7	88 / 9
301	30,085	1,311	609.0	68 / 21
306	30,615	1,136	611.1	8 / 83
313	31,324	1,136	614.9	46 / 25
MUDDY CREEK				
004	362	5,770	638.2 ⁴	142 / 350
014	1,387	5,770	638.2 ⁴	85 / 24
020	1,960	5,770	638.2 ⁴	50 / 37
025	2,500	5,770	638.2 ⁴	50 / 65
029	2,941	5,770	638.2 ⁴	394 / 56
035	3,500	5,770	638.2 ⁴	294 / 214
040	4,000	5,770	638.2 ⁴	421 / 25
045	4,505	5,770	638.2 ⁴	241 / 126
050	5,000	5,670	638.2 ⁴	32 / 49
056	5,581	5,670	638.6	25 / 33
060	6,000	5,670	640.7	34 / 59
062	6,240	5,670	641.4	25 / 121
067	6,694	5,670	642.6	121 / 25
072	7,226	5,670	643.7	25 / 47
075	7,500	5,110	644.2	24 / 39
080	8,000	5,110	645.4	129 / 31
084	8,411	4,900	645.7	41 / 40
089	8,940	4,900	646.6	54 / 98

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
MUDDY CREEK				
095	9,500	4,900	647.2	66 / 39
099	9,870	4,900	647.7	30 / 55
105	10,539	4,900	648.9	41 / 47
111	11,058	4,900	650.1	22 / 34
114	11,406	4,900	651.5	30 / 32
120	12,000	4,880	653.4	95 / 22
124	12,447	4,880	654.2	55 / 25
131	13,066	4,880	655.3	44 / 22
136	13,588	4,880	656.4	60 / 29
142	14,195	4,880	657.2	20 / 70
146	14,592	4,880	657.6	50 / 45
156	15,632	4,880	661.1	181 / 22
165	16,540	4,880	662.0	22 / 127
169	16,938	4,880	662.3	44 / 62
174	17,426	4,880	663.0	101 / 92
180	18,000	4,880	663.5	173 / 22
185	18,500	4,880	664.0	65 / 90
189	18,941	4,850	664.5	110 / 132
195	19,500	4,680	665.0	373 / 90
207	20,706	4,680	665.7	43 / 164
213	21,267	4,680	668.1	29 / 63
216	21,578	4,680	668.4	50 / 20
220	22,000	4,680	669.1	105 / 20
225	22,539	4,680	669.6	60 / 43
230	23,000	4,680	670.3	107 / 75
235	23,500	4,680	670.7	20 / 159
240	24,026	4,680	671.0	20 / 283
245	24,500	4,680	671.0	20 / 67
250	25,002	4,590	672.3	220 / 20
255	25,500	4,590	672.7	54 / 55
260	26,000	4,590	673.7	46 / 51
265	26,500	4,530	674.5	173 / 22
271	27,053	4,530	675.0	74 / 56
275	27,530	4,530	675.6	23 / 129
280	28,037	4,530	676.0	129 / 76
285	28,518	4,530	676.6	19 / 30
290	29,022	4,530	678.1	54 / 49
295	29,519	4,530	678.8	43 / 76
300	30,000	4,530	679.6	19 / 222
305	30,500	4,480	680.0	108 / 58
310	31,029	4,480	680.7	77 / 19
320	32,000	4,480	683.0	78 / 54
325	32,509	4,480	683.8	127 / 23

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
MUDDY CREEK				
330	33,000	4,480	684.4	50 / 69
335	33,455	4,480	685.2	47 / 92
338	33,844	4,480	685.7	43 / 107
347	34,679	4,480	686.8	97 / 19
350	35,000	4,480	687.3	72 / 90
355	35,500	4,440	687.8	32 / 291
362	36,191	4,440	688.3	140 / 18
369	36,896	4,440	689.3	38 / 95
376	37,609	4,350	690.2	100 / 44
387	38,656	4,350	691.7	128 / 39
391	39,099	4,350	692.1	89 / 34
396	39,593	4,110	692.5	68 / 16
401	40,062	4,110	694.1	53 / 32
406	40,632	4,110	695.4	37 / 57
414	41,360	4,110	697.0	55 / 47
MUDDY CREEK EAST TRIBUTARY				
195	19,500	802	814.1	35 / 60
200	20,028	802	818.6	30 / 60
205	20,453	802	820.9	40 / 45
206	20,600	802	824.4	40 / 45
209	20,934	802	824.5	25 / 25
210	20,970	802	824.5	25 / 25
215	21,481	802	830.2	17 / 18
218	21,799	802	833.7	30 / 30
218	21,837	802	835.4	30 / 30
219	21,892	802	835.7	35 / 35
220	21,962	802	838.1	35 / 35
MUDDY CREEK EAST TRIBUTARY 2				
002	171	377	752.8 ⁴	8 / 10
005	532	274	755.6	7 / 10
009	918	274	763.3	12 / 35
013	1,326	274	767.2	29 / 16
019	1,871	274	779.1	5 / 6
024	2,380	274	782.5	20 / 10
028	2,813	274	784.4	21 / 14
030	3,008	274	785.9	17 / 25
039	3,909	125	803.8	2 / 7
MUDDY CREEK EAST TRIBUTARY 3				
001	68	211	753.7 ⁴	8 / 5
005	470	211	762.8	7 / 15
009	869	211	768.6	5 / 11
027	2,677	211	799.7	30 / 30
031	3,081	211	811.1	10 / 10

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
MUDDY CREEK EAST TRIBUTARY 4				
015	1,485	988	770.8	70 / 70
025	2,481	614	775.4	58 / 10
030	2,977	614	783.1	15 / 30
034	3,419	614	788.3	25 / 35
037	3,719	614	792.8	7 / 9
038	3,754	614	795.3	8 / 12
039	3,855	614	795.5	20 / 23
039	3,923	614	795.8	20 / 23
041	4,143	614	797.5	23 / 23
MUDDY CREEK EAST TRIBUTARY 5				
002	210	395	770.9 ⁴	15 / 15
010	1,000	395	778.1	15 / 10
015	1,540	395	788.6	27 / 15
027	2,655	395	814.3	10 / 15
MUDDY CREEK EAST TRIBUTARY 6				
002	184	440	772.5	30 / 30
007	686	440	780.2	25 / 25
018	1,797	440	805.8	25 / 22
022	2,189	440	805.8	20 / 20
026	2,603	440	809.4	15 / 15
030	2,969	440	815.7	20 / 20
MUDDY CREEK TRIBUTARY				
003	344	715	720.0 ⁴	30 / 30
009	880	715	720.0	30 / 25
013	1,346	715	725.3	25 / 25
017	1,748	715	728.6	20 / 45
025	2,473	715	731.9	20 / 12
031	3,146	715	736.9	15 / 15
035	3,534	715	742.1	25 / 16
040	4,038	715	744.3	20 / 59
045	4,516	715	746.1	50 / 30
051	5,065	561	748.5	25 / 35
057	5,655	561	751.8	50 / 15
062	6,183	561	754.3	35 / 37
065	6,543	561	756.0	20 / 20
NANNY BRANCH				
001	120	661	445.2 ⁴	12 / 114
007	727	661	454.2	30 / 12
013	1,276	661	463.2	40 / 30
NARROWS BRANCH				
003	320	529	370.8 ⁴	12 / 7
009	946	529	370.8 ⁴	10 / 12
013	1,289	529	384.2	4 / 5

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
NARROWS BRANCH				
018	1,831	529	414.7	8 / 4
023	2,250	529	459.8	12 / 9
NORTH PRONG CREEK				
085	8,500	1,535	685.9	119 / 11
088	8,760	1,535	686.4	40 / 29
091	9,070	1,535	689.0	98 / 16
095	9,500	1,388	689.8	116 / 10
100	10,000	946	690.8	16 / 150
105	10,500	946	692.0	16 / 65
110	11,000	946	693.9	41 / 89
115	11,538	946	695.5	113 / 42
120	12,000	946	697.1	17 / 146
125	12,500	946	699.5	76 / 27
130	13,000	946	701.6	15 / 87
135	13,500	946	703.7	65 / 57
140	14,000	946	705.3	35 / 35
144	14,427	803	706.5	131 / 16
150	15,038	803	709.0	66 / 59
155	15,500	803	710.3	37 / 91
160	16,000	803	711.8	82 / 13
NORTH PRONG RICHLAND CREEK				
003	305	1,852	580.6	139 / 91
010	1,000	1,852	582.3	34 / 136
022	2,156	1,852	586.9	50 / 50
025	2,500	1,852	588.3	50 / 50
030	3,000	1,852	591.6	8 / 29
035	3,500	1,852	597.1	15 / 30
041	4,087	1,852	601.7	26 / 53
044	4,424	1,852	603.0	25 / 75
050	5,000	1,852	606.0	7 / 8
055	5,500	1,852	617.0	34 / 7
060	5,972	1,852	623.5	15 / 31
065	6,500	1,852	628.7	25 / 20
069	6,890	1,852	630.7	17 / 24
075	7,500	1,585	637.3	12 / 8
080	8,000	1,585	647.1	16 / 27
085	8,500	1,585	651.7	36 / 18
089	8,943	1,585	654.9	34 / 42
096	9,625	1,585	676.4	90 / 115
100	10,000	1,585	676.4	173 / 174
104	10,413	1,585	676.5	157 / 191
111	11,104	1,585	676.5	132 / 106
115	11,500	1,585	676.6	89 / 139

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
NORTH PRONG RICHLAND CREEK				
119	11,937	1,585	676.7	110 / 93
125	12,500	1,585	676.8	81 / 134
129	12,904	1,585	677.0	20 / 203
139	13,858	924	677.4	91 / 65
145	14,465	924	679.5	14 / 83
150	15,000	924	682.6	39 / 20
155	15,500	924	684.3	30 / 44
165	16,500	924	691.9	105 / 26
170	17,000	564	693.8	34 / 19
NORTH PRONG RICHLAND CREEK TRIBUTARY				
002	177	802	677.3 ⁴	108 / 60
009	858	802	678.8	38 / 58
015	1,500	802	683.0	26 / 14
021	2,050	802	688.5	18 / 19
025	2,500	802	693.3	69 / 7
029	2,911	572	700.0	46 / 34
NORTH PRONG ROCKY RIVER				
395	39,500	745	679.4	54 / 5
404	40,356	745	685.2	61 / 28
409	40,920	745	688.6	59 / 8
415	41,500	745	692.3	94 / 11
420	42,000	745	695.0	30 / 71
425	42,500	369	699.7	35 / 22
430	43,000	369	704.7	40 / 15
435	43,500	369	708.9	20 / 50
440	44,000	369	711.6	9 / 50
445	44,500	369	716.9	11 / 85
451	45,095	369	721.7	24 / 24
455	45,500	369	726.4	10 / 60
460	46,000	369	732.6	17 / 40
462	46,246	369	735.9	16 / 28
467	46,710	369	739.1	8 / 65
476	47,640	369	753.6	10 / 15
PENWOOD BRANCH				
241	24,105	1,730	750.2	30 / 45
246	24,586	1,730	755.0	30 / 25
259	25,866	1,730	760.2	25 / 25
265	26,500	1,410	763.8	25 / 25
268	26,844	1,410	769.0	25 / 25
275	27,521	1,410	773.6	70 / 20
284	28,412	1,410	781.6	35 / 35
291	29,091	1,410	784.5	35 / 45
300	29,952	884	791.8	20 / 20

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
PENWOOD BRANCH				
306	30,602	884	796.5	14 / 40
323	32,303	884	816.9	18 / 20
331	33,105	884	827.4	15 / 15
335	33,457	884	833.7	30 / 35
339	33,897	884	838.5	25 / 25
345	34,450	884	845.9	25 / 25
POLECAT CREEK TRIBUTARY 4				
084	8,398	2,038	683.9	17 / 90
090	9,000	2,038	684.8	124 / 29
095	9,500	2,038	686.2	17 / 83
100	10,000	2,038	687.8	17 / 202
105	10,450	2,038	688.6	17 / 105
110	11,000	2,038	690.1	17 / 87
114	11,397	2,038	691.0	17 / 107
122	12,184	2,038	693.9	35 / 84
126	12,597	2,038	695.2	148 / 26
REED CREEK (INTO DEEP RIVER)				
001	130	3,154	436.5 ⁴	48 / 35
009	936	3,154	436.5 ⁴	50 / 29
016	1,629	3,154	436.5 ⁴	31 / 100
021	2,067	3,154	436.5 ⁴	100 / 100
024	2,431	3,154	436.5 ⁴	90 / 22
031	3,067	3,154	436.5 ⁴	38 / 30
036	3,564	3,154	436.5 ⁴	52 / 41
040	4,000	3,154	436.5 ⁴	37 / 94
044	4,393	3,154	436.5 ⁴	23 / 60
049	4,942	3,154	437.6	48 / 16
055	5,547	3,154	441.3	16 / 35
061	6,119	3,154	444.5	33 / 19
065	6,500	3,154	446.3	17 / 52
070	7,042	3,154	448.4	16 / 24
075	7,543	3,154	450.6	26 / 30
080	8,000	3,154	451.6	32 / 19
092	9,165	3,063	455.4	39 / 240
095	9,495	2,860	455.5	102 / 74
098	9,837	2,860	457.2	24 / 18
105	10,500	2,860	461.9	24 / 90
111	11,080	2,860	464.8	15 / 35
115	11,532	2,860	468.4	14 / 34
121	12,097	2,860	473.2	52 / 13
125	12,500	2,860	475.7	25 / 15
130	13,000	2,860	480.0	15 / 43
140	13,980	2,860	483.3	20 / 21

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
REED CREEK (INTO DEEP RIVER)				
146	14,584	2,860	487.6	40 / 29
152	15,151	2,860	489.8	40 / 36
160	16,000	2,860	492.8	68 / 18
166	16,567	2,860	495.1	25 / 20
170	17,000	2,860	498.1	80 / 19
173	17,338	2,860	499.0	50 / 22
181	18,094	2,661	501.7	38 / 45
185	18,509	2,661	502.9	90 / 15
192	19,173	2,661	504.5	158 / 47
199	19,869	2,661	505.8	67 / 24
205	20,500	2,661	507.9	16 / 62
211	21,080	2,661	510.1	32 / 42
215	21,500	2,661	511.7	28 / 29
220	22,000	2,506	513.7	18 / 106
225	22,500	2,506	516.4	114 / 21
229	22,874	2,506	517.7	22 / 138
234	23,424	2,506	518.8	51 / 25
240	24,000	2,506	520.9	41 / 72
245	24,500	2,506	522.3	46 / 24
250	25,043	2,506	524.0	36 / 74
255	25,500	2,506	524.8	27 / 93
260	26,000	2,289	525.5	120 / 125
265	26,500	2,289	526.0	14 / 68
271	27,050	2,289	527.8	103 / 15
280	28,000	2,289	531.5	167 / 104
285	28,500	2,289	531.9	159 / 263
291	29,116	2,289	532.4	23 / 341
297	29,692	2,289	534.6	27 / 86
300	30,035	1,723	536.2	320 / 117
306	30,595	1,450	536.8	193 / 30
314	31,386	1,450	538.5	11 / 11
318	31,834	1,450	546.3	142 / 51
326	32,583	1,450	549.9	147 / 69
331	33,087	1,450	550.7	173 / 80
336	33,573	1,450	551.7	175 / 18
340	34,000	1,450	553.2	128 / 22
344	34,408	1,450	554.4	79 / 107
350	35,045	1,450	556.2	47 / 35
356	35,628	1,450	558.4	14 / 111
360	36,000	1,450	559.8	17 / 63
366	36,577	1,450	562.6	138 / 12
374	37,440	1,243	566.9	15 / 68
379	37,931	1,243	569.7	35 / 76

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
REED CREEK (INTO DEEP RIVER)				
385	38,500	925	571.9	17 / 68
390	39,000	925	574.7	9 / 64
394	39,426	925	578.2	22 / 27
406	40,552	925	586.1	20 / 22
410	41,000	925	589.5	63 / 17
414	41,411	925	592.4	20 / 82
420	42,000	925	596.3	20 / 75
430	42,964	925	606.1	13 / 17
434	43,436	925	610.7	25 / 53
441	44,058	646	614.0	44 / 20
446	44,553	646	619.4	40 / 62
REED CREEK (INTO LITTLE RIVER)				
003	278	1,867	603.4 ⁴	16 / 16
009	851	1,867	603.4 ⁴	45 / 16
015	1,469	1,867	604.9	16 / 98
019	1,901	1,867	607.6	16 / 30
024	2,430	1,867	617.6	20 / 32
037	3,672	1,794	632.9	75 / 7
040	4,000	1,794	635.4	24 / 16
045	4,464	1,794	638.2	90 / 50
051	5,142	1,794	639.4	16 / 55
056	5,616	1,794	641.0	37 / 15
059	5,878	1,794	642.8	62 / 16
065	6,522	1,794	645.6	111 / 24
069	6,921	1,794	646.4	140 / 15
REED CREEK TRIBUTARY 1				
002	214	1,003	535.5 ⁴	13 / 146
009	867	1,003	538.6	72 / 21
016	1,587	1,003	541.4	70 / 28
020	2,038	1,003	543.1	69 / 36
025	2,500	1,003	546.2	51 / 22
031	3,120	1,003	549.0	129 / 12
036	3,606	1,003	550.5	139 / 15
040	4,000	902	553.6	69 / 47
REED CREEK TRIBUTARY 2				
003	281	704	536.5 ⁴	82 / 160
008	828	704	538.6	20 / 52
012	1,152	704	542.6	12 / 54
023	2,310	704	551.1	52 / 8
030	3,000	704	557.1	10 / 90
037	3,653	704	561.7	24 / 46
REEDY CREEK				
004	368	1,544	617.8 ⁴	42 / 15

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
REEDY CREEK				
008	779	1,544	622.7	60 / 19
014	1,364	1,544	633.6	10 / 40
019	1,872	1,544	641.9	60 / 46
REEDY FORK				
001	139	1,038	488.1 ⁴	26 / 34
005	542	1,038	488.1 ⁴	57 / 118
011	1,072	1,038	488.1 ⁴	11 / 34
015	1,500	1,038	491.4	10 / 29
020	2,000	1,038	496.2	26 / 26
RICHLAND CREEK				
004	367	10,221	368.3 ⁴	50 / 50
009	875	10,221	368.3 ⁴	50 / 50
014	1,403	10,221	369.0	50 / 50
020	2,031	10,221	369.6	63 / 70
028	2,804	10,140	370.3	40 / 100
034	3,394	10,140	371.0	70 / 55
040	4,029	10,140	371.3	70 / 60
046	4,555	10,140	372.0	90 / 50
056	5,556	10,140	373.5	45 / 80
060	6,000	10,140	374.0	62 / 39
066	6,575	10,140	378.6	70 / 40
071	7,085	10,140	379.9	110 / 33
075	7,451	10,140	380.6	87 / 48
079	7,913	10,140	381.8	45 / 70
084	8,383	10,140	382.9	40 / 50
089	8,922	10,049	384.0	50 / 40
096	9,617	10,049	385.7	45 / 40
101	10,129	10,049	386.6	41 / 57
107	10,713	10,049	387.4	43 / 57
113	11,271	10,049	388.0	59 / 51
119	11,908	9,952	388.9	45 / 40
124	12,434	9,952	390.0	45 / 40
131	13,101	9,952	391.1	48 / 58
138	13,787	9,952	392.7	50 / 40
143	14,326	9,952	393.8	38 / 50
150	14,969	9,952	394.9	45 / 55
154	15,423	9,952	395.4	39 / 34
161	16,099	9,902	396.3	50 / 35
165	16,500	9,902	396.9	45 / 35
170	17,000	9,902	397.6	55 / 40
176	17,625	9,436	398.7	74 / 49
185	18,534	9,436	400.3	45 / 40
199	19,857	9,436	405.0	40 / 40

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
RICHLAND CREEK				
205	20,488	9,436	412.0	50 / 40
211	21,091	9,436	415.1	40 / 40
216	21,561	9,436	422.3	55 / 90
223	22,289	9,436	429.6	50 / 48
231	23,137	9,337	434.0	40 / 40
236	23,568	9,337	439.0	48 / 63
245	24,470	9,337	445.6	90 / 80
252	25,235	9,337	446.8	45 / 36
258	25,772	9,337	448.6	50 / 52
265	26,519	9,337	450.1	65 / 50
272	27,214	9,256	451.3	50 / 120
279	27,860	9,256	452.5	49 / 37
286	28,607	9,256	454.3	45 / 60
293	29,290	7,984	455.5	45 / 65
304	30,393	7,984	458.3	45 / 100
311	31,124	7,984	459.0	170 / 45
320	32,041	7,984	459.6	46 / 58
330	33,000	7,932	460.8	40 / 40
335	33,500	7,932	461.6	35 / 35
341	34,086	7,932	462.6	130 / 45
350	35,000	7,795	463.5	318 / 192
355	35,500	7,795	463.8	272 / 115
358	35,838	7,795	464.0	169 / 155
365	36,500	7,795	464.6	192 / 106
369	36,897	7,795	465.0	50 / 200
376	37,562	7,795	465.5	45 / 250
383	38,312	7,795	466.1	318 / 64
392	39,158	7,795	466.6	72 / 328
398	39,779	7,795	466.9	41 / 36
407	40,704	7,698	467.7	40 / 38
412	41,177	7,698	468.3	56 / 36
417	41,731	7,698	468.9	40 / 100
423	42,304	7,698	469.2	50 / 45
428	42,769	7,441	470.3	50 / 40
439	43,926	7,441	472.6	65 / 296
446	44,603	7,441	472.8	45 / 40
449	44,921	7,441	473.3	50 / 45
461	46,065	7,441	476.2	35 / 70
465	46,500	7,441	477.1	35 / 35
470	46,971	7,441	479.6	35 / 45
475	47,454	7,441	480.9	35 / 45
481	48,050	7,441	482.2	121 / 57
487	48,699	7,386	483.0	51 / 59

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
RICHLAND CREEK				
496	49,570	7,098	483.9	100 / 40
501	50,066	7,098	484.7	100 / 80
506	50,557	7,098	484.8	100 / 55
510	51,000	7,098	485.1	100 / 70
517	51,679	7,098	485.9	34 / 160
524	52,405	7,098	487.4	50 / 70
529	52,869	7,098	488.6	70 / 110
CROSS SECTIONS SHOWN ON FLOWWAY DATA TABLE AND PROFILE FOR THIS PORTION				
760	75,984	4,778	565.0	40 / 33
765	76,500	3,285	568.3	33 / 38
770	77,000	3,285	569.6	50 / 30
777	77,678	3,285	571.5	72 / 70
782	78,150	3,285	572.2	120 / 110
787	78,702	3,285	573.4	180 / 170
791	79,083	3,285	573.6	60 / 110
802	80,185	2,926	574.9	22 / 104
810	81,000	2,926	576.9	15 / 62
815	81,538	2,926	577.8	34 / 22
821	82,136	2,926	579.2	14 / 101
827	82,661	2,926	580.6	175 / 17
ROBBINS BRANCH				
001	72	757	494.2 ⁴	12 / 9
008	784	757	501.7	70 / 12
013	1,345	757	507.4	12 / 71
ROCKY RIVER				
2058	205,809	2,501	644.0	399 / 42
2070	207,000	2,501	646.7	43 / 31
2080	208,000	2,501	655.2	19 / 13
2090	209,000	2,501	661.0	154 / 40
2096	209,629	1,967	664.4	103 / 117
2105	210,500	1,967	665.0	263 / 12
2115	211,474	1,967	666.2	81 / 129
2119	211,882	1,967	669.2	80 / 183
2125	212,500	1,967	670.3	168 / 12
2135	213,500	1,736	673.5	188 / 12
2145	214,500	1,736	676.5	223 / 75
2155	215,500	1,736	679.4	193 / 12
2166	216,606	1,088	682.6	221 / 91
2175	217,500	1,088	685.3	125 / 70
2180	218,000	1,088	687.3	24 / 8
2191	219,061	1,088	692.5	123 / 68

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
ROCKY RIVER				
2204	220,423	1,088	695.4	23 / 115
2215	221,500	868	701.0	201 / 7
2225	222,500	868	705.1	98 / 25
2235	223,500	868	709.2	168 / 7
2245	224,500	868	713.5	92 / 41
2255	225,500	868	718.9	81 / 47
2265	226,502	868	734.3	58 / 162
2274	227,379	512	735.1	56 / 167
2282	228,150	512	735.6	7 / 160
ROCKY RIVER TRIBUTARY 2				
004	360	862	664.3 ⁴	85 / 50
008	808	862	664.4	74 / 59
015	1,470	862	666.9	130 / 15
020	1,993	862	669.5	69 / 22
030	3,000	862	680.5	41 / 171
035	3,500	862	681.1	46 / 64
040	4,000	862	682.4	67 / 44
045	4,500	862	684.8	28 / 36
049	4,924	862	687.2	102 / 25
055	5,500	862	689.6	21 / 94
060	6,000	862	692.3	60 / 15
065	6,500	862	696.6	64 / 11
070	7,000	862	699.6	66 / 22
075	7,458	340	701.7	67 / 33
079	7,933	340	703.8	18 / 23
085	8,500	340	708.5	23 / 14
091	9,108	340	713.9	6 / 57
095	9,500	340	715.7	19 / 31
ROCKY RIVER TRIBUTARY 3				
003	270	771	681.5 ⁴	12 / 143
010	1,000	771	684.9	29 / 162
016	1,589	771	687.9	47 / 58
020	2,000	771	690.4	73 / 72
025	2,527	771	692.6	78 / 78
036	3,617	771	699.8	13 / 13
042	4,202	363	704.0	45 / 32
048	4,813	363	707.9	22 / 50
065	6,456	363	723.9	30 / 60
ROCKY RIVER TRIBUTARY 4				
001	71	343	696.4 ⁴	35 / 35
009	851	343	702.4	15 / 25
014	1,425	343	706.5	18 / 28
021	2,095	343	714.2	45 / 30

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
ROCKY RIVER TRIBUTARY 4				
030	3,000	343	721.1	13 / 21
036	3,562	343	727.8	42 / 7
050	5,000	343	749.4	40 / 25
SAND BRANCH				
001	54	699	440.5 ⁴	10 / 10
005	474	699	448.0	29 / 41
011	1,064	699	456.9	30 / 10
015	1,494	699	462.1	100 / 22
SANDY CREEK				
011	1,093	9,626	454.5 ⁴	40 / 150
019	1,935	9,626	454.5 ⁴	297 / 162
025	2,500	9,626	454.5 ⁴	100 / 250
028	2,843	9,626	454.5 ⁴	32 / 200
035	3,500	9,626	454.5 ⁴	490 / 55
040	4,000	9,626	454.5 ⁴	291 / 80
045	4,500	9,626	454.8	44 / 358
050	5,000	9,626	455.1	170 / 81
054	5,364	9,626	455.8	110 / 126
061	6,058	9,626	458.4	70 / 55
065	6,500	9,626	459.1	57 / 38
068	6,841	9,626	461.7	70 / 38
084	8,388	9,626	496.2	100 / 100
102	10,238	9,539	496.4	100 / 100
120	11,966	9,539	496.5	100 / 100
138	13,838	9,539	496.6	100 / 100
156	15,619	9,441	497.0	100 / 100
169	16,898	9,244	497.3	80 / 70
179	17,947	9,244	497.9	40 / 40
185	18,500	9,244	498.1	35 / 34
190	19,000	9,244	498.6	40 / 50
195	19,500	9,244	498.9	40 / 35
200	20,000	9,244	499.5	42 / 40
205	20,500	9,244	499.8	40 / 40
210	21,000	9,244	500.6	50 / 34
215	21,500	9,244	501.1	35 / 40
220	22,000	9,244	501.9	39 / 69
225	22,500	8,075	503.3	81 / 35
230	23,000	8,075	504.0	33 / 46
235	23,500	8,075	504.8	47 / 30
240	24,000	8,066	505.5	46 / 152
245	24,500	8,066	506.0	36 / 30
251	25,075	8,066	506.8	56 / 36
255	25,545	8,066	507.2	44 / 51

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK				
260	26,000	8,066	507.6	40 / 34
266	26,559	8,066	508.4	46 / 41
270	27,000	8,066	509.3	31 / 30
275	27,500	8,066	512.7	31 / 33
280	28,000	8,066	514.3	34 / 48
285	28,500	7,954	515.4	35 / 30
290	29,000	7,954	517.2	90 / 28
296	29,555	7,954	517.8	37 / 39
300	30,000	7,954	519.4	40 / 33
305	30,500	7,954	523.6	83 / 35
309	30,895	7,954	525.3	34 / 59
315	31,500	7,954	528.1	43 / 49
320	32,000	7,954	529.6	34 / 36
325	32,500	7,954	531.4	29 / 38
330	33,012	7,954	532.9	31 / 40
334	33,401	7,954	537.0	35 / 45
339	33,933	7,954	539.1	75 / 44
344	34,438	7,954	540.0	34 / 55
350	34,993	7,954	541.2	54 / 65
360	36,000	7,888	544.2	121 / 241
365	36,500	7,224	545.4	114 / 30
370	37,000	7,224	547.2	39 / 230
375	37,500	7,224	547.8	34 / 106
380	38,000	7,224	548.9	30 / 139
385	38,500	7,224	549.5	71 / 108
390	39,000	7,224	550.2	233 / 27
395	39,500	7,224	550.6	204 / 154
400	39,953	7,224	550.8	84 / 167
406	40,561	7,179	551.2	101 / 47
410	41,000	7,179	551.7	110 / 30
415	41,500	7,179	552.2	62 / 74
420	42,000	7,021	552.9	39 / 310
425	42,462	7,021	553.1	238 / 376
428	42,839	7,021	553.2	232 / 65
435	43,500	7,014	553.4	45 / 193
440	44,000	7,014	553.7	49 / 271
445	44,500	7,014	554.0	161 / 315
450	45,000	7,014	554.1	155 / 243
455	45,500	7,014	554.3	34 / 254
460	46,000	7,014	554.7	37 / 538
466	46,646	7,014	554.9	172 / 253
470	47,000	7,014	555.0	102 / 155
475	47,500	7,014	555.4	123 / 200

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK				
480	48,000	7,014	555.8	190 / 211
484	48,403	7,014	555.9	263 / 36
490	49,000	6,895	556.4	61 / 391
496	49,616	6,767	556.7	385 / 45
500	50,000	6,767	556.8	250 / 135
504	50,413	6,767	557.0	378 / 116
510	51,000	6,767	557.3	287 / 882
515	51,500	6,767	557.3	254 / 973
520	52,000	6,767	557.4	204 / 783
526	52,553	6,767	557.6	207 / 566
530	53,000	6,767	557.8	100 / 527
535	53,500	6,767	558.2	295 / 155
540	54,000	6,087	558.8	57 / 273
545	54,500	6,087	559.3	120 / 120
550	55,000	6,087	559.9	170 / 100
555	55,500	6,087	560.2	200 / 262
560	56,000	6,087	560.6	100 / 245
564	56,435	6,087	561.0	195 / 234
580	58,000	6,087	563.5	97 / 60
584	58,383	6,087	564.1	147 / 33
591	59,104	6,087	564.8	234 / 339
595	59,500	6,087	564.9	27 / 445
605	60,500	6,087	565.3	290 / 234
611	61,095	5,443	565.4	1047 / 34
615	61,500	5,390	565.4	1080 / 61
620	62,000	5,390	565.5	744 / 35
629	62,932	5,390	565.7	264 / 210
635	63,500	5,390	566.1	45 / 299
640	64,000	5,390	566.6	56 / 176
645	64,538	5,390	567.2	381 / 294
649	64,929	5,390	567.4	538 / 33
655	65,491	5,390	567.8	242 / 288
659	65,902	5,390	568.0	338 / 151
665	66,500	5,390	568.5	113 / 124
671	67,125	5,390	569.4	29 / 387
678	67,831	5,390	571.5	226 / 179
685	68,500	5,390	572.0	128 / 287
690	69,000	5,254	572.4	174 / 139
695	69,500	5,254	572.9	71 / 306
700	70,000	5,254	573.3	79 / 317
705	70,471	5,254	573.7	318 / 105
710	71,000	5,254	574.1	30 / 675
715	71,500	5,254	574.3	394 / 487

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK				
720	72,000	5,254	574.5	563 / 508
726	72,616	5,254	574.7	322 / 300
735	73,495	5,254	575.6	455 / 30
740	74,000	4,913	576.2	108 / 255
745	74,500	4,913	576.5	140 / 96
750	75,000	4,913	577.2	224 / 25
755	75,500	4,913	577.8	225 / 30
760	76,000	4,913	578.3	25 / 223
766	76,627	4,913	579.0	63 / 346
775	77,500	4,913	580.5	92 / 215
780	78,029	3,939	581.0	189 / 170
785	78,500	3,659	581.2	364 / 36
790	79,049	3,659	581.4	104 / 131
794	79,449	3,659	581.7	81 / 26
802	80,248	3,659	582.6	315 / 134
815	81,500	3,018	587.5	578 / 20
820	81,962	3,018	587.7	338 / 147
825	82,464	2,986	588.1	85 / 106
830	83,000	2,986	589.4	279 / 25
834	83,440	2,986	590.0	304 / 208
839	83,859	2,986	590.4	96 / 74
844	84,435	2,986	592.6	124 / 70
849	84,930	2,986	593.6	198 / 128
856	85,555	2,986	594.4	49 / 79
860	86,000	2,986	596.2	17 / 40
865	86,500	2,986	598.4	70 / 23
870	87,000	2,986	600.1	15 / 95
874	87,449	2,986	602.6	47 / 46
880	88,037	2,986	604.8	41 / 41
885	88,500	2,986	606.1	220 / 110
888	88,827	2,986	606.4	240 / 76
895	89,500	2,112	607.2	146 / 195
900	90,000	2,112	607.9	204 / 20
904	90,403	2,112	608.8	64 / 45
910	91,000	2,112	610.7	16 / 106
916	91,551	2,112	613.7	78 / 46
921	92,115	2,112	615.0	49 / 38
928	92,777	2,112	617.3	13 / 59
936	93,554	2,112	619.6	157 / 43
940	94,000	2,112	620.4	70 / 62
944	94,444	2,112	621.5	35 / 184
949	94,872	1,580	622.2	33 / 76
955	95,500	1,580	625.3	9 / 18

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK				
960	95,954	1,580	628.4	69 / 86
965	96,500	1,580	629.1	51 / 17
970	97,000	1,580	632.2	8 / 51
981	98,110	1,580	640.1	5 / 25
986	98,557	1,580	645.7	21 / 26
990	99,000	1,580	647.4	31 / 12
995	99,500	1,580	650.1	28 / 26
1000	99,979	1,580	652.8	29 / 58
1004	100,434	1,580	655.2	26 / 28
1010	101,000	1,580	659.5	18 / 24
1015	101,461	1,580	663.0	23 / 14
1019	101,913	1,580	666.7	51 / 52
1026	102,577	1,302	670.1	220 / 10
1030	103,000	1,302	675.4	30 / 25
1035	103,500	1,302	679.5	30 / 30
1040	103,974	1,302	683.4	119 / 30
1045	104,500	1,023	686.1	17 / 66
1050	105,000	1,023	689.4	22 / 42
1055	105,500	1,023	691.6	26 / 76
1060	106,000	999	694.1	47 / 52
1065	106,500	999	697.1	60 / 65
1070	107,000	999	699.5	18 / 73
1076	107,561	426	704.1	5 / 47
1080	108,029	426	713.5	15 / 16
1085	108,500	426	719.7	19 / 21
1091	109,054	426	730.4	17 / 2
SANDY CREEK TRIBUTARY 1				
003	326	2,014	558.4 ⁴	85 / 86
010	1,000	2,014	558.4 ⁴	149 / 28
015	1,500	2,014	558.4 ⁴	193 / 10
020	1,953	2,014	559.0	21 / 172
024	2,393	2,014	560.0	94 / 308
030	3,000	2,014	560.7	184 / 216
034	3,423	2,014	561.7	228 / 10
040	4,000	2,014	563.6	68 / 70
046	4,593	1,830	565.3	41 / 88
050	5,000	1,830	566.5	41 / 90
054	5,406	1,830	567.4	65 / 25
060	5,988	1,830	569.7	200 / 37
064	6,448	1,830	572.9	6 / 20
SANDY CREEK TRIBUTARY 2				
005	500	889	575.8 ⁴	117 / 10
010	1,000	889	581.1	31 / 6

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK TRIBUTARY 2				
015	1,500	889	588.7	97 / 10
020	2,000	889	594.0	46 / 17
025	2,500	889	597.5	34 / 38
031	3,077	889	601.3	67 / 15
035	3,451	889	604.3	29 / 19
046	4,596	889	615.5	78 / 9
050	5,000	889	622.2	102 / 8
053	5,333	889	629.8	5 / 51
063	6,309	889	645.6	20 / 140
070	7,028	889	653.1	50 / 7
076	7,589	889	658.7	64 / 12
080	8,000	889	660.6	98 / 19
085	8,500	889	663.8	45 / 28
090	9,000	889	668.8	87 / 17
096	9,578	556	673.3	75 / 17
100	10,046	556	678.6	67 / 7
106	10,631	556	686.7	8 / 75
114	11,363	556	695.5	30 / 19
120	12,042	556	700.0	106 / 5
125	12,500	556	703.7	95 / 6
130	13,000	556	709.1	35 / 21
135	13,500	556	712.0	57 / 23
140	14,000	556	715.7	74 / 5
145	14,500	556	723.7	15 / 19
150	15,000	556	731.4	20 / 29
156	15,556	556	742.2	17 / 32
160	16,000	556	748.9	54 / 9
165	16,515	556	757.6	12 / 41
SANDY CREEK TRIBUTARY 3				
005	500	2,226	580.6 ⁴	129 / 137
011	1,050	2,226	581.2	19 / 215
015	1,500	2,226	582.2	131 / 101
019	1,892	2,226	583.1	37 / 173
025	2,500	2,226	584.6	201 / 102
030	3,000	2,126	585.5	72 / 158
035	3,500	2,126	586.4	16 / 275
040	4,000	1,948	587.3	41 / 327
045	4,500	1,948	588.1	20 / 483
050	4,962	1,948	589.3	11 / 183
055	5,500	1,948	592.1	136 / 12
060	6,000	1,948	593.7	32 / 99
064	6,435	1,948	594.9	88 / 45
070	7,000	1,948	596.2	94 / 41

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK TRIBUTARY 3				
075	7,512	1,373	597.0	286 / 21
081	8,072	1,373	597.6	12 / 190
086	8,565	1,373	599.7	19 / 78
090	9,000	1,373	600.9	55 / 205
095	9,500	1,328	601.6	92 / 120
100	10,000	1,328	603.2	171 / 88
105	10,500	930	605.7	21 / 24
108	10,803	930	607.7	72 / 60
115	11,500	930	618.1	45 / 100
120	12,000	930	618.1	24 / 14
125	12,500	930	622.9	14 / 62
131	13,070	930	626.0	129 / 8
136	13,554	930	628.5	48 / 15
142	14,160	801	633.8	9 / 121
145	14,500	801	637.4	6 / 67
150	15,000	801	645.3	26 / 9
156	15,604	801	651.9	13 / 60
160	16,000	801	655.5	20 / 24
165	16,500	801	662.1	65 / 8
170	17,000	801	666.8	82 / 9
174	17,429	452	671.1	4 / 118
180	18,000	452	678.3	13 / 59
185	18,540	452	686.3	23 / 19
191	19,103	452	699.4	40 / 10
196	19,566	452	709.0	10 / 15
200	20,000	452	717.4	34 / 12
205	20,514	452	725.7	6 / 46
210	21,000	452	734.9	11 / 19
SANDY CREEK TRIBUTARY 4				
001	133	540	586.7 ⁴	8 / 54
005	506	540	589.8	19 / 38
011	1,069	540	597.9	10 / 31
020	2,000	540	610.6	8 / 65
025	2,517	540	617.4	26 / 13
030	3,000	540	624.2	34 / 3
036	3,566	540	638.8	9 / 8
040	4,000	540	648.9	64 / 12
045	4,500	316	656.6	4 / 8
050	5,000	316	664.3	11 / 11
054	5,378	316	668.6	10 / 32
060	6,030	316	679.4	11 / 19
064	6,433	316	686.2	14 / 12

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK TRIBUTARY 5				
005	500	961	596.4 ⁴	4 / 176
010	1,000	961	598.2	61 / 30
022	2,210	812	606.5	25 / 17
030	3,000	775	619.5	5 / 18
035	3,488	775	626.9	10 / 52
040	4,000	775	632.7	31 / 10
046	4,631	775	644.4	88 / 97
050	5,025	775	644.7	50 / 16
055	5,500	775	652.7	10 / 15
061	6,071	775	659.0	79 / 5
065	6,542	775	661.4	62 / 2
071	7,074	775	665.4	41 / 10
073	7,302	775	667.4	31 / 33
081	8,068	602	673.4	61 / 63
085	8,459	602	676.0	55 / 48
090	9,000	602	681.2	36 / 50
095	9,500	602	688.4	6 / 10
100	10,000	602	699.4	25 / 50
105	10,465	602	705.3	21 / 14
110	11,034	602	715.2	68 / 40
115	11,500	602	722.6	17 / 10
121	12,116	602	732.5	35 / 38
SANDY CREEK TRIBUTARY 6				
001	124	369	599.4 ⁴	15 / 15
008	769	369	617.4	20 / 15
012	1,194	369	628.7	10 / 10
017	1,727	369	638.3	9 / 19
023	2,315	369	646.7	11 / 12
029	2,923	369	657.5	15 / 10
040	4,022	369	691.6	50 / 30
048	4,836	369	701.8	50 / 40
056	5,600	369	711.7	35 / 30
060	6,000	369	713.0	8 / 8
065	6,533	369	724.1	10 / 10
SANDY CREEK TRIBUTARY 7				
003	306	991	581.2 ⁴	132 / 83
009	923	991	581.3	66 / 79
015	1,500	991	584.5	67 / 15
019	1,862	991	586.4	84 / 34
031	3,082	991	593.2	23 / 47
036	3,560	991	594.9	20 / 54
040	4,000	991	596.5	38 / 83
046	4,632	991	598.5	23 / 72

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK TRIBUTARY 7				
050	5,000	991	600.5	11 / 66
054	5,398	991	602.6	50 / 56
060	5,980	991	605.6	93 / 38
065	6,534	991	608.3	90 / 30
071	7,138	991	611.6	27 / 98
077	7,667	764	614.6	78 / 30
082	8,156	764	617.6	49 / 30
087	8,670	764	621.6	64 / 18
091	9,068	764	625.1	13 / 88
095	9,500	764	629.2	70 / 53
100	10,000	764	633.3	15 / 74
105	10,500	764	639.6	15 / 42
110	11,000	764	645.5	13 / 68
115	11,500	764	652.4	17 / 65
SANDY CREEK TRIBUTARY 8				
004	382	1,461	606.6 ⁴	53 / 82
009	861	1,461	607.8	101 / 85
015	1,500	1,461	609.5	163 / 21
021	2,056	1,461	611.1	141 / 15
024	2,438	1,461	612.5	90 / 8
030	3,000	1,461	614.4	10 / 222
034	3,392	1,461	615.2	13 / 169
041	4,063	1,461	618.7	30 / 21
045	4,500	1,461	622.2	14 / 39
050	5,000	1,461	624.3	102 / 34
055	5,485	1,461	626.1	89 / 5
060	6,000	1,461	629.4	34 / 65
065	6,500	1,461	631.9	39 / 40
071	7,101	1,461	635.4	17 / 26
075	7,500	1,461	645.3	25 / 12
079	7,869	1,461	661.2	67 / 7
085	8,451	1,461	665.0	185 / 13
090	9,000	1,461	666.6	33 / 23
095	9,500	1,461	669.2	80 / 56
105	10,500	1,224	673.5	30 / 88
110	11,000	1,224	674.5	66 / 34
115	11,547	1,224	676.3	25 / 115
120	12,000	1,224	678.4	13 / 132
125	12,469	1,224	680.6	17 / 168
128	12,793	1,224	681.9	138 / 13
137	13,653	1,224	685.2	109 / 105
141	14,090	1,224	686.8	7 / 161
145	14,500	1,224	688.9	109 / 14

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK TRIBUTARY 8				
150	15,000	1,224	692.0	96 / 22
155	15,500	1,224	694.7	109 / 19
160	16,000	1,224	697.4	43 / 15
165	16,500	1,224	701.0	19 / 49
170	16,967	1,224	704.5	28 / 21
175	17,500	1,224	708.9	11 / 55
180	18,000	841	713.0	26 / 56
185	18,500	841	715.4	165 / 11
190	19,000	841	718.2	37 / 21
195	19,502	841	724.3	9 / 46
200	20,000	841	729.9	34 / 17
205	20,468	841	734.2	8 / 40
210	21,000	841	738.3	40 / 82
215	21,500	556	741.4	5 / 55
SANDY CREEK TRIBUTARY 9				
001	124	978	621.7 ⁴	8 / 74
010	977	978	628.5	8 / 35
015	1,500	978	632.7	41 / 12
018	1,794	978	634.6	58 / 26
026	2,579	978	641.3	7 / 35
030	3,000	978	644.5	7 / 31
035	3,500	978	647.6	195 / 7
040	4,000	978	650.4	13 / 16
045	4,500	978	654.0	18 / 57
050	5,000	978	658.8	21 / 7
055	5,500	978	670.0	5 / 32
060	6,000	978	675.5	129 / 9
065	6,500	978	679.8	119 / 6
070	7,000	750	683.1	108 / 34
075	7,500	750	685.4	6 / 209
080	8,000	750	688.4	7 / 119
086	8,588	437	692.7	39 / 52
090	9,000	437	695.5	12 / 40
094	9,360	437	700.6	16 / 79
100	10,000	437	708.0	16 / 8
SANDY CREEK TRIBUTARY 10				
001	59	573	683.6 ⁴	17 / 23
003	348	573	688.0	15 / 32
010	1,041	573	697.7	8 / 61
015	1,500	573	702.2	44 / 16
020	2,011	573	706.6	10 / 105
024	2,410	573	709.5	8 / 105

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SANDY CREEK TRIBUTARY 10				
029	2,867	573	712.9	24 / 49
033	3,343	573	717.2	69 / 29
038	3,832	573	721.3	37 / 24
044	4,415	573	728.2	53 / 10
048	4,835	399	732.5	6 / 40
SANDY CREEK TRIBUTARY 11				
000	46	436	703.4 ⁴	21 / 26
005	500	436	710.6	17 / 34
010	1,000	436	718.3	13 / 20
SECOND CREEK				
005	500	4,367	395.7 ⁴	31 / 557
008	828	4,367	395.7 ⁴	80 / 46
016	1,578	4,367	395.7 ⁴	132 / 45
020	2,000	4,367	395.7 ⁴	417 / 14
023	2,349	4,367	395.7 ⁴	230 / 76
028	2,751	4,367	395.7 ⁴	46 / 288
035	3,500	4,288	395.7 ⁴	168 / 118
038	3,770	4,288	395.7 ⁴	60 / 117
045	4,534	4,288	395.7 ⁴	252 / 28
050	5,000	4,288	395.7 ⁴	231 / 35
055	5,500	4,288	395.7 ⁴	126 / 69
061	6,100	4,168	395.7 ⁴	323 / 27
069	6,910	4,168	395.8	87 / 282
078	7,809	4,168	400.4	154 / 25
085	8,525	4,083	401.9	40 / 40
095	9,495	4,083	409.8	40 / 70
101	10,112	4,083	412.5	185 / 35
105	10,500	3,978	414.3	187 / 30
110	11,000	3,978	416.1	22 / 296
116	11,597	3,978	417.5	17 / 135
119	11,941	3,978	419.3	25 / 106
123	12,286	3,978	420.8	20 / 160
130	13,000	3,978	422.8	13 / 306
136	13,584	3,978	424.5	113 / 40
144	14,410	3,747	427.6	88 / 160
152	15,166	3,747	429.8	50 / 35
161	16,078	3,747	435.7	120 / 90
165	16,500	3,747	437.1	350 / 45
171	17,075	3,747	438.1	425 / 35
177	17,719	3,374	439.8	154 / 42
185	18,461	3,374	442.1	20 / 320
191	19,076	3,374	444.4	25 / 207
199	19,885	3,374	448.3	135 / 96

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SECOND CREEK				
204	20,375	3,281	449.0	20 / 60
210	21,045	3,281	451.1	96 / 20
214	21,409	3,281	452.1	67 / 47
218	21,787	3,281	453.0	141 / 25
224	22,356	3,281	454.2	136 / 25
231	23,147	3,281	455.8	111 / 111
235	23,500	3,281	456.4	145 / 88
246	24,580	2,677	460.1	165 / 19
250	25,000	2,677	461.0	355 / 24
255	25,500	2,677	462.1	96 / 82
261	26,112	2,677	465.1	40 / 318
269	26,938	2,677	467.0	97 / 110
274	27,397	2,677	468.0	25 / 183
280	28,000	2,677	469.2	25 / 330
285	28,500	2,608	470.0	63 / 106
292	29,167	2,608	472.0	150 / 192
295	29,500	2,608	472.7	171 / 123
301	30,063	2,608	474.0	272 / 30
305	30,500	2,608	475.1	71 / 40
309	30,919	2,608	478.2	19 / 213
315	31,500	2,028	479.4	96 / 15
320	32,000	2,028	482.4	33 / 12
326	32,596	2,028	486.7	11 / 130
330	33,001	2,028	489.7	10 / 101
335	33,500	1,995	493.4	35 / 40
339	33,861	1,995	495.7	15 / 98
344	34,386	1,995	499.8	60 / 22
350	35,000	1,995	503.8	123 / 10
354	35,412	1,995	504.9	98 / 23
SECOND CREEK TRIBUTARY 1				
002	188	408	395.7 ⁴	12 / 109
004	426	408	395.7 ⁴	12 / 61
012	1,181	408	401.6	110 / 67
015	1,530	408	401.8	68 / 108
021	2,143	408	407.2	5 / 10
SECOND CREEK TRIBUTARY 2				
002	234	1,364	458.5 ⁴	37 / 76
006	648	1,364	460.3	31 / 126
015	1,500	1,046	466.9	14 / 23
020	2,000	1,046	472.4	40 / 68
026	2,565	1,046	476.4	13 / 23
SECOND CREEK TRIBUTARY 2A				
000	38	691	463.0 ⁴	20 / 16

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SECOND CREEK TRIBUTARY 2A				
007	658	691	469.5	10 / 14
010	953	691	474.8	9 / 8
015	1,480	691	480.0	22 / 25
020	2,000	691	483.4	40 / 9
SECOND CREEK TRIBUTARY 3				
003	263	1,214	478.7 ⁴	45 / 95
010	976	1,214	485.2	61 / 35
013	1,260	1,214	486.2	11 / 10
016	1,645	1,214	491.3	11 / 51
021	2,060	1,214	495.8	11 / 38
026	2,636	1,057	505.0	50 / 46
030	2,985	1,057	505.3	12 / 15
035	3,467	1,057	511.7	17 / 9
SILVER RUN CREEK				
004	367	1,170	393.7 ⁴	79 / 13
011	1,128	1,170	393.7 ⁴	257 / 35
016	1,563	1,170	393.7 ⁴	82 / 45
021	2,073	1,170	393.7 ⁴	30 / 13
025	2,500	1,022	393.7 ⁴	50 / 52
029	2,942	1,022	393.7 ⁴	120 / 12
036	3,550	1,022	393.7 ⁴	12 / 83
040	4,010	1,022	394.8	21 / 23
049	4,882	1,022	401.8	44 / 15
SIMMONS BRANCH				
004	380	1,552	633.5 ⁴	22 / 297
010	1,000	1,552	633.5 ⁴	15 / 114
013	1,343	1,552	633.5 ⁴	51 / 94
020	1,997	1,552	633.5 ⁴	15 / 51
025	2,500	1,552	633.5 ⁴	73 / 10
030	3,000	1,437	633.5 ⁴	11 / 120
036	3,567	1,437	633.5 ⁴	16 / 111
040	4,000	1,437	635.2	13 / 53
045	4,500	1,437	638.5	23 / 66
055	5,500	1,437	645.0	18 / 21
060	6,000	1,437	649.0	70 / 10
066	6,620	1,309	652.1	33 / 89
SOUTH FORK JACKSON CREEK				
000	39	2,116	506.2 ⁴	17 / 8
005	477	2,116	510.8	43 / 23
011	1,067	2,116	513.3	103 / 99
014	1,419	2,116	513.8	68 / 99
020	2,000	2,116	515.5	34 / 79
026	2,550	2,116	517.8	180 / 12

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SOUTH FORK JACKSON CREEK				
030	3,000	2,116	519.4	59 / 15
035	3,500	2,116	523.1	42 / 15
040	4,024	2,116	525.8	30 / 70
044	4,423	1,983	528.0	15 / 93
050	4,960	1,983	529.4	15 / 40
055	5,500	1,983	534.8	17 / 90
060	6,000	1,983	536.2	66 / 20
065	6,500	1,851	539.4	41 / 11
070	6,979	1,851	542.7	49 / 55
075	7,471	1,851	544.6	98 / 20
SOUTH PRONG LITTLE RIVER				
003	266	1,936	677.8 ⁴	17 / 16
006	648	1,936	677.8 ⁴	60 / 36
014	1,397	1,936	678.7	20 / 10
022	2,210	1,936	684.2	30 / 70
025	2,477	1,936	684.9	53 / 43
SOUTH PRONG RICHLAND CREEK				
002	215	1,910	580.6 ⁴	87 / 12
011	1,083	1,910	584.5	101 / 95
015	1,494	1,910	585.6	83 / 50
021	2,111	1,910	587.7	100 / 16
029	2,936	1,910	590.6	97 / 11
035	3,500	1,910	592.3	23 / 161
040	3,969	1,910	593.1	39 / 117
050	5,000	1,641	599.6	71 / 15
055	5,468	1,641	600.2	101 / 19
061	6,128	1,641	601.6	105 / 64
065	6,500	1,641	602.5	85 / 76
070	7,000	1,641	603.9	59 / 52
079	7,890	1,409	608.0	50 / 90
085	8,500	1,409	612.6	35 / 110
090	8,952	1,409	615.7	27 / 140
095	9,500	1,409	616.9	78 / 34
100	10,000	1,409	618.7	11 / 76
108	10,759	1,409	622.2	29 / 62
113	11,330	1,409	625.1	65 / 35
118	11,826	1,409	626.8	179 / 7
124	12,409	1,087	628.7	142 / 5
130	13,038	1,087	632.0	129 / 12
134	13,442	1,087	634.2	38 / 60
140	14,000	1,087	637.8	54 / 38
144	14,402	1,087	639.8	25 / 44
150	14,967	1,087	646.5	43 / 50

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
SOUTH PRONG RICHLAND CREEK				
155	15,500	1,087	646.7	71 / 71
160	16,000	1,087	648.3	76 / 5
164	16,423	1,087	652.9	72 / 19
171	17,132	561	658.1	11 / 84
SOUTH PRONG STINKING QUARTER CREEK				
172	17,168	1590	627.1	61 / 67
177	17,669	1590	629.1	15 / 89
185	18,530	1590	645.8	249 / 142
193	19,294	965	649.6	120 / 100
197	19,734	965	649.8	140 / 150
203	20,313	965	650.6	60 / 90
207	20,664	965	652.6	58 / 41
211	21,102	965	654.8	31 / 45
220	21,999	870	661.0	18 / 21
225	22,481	870	664.2	93 / 77
229	22,862	870	672.2	83 / 8
233	23,283	870	677.2	20 / 44
236	23,641	870	680.8	13 / 73
242	24,156	870	684.7	67 / 13
246	24,598	870	689.0	13 / 21
250	24,992	870	694.6	13 / 49
255	25,465	870	698.9	26 / 13
258	25,810	870	702.6	13 / 81
263	26,252	870	706.1	38 / 13
268	26,791	870	712.0	13 / 45
270	27,022	870	714.0	13 / 39
274	27,430	870	719.4	14 / 28
277	27,745	870	723.2	30 / 13
282	28,235	870	728.2	18 / 45
286	28,581	870	733.9	17 / 23
291	29,053	870	754.9	132 / 170
294	29,385	870	754.9	250 / 241
STINKING QUARTER CREEK TRIBUTARY 3				
001	125	995	624.4 ⁴	67/48
005	519	995	626.9	47/56
009	928	995	629.2	47/117
012	1,231	995	630.3	88/71
019	1,922	953	638.5	15/75
024	2,421	953	639.4	33/38
029	2,897	953	642.2	30/12
034	3,438	953	647.1	79/13
038	3,813	953	649.4	40/44
042	4,196	953	652.2	77/12

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
STINKING QUARTER CREEK TRIBUTARY 3				
047	4,679	953	657.1	17/12
050	5,040	953	660.9	20/71
056	5,580	953	666.7	40/25
058	5,836	953	669.6	21/56
062	6,218	953	672.1	40/10
065	6,509	953	675.5	17/40
069	6,871	953	678.3	11/43
071	7,117	953	681.1	15/55
TAYLOR BRANCH				
001	141	1,329	692.4 ⁴	64 / 48
005	500	1,329	692.4 ⁴	82 / 10
010	1,000	1,329	692.6	57 / 34
014	1,440	1,329	694.6	12 / 53
020	2,000	1,329	700.2	18 / 13
025	2,500	1,329	704.6	55 / 50
030	3,000	1,329	705.9	19 / 77
035	3,500	1,329	707.6	109 / 57
040	4,000	1,329	709.8	23 / 65
045	4,500	1,329	712.2	36 / 54
050	4,955	1,329	714.2	57 / 15
057	5,696	1,214	716.1	79 / 92
060	6,000	1,214	716.4	27 / 28
065	6,500	1,214	719.8	98 / 28
070	7,000	1,214	721.5	20 / 70
075	7,500	1,214	723.0	59 / 95
080	8,000	1,214	724.4	95 / 28
085	8,500	1,214	726.1	151 / 5
092	9,153	1,214	728.0	69 / 33
096	9,620	1,214	729.8	24 / 65
102	10,170	1,214	732.0	59 / 70
107	10,718	1,214	738.9	34 / 95
110	10,950	1,214	739.0	31 / 92
115	11,500	834	739.4	109 / 60
TOMS CREEK				
003	302	4,499	401.8 ⁴	33 / 42
009	883	4,499	401.8 ⁴	38 / 25
018	1,786	4,499	401.8 ⁴	25 / 210
027	2,666	4,499	401.8 ⁴	203 / 381
032	3,243	4,499	401.8 ⁴	148 / 25
040	4,033	4,499	401.8 ⁴	119 / 60
045	4,500	4,499	401.8 ⁴	381 / 52
050	5,000	4,499	401.8 ⁴	164 / 193
055	5,486	4,423	401.8 ⁴	25 / 419

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
TOMS CREEK				
063	6,290	4,423	401.8 ⁴	243 / 225
071	7,107	4,423	402.0	242 / 25
076	7,596	4,423	403.2	25 / 356
082	8,206	4,423	404.4	25 / 196
086	8,591	4,423	405.0	142 / 24
093	9,337	4,351	407.3	38 / 200
098	9,758	4,351	408.2	60 / 374
104	10,389	4,351	408.9	248 / 47
108	10,774	4,351	409.5	32 / 175
120	12,019	4,212	413.0	24 / 244
123	12,334	4,212	413.2	24 / 280
130	13,000	4,212	414.0	125 / 83
134	13,411	4,212	414.6	177 / 237
140	14,000	4,212	415.1	24 / 243
147	14,650	4,122	416.7	30 / 337
158	15,778	4,122	419.9	50 / 25
165	16,483	4,122	428.3	34 / 24
170	17,000	4,122	431.4	23 / 24
177	17,667	4,122	437.4	23 / 24
180	18,044	4,122	441.4	48 / 54
189	18,888	3,949	443.4	23 / 364
194	19,374	3,949	443.9	110 / 231
199	19,906	3,949	444.8	221 / 156
205	20,500	3,949	445.8	137 / 103
210	21,000	3,949	446.7	23 / 125
215	21,500	3,949	448.0	23 / 331
221	22,112	3,881	448.8	77 / 307
227	22,706	3,881	449.6	178 / 23
233	23,339	3,881	450.9	53 / 23
240	24,000	3,881	453.5	292 / 48
245	24,455	3,709	454.4	130 / 181
250	25,000	3,709	455.8	101 / 354
255	25,500	3,709	456.6	378 / 22
258	25,783	3,709	457.0	447 / 32
265	26,500	3,709	458.3	327 / 22
270	27,000	3,522	459.3	263 / 28
275	27,500	3,522	460.5	114 / 168
281	28,057	3,522	462.0	103 / 33
284	28,395	3,522	463.6	75 / 27
292	29,180	3,470	466.0	287 / 12
306	30,631	3,349	471.1	21 / 281
314	31,428	3,349	473.2	21 / 126
322	32,207	3,349	477.4	21 / 40

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
TOMS CREEK				
329	32,913	3,239	482.1	65 / 78
335	33,520	3,239	484.8	30 / 40
339	33,926	3,239	487.1	20 / 36
344	34,356	3,239	490.1	20 / 21
348	34,810	3,129	493.8	31 / 20
353	35,294	3,129	495.5	29 / 20
357	35,709	3,129	497.5	20 / 60
363	36,318	3,129	499.6	66 / 86
368	36,839	3,129	500.9	102 / 20
TWOMILE BRANCH				
001	113	1,098	438.6 ⁴	51 / 59
007	730	1,098	443.1	35 / 51
012	1,227	931	449.9	11 / 15
016	1,610	931	460.4	34 / 10
020	1,992	931	471.7	6 / 12
TWOMILE CREEK				
007	681	746	394.2 ⁴	50 / 58
012	1,201	746	394.2 ⁴	12 / 15
017	1,666	746	394.2 ⁴	12 / 12
020	1,971	746	397.9	12 / 12
UWHARRIE RIVER				
859	85,941	20,407	369.2	63/123
871	87,105	20,407	370.2	110/80
880	88,000	20,407	370.8	116/154
888	88,845	20,397	371.2	135/126
901	90,091	20,388	371.7	66/145
911	91,137	20,386	372.5	153/89
918	91,831	20,386	372.9	124/63
928	92,753	20,386	373.6	102/72
936	93,618	20,386	374.3	78/151
952	95,166	20,386	375.7	66/138
962	96,193	20,337	376.4	121/97
977	97,718	20,330	377.7	190/100
986	98,639	20,330	378.3	129/78
998	99,760	20,330	379.1	125/60
1012	101,158	20,320	380.1	85/250
1023	102,263	20,316	380.3	182/197
1032	103,203	20,316	380.7	238/123
1041	104,078	20,316	380.9	108/102
1052	105,171	20,311	381.5	62/238
1060	106,044	20,305	381.8	246/99
1068	106,751	20,305	382.2	253/65
1079	107,850	20,296	382.6	170/55

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
UWHARRIE RIVER				
1090	109,004	20,296	383.3	404/91
1100	110,000	20,296	383.4	386/75
1108	110,828	20,296	383.6	74/299
1118	111,799	20,296	384.0	84/270
1126	112,647	20,278	384.3	296/169
1136	113,578	20,278	384.6	220/75
1155	115,505	20,153	385.4	291/64
1171	117,137	20,153	386.8	115/200
1182	118,213	20,153	387.1	74/153
1191	119,124	20,135	388.0	134/177
1202	120,198	20,123	388.7	89/406
1220	122,030	20,109	389.7	68/231
1231	123,137	20,109	390.4	75/177
1243	124,251	20,109	391.1	273/67
1253	125,322	20,109	391.8	217/253
1263	126,313	20,109	392.1	190/210
1285	128,537	19,975	393.3	222/313
1300	130,001	19,975	393.8	403/552
1316	131,585	19,938	394.0	489/276
1327	132,703	19,938	394.2	567/48
1343	134,299	19,918	394.9	90/810
1354	135,414	19,918	395.1	160/685
1361	136,085	19,918	395.3	55/662
1375	137,497	19,911	395.7	272/148
1398	139,818	19,424	396.5	418/276
1408	140,818	19,424	396.8	86/339
1432	143,217	19,424	397.7	949/111
1443	144,345	19,424	397.9	916/69
1456	145,633	19,424	398.2	569/96
1472	147,242	19,424	399.7	471/638
1483	148,267	19,411	400.0	1,107/213
1494	149,430	19,411	400.2	876/157
1521	152,127	19,411	401.0	78/739
1543	154,307	19,411	401.8	659/67
1561	156,085	18,973	402.6	116/572
1583	158,341	18,909	403.7	634/166
1596	159,620	18,909	404.1	141/460
1612	161,245	18,909	405.0	80/910
1626	162,614	18,897	405.6	605/61
1641	164,061	18,897	406.0	48/916
1656	165,613	18,897	406.5	794/106
1677	167,693	18,886	407.3	72/1,003
1690	168,984	18,886	407.7	600/400

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
UWHARRIE RIVER				
1705	170,475	18,886	408.7	391/315
1725	172,548	18,873	409.8	53/867
1738	173,795	18,873	410.2	1,000/50
1754	175,361	18,873	410.5	70/723
1763	176,262	18,873	410.8	60/521
1780	178,002	14,877	411.9	893/57
1796	179,571	14,877	412.3	341/595
1807	180,688	14,877	413.2	494/105
1818	181,753	14,877	413.5	654/47
1834	183,371	14,850	414.2	92/700
1844	184,362	14,850	414.5	229/233
1861	186,140	14,822	415.6	128/73
1875	187,510	14,822	416.8	360/62
1885	188,527	14,822	417.2	74/234
1899	189,894	13,555	417.8	38/280
1911	191,050	13,555	418.7	264/61
1922	192,192	13,555	419.8	60/228
1932	193,207	13,518	420.6	399/101
1943	194,276	13,518	421.1	295/305
1958	195,826	13,518	444.8	205/205
1988	198,796	13,425	445.1	305/305
2028	202,786	13,392	445.3	278/278
2052	205,182	13,080	445.4	203/203
2082	208,185	12,913	445.5	574/574
2119	211,898	12,864	445.5	204/204
2156	215,649	12,692	445.7	334/334
2174	217,375	12,337	445.7	95/95
2188	218,808	12,337	446.2	141/141
2198	219,782	12,295	446.3	111/111
2210	220,980	12,295	446.6	114/114
2220	222,034	12,295	446.8	135/150
2242	224,238	12,036	447.6	240/46
2256	225,609	12,036	449.3	65/50
2283	228,272	11,999	453.3	113/46
2298	229,753	11,975	454.8	200/50
2315	231,472	11,975	456.3	52/75
2328	232,831	11,975	457.3	43/60
2336	233,591	7,613	459.0	41/46
2348	234,831	7,613	462.4	251/29
2357	235,672	7,613	463.2	403/47
2367	236,715	7,613	463.8	350/40
2377	237,739	7,252	464.5	55/55
2396	239,649	7,252	467.6	50/45

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
UWHARRIE RIVER				
2409	240,938	7,212	470.0	35/95
2422	242,207	7,212	471.8	37/38
2433	243,288	7,212	473.9	78/37
2441	244,086	7,212	474.8	37/48
2449	244,873	7,118	476.4	37/63
2457	245,664	7,118	477.5	40/40
2467	246,729	7,118	479.0	35/35
2480	247,967	7,118	481.1	41/39
2496	249,646	7,004	483.9	34/68
2505	250,548	7,004	484.8	53/40
2513	251,274	7,004	485.5	80/100
2525	252,454	7,004	486.3	85/49
2532	253,226	6,607	487.3	48/47
2544	254,363	6,607	488.7	54/81
2558	255,798	6,503	489.7	38/42
2573	257,295	6,503	492.9	34/34
2583	258,312	6,503	494.7	40/35
2594	259,411	6,361	497.7	60/90
2605	260,459	6,309	499.1	50/32
2615	261,501	6,309	500.6	35/33
2634	263,391	6,245	504.2	50/30
2638	263,843	6,245	505.5	64/41
2651	265,148	6,245	507.2	125/40
2660	265,975	5,990	508.2	31/68
2674	267,350	5,990	510.8	29/35
2685	268,513	5,896	513.2	75/36
2694	269,404	5,896	514.4	45/70
2706	270,568	5,896	515.9	45/35
2716	271,587	5,709	517.9	41/35
2729	272,907	5,709	520.3	160/100
2738	273,802	5,446	520.8	30/40
2744	274,417	5,446	522.3	29/29
2750	274,984	5,446	523.6	29/29
2759	275,942	5,446	526.2	29/29
2770	276,950	5,446	530.0	29/29
2787	278,685	5,402	538.3	32/32
2795	279,479	5,402	544.6	25/25
2804	280,407	5,402	552.0	29/29
2814	281,425	5,402	554.8	29/29
2823	282,318	5,402	557.4	29/29
2832	283,245	4,623	560.7	25/25
2842	284,231	4,499	564.4	25/25
2852	285,193	4,499	567.8	23/23

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
UWHARRIE RIVER				
2863	286,257	4,499	570.8	22/22
2874	287,430	4,499	575.7	22/22
2882	288,183	4,499	578.4	26/26
CROSS SECTIONS SHOWN ON FLODWAY DATA TABLE AND PROFILE FOR THIS PORTION				
3224	322,430	1,024	718.2	13 / 12
3232	323,236	1,024	725.1	15 / 11
3237	323,700	1,024	729.3	16 / 13
3241	324,079	1,024	731.4	24 / 15
3244	324,394	1,024	734.2	15 / 35
3246	324,629	905	736.7	15 / 16
3248	324,838	905	737.4	15 / 15
3251	325,060	905	738.5	15 / 15
3254	325,396	905	742.0	21 / 22
3259	325,852	905	745.1	14 / 14
3262	326,166	905	748.5	14 / 21
3264	326,446	905	751.0	13 / 13
3267	326,730	905	754.2	16 / 25
3275	327,484	905	759.7	19 / 50
3281	328,109	905	768.1	30 / 50
3283	328,332	905	772.2	12 / 24
3287	328,710	905	790.7	18 / 67
UWHARRIE RIVER TRIBUTARY 1				
003	276	240	371.7 ⁴	10 / 10
006	608	240	371.7 ⁴	12 / 7
010	1,049	240	380.4	9 / 11
UWHARRIE RIVER TRIBUTARY 2				
007	739	756	387.1 ⁴	12 / 70
011	1,115	756	387.1 ⁴	12 / 63
014	1,442	756	387.1 ⁴	88 / 44
020	2,000	756	390.6	12 / 67
025	2,500	756	395.4	12 / 87
030	2,973	756	399.6	12 / 34
UWHARRIE RIVER TRIBUTARY 3				
005	531	659	388.0 ⁴	15 / 12
010	1,000	659	388.1	16 / 12
014	1,380	659	394.8	4 / 23
019	1,893	659	403.0	5 / 64
UWHARRIE RIVER TRIBUTARY 4				
005	452	1,511	445.3 ⁴	82 / 93
009	877	1,511	445.3 ⁴	165 / 184
013	1,323	1,511	445.3 ⁴	213 / 225
020	2,000	1,511	445.3 ⁴	103 / 90
026	2,574	1,466	445.3 ⁴	174 / 153

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
UWHARRIE RIVER TRIBUTARY 4				
030	3,000	1,466	445.3 ⁴	61 / 70
033	3,348	1,466	445.3 ⁴	21 / 50
038	3,751	1,466	445.3 ⁴	200 / 90
UWHARRIE RIVER TRIBUTARY 5				
005	500	1,057	445.4 ⁴	484 / 462
011	1,092	1,057	445.4 ⁴	199 / 164
016	1,622	1,057	445.4 ⁴	161 / 189
020	2,000	1,057	445.4 ⁴	118 / 99
029	2,874	1,021	452.2	146 / 164
033	3,307	1,021	452.2	242 / 253
041	4,099	1,021	452.2	50 / 50
UWHARRIE RIVER TRIBUTARY 6				
004	441	1,424	464.1 ⁴	14 / 36
009	935	1,424	464.3	18 / 17
014	1,399	1,424	469.0	20 / 20
017	1,707	1,082	471.4	89 / 44
021	2,058	1,082	472.4	58 / 45
025	2,539	1,082	475.4	65 / 13
035	3,490	1,082	483.0	58 / 13
UWHARRIE RIVER TRIBUTARY 7				
003	310	1,015	520.3 ⁴	9 / 10
008	846	1,015	520.3 ⁴	14 / 12
015	1,487	1,015	527.3	13 / 119
021	2,132	809	533.0	6 / 8
026	2,597	809	540.3	59 / 50
UWHARRIE RIVER TRIBUTARY 8				
004	359	2,015	557.4 ⁴	14 / 8
008	797	2,015	561.5	17 / 13
014	1,356	2,015	571.1	17 / 17
019	1,940	2,015	577.3	34 / 17
024	2,429	2,015	581.5	17 / 17
031	3,056	2,015	588.2	17 / 17
035	3,545	2,015	592.5	19 / 17
039	3,887	2,015	594.4	26 / 17
045	4,500	2,015	596.9	18 / 17
050	4,970	2,015	599.0	28 / 35
055	5,500	2,015	600.0	20 / 8
060	5,980	2,015	604.9	81 / 9
067	6,652	1,907	607.7	59 / 29
071	7,058	1,907	609.0	22 / 35
075	7,500	1,907	610.8	18 / 28
080	8,026	1,907	613.5	49 / 18
085	8,500	1,907	615.1	16 / 34

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
UWHARRIE RIVER TRIBUTARY 8				
090	9,043	1,907	618.0	16 / 30
096	9,575	1,735	622.5	34 / 15
100	9,953	1,735	625.1	64 / 16
105	10,500	1,735	627.0	31 / 16
115	11,462	1,735	632.8	19 / 15
120	11,971	1,735	635.9	38 / 35
126	12,567	963	638.1	19 / 36
131	13,074	963	640.6	25 / 12
135	13,500	963	642.9	71 / 12
140	13,972	963	644.9	120 / 15
146	14,621	842	648.0	12 / 29
151	15,058	842	651.0	27 / 22
155	15,500	842	653.1	25 / 12
166	16,578	821	663.2	12 / 110
UWHARRIE RIVER TRIBUTARY 8A				
002	238	1,212	636.3 ⁴	13 / 30
007	708	1,212	639.5	100 / 120
012	1,170	1,188	642.9	55 / 48
016	1,642	1,188	645.2	15 / 15
020	2,000	1,188	649.2	30 / 15
023	2,262	1,188	651.1	27 / 24
026	2,645	1,188	653.7	16 / 21
029	2,882	1,188	656.0	20 / 28
034	3,395	1,188	660.0	22 / 18
040	3,987	1,188	664.9	40 / 21
UWHARRIE RIVER TRIBUTARY 9				
002	200	1,440	578.8 ⁴	13 / 5
005	497	1,440	582.3	11 / 22
009	921	1,440	586.5	20 / 8
013	1,346	1,440	591.4	30 / 75
019	1,890	1,440	595.8	58 / 5
026	2,563	1,440	607.3	10 / 12
036	3,585	1,440	614.9	50 / 125
041	4,073	1,440	618.0	30 / 40
046	4,597	1,286	619.9	135 / 90
050	5,021	1,286	621.6	100 / 55
057	5,699	1,286	625.5	59 / 8
061	6,066	1,286	628.5	19 / 14
064	6,413	1,286	631.7	5 / 28
070	7,031	1,286	637.2	15 / 20
076	7,648	1,286	646.7	25 / 20
081	8,067	1,286	650.6	30 / 50
086	8,609	1,286	653.4	30 / 10

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
UWHARRIE RIVER TRIBUTARY 9				
091	9,077	1,286	656.5	67 / 28
096	9,604	1,286	658.9	5 / 186
107	10,669	1,286	668.0	33 / 37
118	11,792	936	674.6	108 / 3
121	12,144	936	677.6	145 / 3
133	13,250	936	685.7	52 / 3
136	13,609	936	691.9	22 / 8
142	14,172	666	700.4	7 / 25
147	14,726	666	712.7	3 / 39
153	15,258	666	722.1	15 / 6
156	15,621	666	729.1	15 / 5
170	16,982	666	743.8	13 / 16
176	17,628	666	752.2	10 / 55
181	18,087	666	758.1	20 / 3
186	18,630	666	767.3	18 / 13
192	19,207	381	777.8	40 / 3
200	20,048	381	790.7	52 / 3
205	20,544	381	798.9	10 / 5
209	20,878	381	804.6	10 / 6
VESTAL CREEK				
000	16	2,708	565.0 ⁴	30 / 30
002	214	2,708	565.8	20 / 15
008	755	2,708	570.7	70 / 55
016	1,589	2,708	572.5	170 / 50
023	2,348	2,708	573.8	28 / 220
029	2,859	2,391	574.6	80 / 140
035	3,456	2,391	577.2	80 / 80
045	4,500	2,391	580.8	25 / 20
050	5,000	2,391	586.3	30 / 15
055	5,500	2,391	587.9	25 / 40
059	5,937	2,391	588.9	56 / 26
065	6,500	2,391	590.7	55 / 20
071	7,067	2,391	593.6	80 / 60
075	7,500	2,391	594.8	100 / 26
080	8,000	2,272	596.5	110 / 50
085	8,533	2,272	599.7	50 / 30
089	8,920	2,272	603.3	45 / 40
095	9,500	2,272	604.5	30 / 30
100	10,042	2,272	609.4	30 / 40
105	10,527	2,272	614.4	35 / 35
109	10,941	2,272	619.0	40 / 70
115	11,500	2,272	621.9	90 / 70
120	12,000	2,272	625.8	190 / 40

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
VESTAL CREEK				
125	12,500	2,272	626.9	35 / 32
130	13,000	2,272	631.7	25 / 30
135	13,500	2,272	635.4	20 / 30
142	14,204	2,272	642.2	45 / 20
150	14,979	2,272	650.6	20 / 20
VESTAL CREEK TRIBUTARY 3				
021	2,091	1,054	667.2	36 / 29
026	2,638	1,054	672.1	12 / 9
033	3,253	1,054	678.3	39 / 35
039	3,871	1,054	682.6	20 / 16
043	4,336	1,054	689.2	15 / 12
048	4,771	1,054	694.8	4 / 47
059	5,895	1,054	710.2	17 / 15
066	6,567	1,054	718.4	36 / 14
071	7,076	1,054	722.6	11 / 31
078	7,807	1,054	731.7	15 / 33
082	8,236	1,054	736.0	12 / 25
089	8,862	1,054	742.9	11 / 8
WAGNERS BRANCH				
007	682	1,062	581.9 ⁴	32 / 13
011	1,130	1,062	581.9 ⁴	34 / 39
016	1,591	1,062	581.9 ⁴	13 / 86
022	2,156	1,062	585.0	14 / 27
027	2,683	1,062	594.1	20 / 12
031	3,122	1,062	598.5	18 / 37
040	4,002	1,062	602.5	27 / 28
044	4,419	1,062	606.9	16 / 40
053	5,257	922	613.3	60 / 18
057	5,712	922	615.9	85 / 12
061	6,144	922	618.3	12 / 95
066	6,577	922	622.0	12 / 91
070	7,019	922	626.0	26 / 37
074	7,422	922	629.0	92 / 36
079	7,948	922	632.2	30 / 18
084	8,405	922	635.5	36 / 35
089	8,903	922	638.0	87 / 37
098	9,802	922	644.5	23 / 63
112	11,190	672	655.4	32 / 43
117	11,660	672	656.3	12 / 62
125	12,533	484	665.6	90 / 53
131	13,112	484	668.1	50 / 12
137	13,671	484	673.9	37 / 65
146	14,626	484	683.9	19 / 12

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
WALKERS CREEK				
002	248	1,819	376.4 ⁴	53 / 70
007	680	1,819	376.4 ⁴	90 / 50
012	1,163	1,819	376.4 ⁴	64 / 56
018	1,775	1,819	385.3	56 / 115
WESLEY DEAN BRANCH				
004	422	596	577.2 ⁴	30 / 34
010	1,029	596	578.1	34 / 57
016	1,556	596	582.8	43 / 12
020	2,000	596	586.7	42 / 12
025	2,452	596	590.5	15 / 79
031	3,061	536	597.7	12 / 12
036	3,573	536	603.0	21 / 23
040	3,989	536	606.0	12 / 13
WEST FORK LITTLE RIVER				
763	76,341	3,799	614.6	476 / 128
771	77,087	3,799	614.8	32 / 72
776	77,573	3,799	615.9	38 / 73
781	78,081	3,601	616.7	41 / 77
787	78,672	3,601	617.8	22 / 93
792	79,186	3,601	618.7	39 / 71
798	79,832	3,601	619.6	51 / 93
808	80,799	3,601	620.4	675 / 30
812	81,247	3,601	620.5	254 / 30
816	81,647	3,601	620.6	27 / 21
823	82,255	3,194	622.0	53 / 30
835	83,469	3,194	624.2	110 / 10
844	84,390	3,194	628.9	323 / 11
848	84,847	3,194	629.1	37 / 22
852	85,233	3,194	630.7	22 / 47
860	86,000	3,194	632.7	104 / 16
864	86,419	3,194	635.5	28 / 16
868	86,845	3,194	639.4	25 / 25
873	87,291	3,194	645.5	44 / 70
875	87,469	3,194	647.1	23 / 64
879	87,888	3,194	651.6	10 / 116
884	88,393	3,194	652.8	10 / 62
888	88,828	3,194	653.7	22 / 22
892	89,196	3,194	655.0	21 / 70
896	89,556	3,194	655.8	31 / 63
899	89,911	3,194	656.2	12 / 96
905	90,500	3,194	658.3	26 / 59
908	90,772	3,194	659.2	21 / 119
912	91,198	2,878	660.1	40 / 26

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
WEST FORK LITTLE RIVER				
918	91,760	2,878	661.1	35 / 15
923	92,254	2,878	662.5	9 / 79
929	92,899	2,878	663.3	11 / 58
936	93,551	2,878	664.7	39 / 39
940	94,019	2,878	665.4	46 / 18
945	94,500	2,878	667.7	11 / 62
949	94,939	2,878	670.3	90 / 37
956	95,583	2,878	671.8	29 / 33
959	95,899	2,878	673.1	36 / 23
964	96,372	2,878	674.0	26 / 27
968	96,782	2,878	675.1	10 / 63
974	97,374	2,414	676.6	22 / 36
981	98,110	2,414	679.4	122 / 71
985	98,500	2,414	679.7	12 / 212
990	99,000	2,414	680.4	13 / 204
996	99,598	2,295	681.5	83 / 49
1000	100,000	2,295	682.4	13 / 42
1004	100,424	2,295	683.8	19 / 46
1010	100,972	2,295	686.3	8 / 69
1015	101,500	2,295	687.8	18 / 83
1020	102,000	2,295	688.9	39 / 8
1030	103,000	2,252	691.2	26 / 84
1035	103,540	2,252	693.2	8 / 39
1041	104,067	2,060	696.8	47 / 17
1046	104,616	1,987	698.1	224 / 123
1050	105,034	1,987	698.3	95 / 83
1054	105,386	1,987	698.8	55 / 17
1058	105,755	1,987	700.3	16 / 122
1064	106,379	1,987	701.2	381 / 6
1070	107,000	1,987	701.7	132 / 233
1074	107,442	1,987	702.5	100 / 7
1080	108,000	1,987	705.5	108 / 7
1085	108,500	1,987	706.5	21 / 54
1090	109,000	1,987	707.6	203 / 6
1093	109,296	1,987	707.8	127 / 145
1101	110,124	1,694	708.9	71 / 16
1106	110,581	1,694	709.8	45 / 45
WEST FORK LITTLE RIVER TRIBUTARY 1				
003	305	1,111	621.5 ⁴	38 / 13
009	891	1,111	622.2	13 / 154
015	1,535	1,111	623.3	13 / 74
021	2,109	1,111	629.0	13 / 71

Table 11—Limited Detailed Flood Hazard Data

Cross Section¹	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)	Non-Encroachment Width³ (feet)
WEST FORK LITTLE RIVER TRIBUTARY 2				
001	125	872	675.7 ⁴	12 / 12
005	510	872	678.4	13 / 27
009	899	872	681.3	26 / 30
012	1,206	872	685.5	49 / 4
016	1,623	872	691.8	8 / 10
WEST FORK LITTLE RIVER TRIBUTARY 3				
002	239	460	694.1 ⁴	27 / 12
005	542	460	695.8	26 / 12
009	869	460	698.5	22 / 12
013	1,318	460	701.1	12 / 12
WEST FORK LITTLE RIVER TRIBUTARY 4				
004	350	335	697.3 ⁴	12 / 12
006	587	335	697.3 ⁴	9 / 12
010	1,000	335	700.3	8 / 8
013	1,333	335	703.0	12 / 12
WEST FORK LITTLE RIVER TRIBUTARY 5				
001	78	664	707.8 ⁴	95 / 12
006	626	664	707.8 ⁴	5 / 38
010	1,009	664	710.0	47 / 39

¹ This table reflects all modeled cross sections. Some cross sections shown in this table may not appear on the map.

² Feet above mouth.

³ Left/right distance from the mapped center of stream to encroachment boundary based on a 1.0 foot or less surcharge (looking downstream).

⁴ Elevation includes backwater effects.

⁵ Flooding controlled by Uwharrie River.

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Caraway Creek									
941	94,130	112	959	4.3	526.5	526.5	527.5	1.0	
951	95,094	44	367	11.2	530.6	530.6	531.5	0.9	
961	96,113	137	1,013	4.1	538.2	538.2	539.1	0.9	
972	97,246	128	1,159	3.6	540.5	540.5	541.5	1.0	
987	98,708	300	1,895	1.7	543.3	543.3	544.1	0.8	
995	99,532	87	381	8.3	547.3	547.3	547.6	0.3	
1004	100,413	122	664	4.8	551.0	551.0	552.0	1.0	
1012	101,213	57	465	6.8	557.8	557.8	558.6	0.8	
1024	102,385	74	468	6.6	570.8	570.8	571.3	0.5	
1033	103,290	80	478	6.4	580.8	580.8	581.1	0.3	
1041	104,063	63	510	6.0	590.3	590.3	590.7	0.4	
1049	104,948	96	376	7.6	599.7	599.7	600.0	0.3	
1056	105,613	99	629	4.6	604.0	604.0	604.0	0.0	
1068	106,813	91	629	4.6	609.1	609.1	609.9	0.8	
1077	107,655	84	628	4.6	613.2	613.2	614.2	1.0	
1088	108,814	84	350	8.0	617.8	617.8	618.0	0.2	
1098	109,833	58	437	6.4	631.3	631.3	631.3	0.0	
1108	110,838	170	855	3.2	634.8	634.8	635.4	0.6	
1121	112,131	79	426	6.3	637.7	637.7	638.6	0.9	
1135	113,497	184	670	4.0	643.0	643.0	644.0	1.0	
1149	114,915	130	847	3.2	648.6	648.6	649.5	0.9	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

CARAWAY CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Caraway Creek (continued)								
1160	116,014	95	723	3.7	651.9	651.9	652.9	1.0
1173	117,303	149	864	3.0	656.0	656.0	656.8	0.8
1184	118,352	106	557	4.7	659.4	659.4	659.6	0.2
1200	120,009	130	709	3.2	663.6	663.6	664.6	1.0
1212	121,214	82	531	4.2	667.4	667.4	668.4	1.0
1227	122,686	135	764	3.0	672.6	672.6	673.6	1.0
1237	123,712	104	523	4.1	674.8	674.8	675.6	0.8
1252	125,214	81	563	3.8	679.3	679.3	680.1	0.8
1264	126,414	183	1,239	1.4	681.6	681.6	682.6	1.0
1277	127,660	185	848	2.1	682.7	682.7	683.4	0.7
1289	128,875	153	966	1.6	687.4	687.4	688.3	0.9
1300	129,997	110	619	2.5	688.9	688.9	689.7	0.8
1313	131,253	111	787	1.8	693.4	693.4	694.2	0.8
1325	132,498	111	562	2.5	694.7	694.7	695.6	0.9
1336	133,648	82	422	3.4	697.3	697.3	698.2	0.9
1348	134,814	133	496	1.9	699.1	699.1	700.1	1.0
1360	136,007	95	318	3.0	703.2	703.2	704.0	0.8
1369	136,876	102	443	2.1	706.8	706.8	707.7	0.9
1380	138,014	90	410	2.3	709.9	709.9	710.8	0.9
1391	139,097	34	172	4.5	714.5	714.5	715.0	0.5

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

CARAWAY CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Cedar Fork Creek								
006	638	258	938	3.3	474.3	473.7 ²	473.9	0.2
014	1,358	157	834	3.7	475.9	475.9	476.1	0.2
026	2,570	94	734	4.2	480.1	480.1	480.6	0.5
037	3,675	128	608	5.0	485.3	485.3	486.3	1.0
045	4,544	76	512	5.9	488.3	488.3	489.3	1.0
060	6,019	78	525	5.8	493.2	493.2	493.8	0.6
072	7,200	123	897	3.4	498.6	498.6	499.2	0.6
079	7,943	80	536	4.8	500.4	500.4	501.4	1.0
085	8,543	55	467	5.5	504.9	504.9	505.6	0.7
090	8,986	80	350	7.3	507.3	507.3	507.5	0.2
100	9,957	105	819	2.9	510.4	510.4	511.4	1.0
107	10,671	110	734	3.2	520.6	520.6	520.6	0.0
116	11,583	72	393	6.0	528.8	528.8	528.8	0.0
129	12,852	73	477	4.9	537.3	537.3	538.1	0.8
137	13,655	53	330	7.1	541.9	541.9	542.8	0.9
143	14,312	95	383	6.1	551.5	551.5	551.5	0.0
153	15,261	42	344	6.6	558.4	558.4	559.4	1.0
162	16,227	42	314	7.3	565.4	565.4	565.5	0.1
172	17,157	39	289	7.9	572.7	572.7	573.2	0.5
179	17,888	101	500	4.6	579.0	579.0	579.9	0.9
186	18,586	28	180	12.7	597.9	597.9	597.9	0.0
193	19,280	38	209	9.9	621.3	621.3	621.5	0.2
201	20,101	52	196	10.5	628.2	628.2	628.2	0.0
208	20,802	24	149	13.8	640.4	640.4	640.4	0.0

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Back Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

CEDAR FORK CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Cedar Fork Creek (continued)									
215	21,511	37	237	8.7	661.5	661.5	662.4	0.9	
227	22,690	57	243	8.5	673.7	673.7	673.7	0.0	
235	23,452	37	190	8.3	700.4	700.4	700.7	0.3	
241	24,132	55	357	4.4	707.0	707.0	708.0	1.0	
248	24,831	34	248	6.4	712.4	712.4	712.8	0.4	
264	26,365	38	142	10.4	723.8	723.8	723.8	0.1	
272	27,212	65	254	5.8	736.0	736.0	736.1	0.0	
280	27,989	31	143	7.9	748.0	748.0	748.8	0.8	
290	28,973	34	154	7.4	764.2	764.2	764.4	0.2	
297	29,667	138	408	2.8	774.2	774.2	774.2	0.0	
304	30,360	57	262	4.3	782.1	782.1	782.6	0.5	
315	31,541	42	242	4.7	799.4	799.4	800.1	0.7	
323	32,310	75	336	3.4	806.6	806.6	807.6	1.0	
332	33,193	37	233	2.6	816.2	816.2	817.0	0.8	
337	33,654	58	162	3.7	818.6	818.6	819.5	0.9	
341	34,052	30	117	5.2	823.6	823.6	824.5	0.9	
342	34,236	17	63	9.6	827.3	827.3	827.3	0.1	
347	34,747	49	260	2.3	837.7	837.7	838.4	0.7	
353	35,255	28	88	6.9	843.6	843.6	844.3	0.7	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

CEDAR FORK CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Deep River								
4026	402,600	165	4,804	7.2	436.7	436.7	437.2	0.5
4031	403,105	155	4,575	7.6	437.1	437.1	437.5	0.4
4037	403,702	201	5,884	5.9	437.7	437.7	438.2	0.5
4042	404,211	155	4,456	7.8	437.9	437.9	438.4	0.5
4047	404,721	160	4,569	7.6	438.3	438.3	438.9	0.6
4052	405,165	226	6,117	5.7	438.9	438.9	439.5	0.6
4056	405,611	160	4,537	7.7	439.1	439.1	439.7	0.6
4061	406,063	152	4,444	7.8	439.4	439.4	440.1	0.7
4065	406,485	177	5,156	6.7	439.9	439.9	440.6	0.7
4071	407,062	160	4,382	7.9	440.2	440.2	441.0	0.8
4076	407,603	153	4,262	8.1	440.8	440.8	441.5	0.7
4081	408,126	155	4,224	8.2	441.3	441.3	442.0	0.7
4087	408,665	150	4,287	8.1	441.8	441.8	442.6	0.8
4092	409,165	186	5,128	6.8	442.5	442.5	443.3	0.8
4097	409,669	192	5,060	6.9	443.0	443.0	443.8	0.8
4102	410,244	182	4,694	7.4	443.3	443.3	444.1	0.8
4108	410,767	210	4,970	7.0	443.8	443.8	444.6	0.8
4113	411,251	240	5,469	6.3	444.2	444.2	445.2	1.0
4119	411,871	260	6,148	5.6	445.0	445.0	445.9	0.9
4124	412,428	280	6,449	5.4	445.5	445.5	446.4	0.9
4130	412,960	300	6,543	5.3	446.0	446.0	446.9	0.9
4135	413,545	230	5,151	6.7	447.3	447.3	447.9	0.6

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

DEEP RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Deep River (continued)								
4141	414,076	310	7,161	4.9	447.9	447.9	448.7	0.8
4147	414,711	190	4,185	8.3	448.2	448.2	449.2	1.0
4152	415,220	190	4,260	8.2	448.9	448.9	449.8	0.9
4157	415,665	190	4,364	8.0	449.6	449.6	450.4	0.8
4161	416,078	190	4,340	7.9	450.1	450.1	450.9	0.8
4166	416,642	287	5,224	6.6	451.0	451.0	451.7	0.7
4171	417,134	319	5,758	5.9	451.5	451.5	452.3	0.8
4177	417,665	210	4,607	7.4	451.9	451.9	452.7	0.8
4181	418,111	220	4,937	6.9	452.6	452.6	453.3	0.7
4189	418,915	306	5,743	6.0	453.4	453.4	454.1	0.7
4199	419,878	420	6,465	5.3	454.4	454.4	455.2	0.8
4211	421,138	220	4,973	5.8	455.7	455.7	456.6	0.9
4219	421,915	180	4,060	7.0	456.1	456.1	456.9	0.8
4226	422,644	151	3,461	8.3	456.8	456.8	457.6	0.8
4232	423,165	182	3,920	7.3	457.6	457.6	458.4	0.8
4237	423,665	241	4,364	6.6	458.2	458.2	459.2	1.0
4241	424,131	193	3,935	7.3	458.7	458.7	459.7	1.0
4247	424,715	185	3,852	7.4	459.5	459.5	460.5	1.0
4252	425,165	210	4,003	7.1	460.2	460.2	461.2	1.0
4258	425,784	250	4,446	6.4	461.2	461.2	462.2	1.0
4262	426,211	240	4,678	6.1	462.1	462.1	463.1	1.0
4267	426,723	240	4,528	6.3	462.6	462.6	463.6	1.0
4271	427,078	290	5,162	5.5	463.1	463.1	464.0	0.9

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

DEEP RIVER

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Deep River (continued)									
4277	427,665	350	6,411	4.4	463.9	463.9	464.8	0.9	
4282	428,244	195	3,667	7.8	464.2	464.2	465.1	0.9	
4288	428,759	195	3,456	8.2	465.1	465.1	465.8	0.7	
4297	429,729	205	3,223	8.8	467.7	467.7	468.4	0.7	
4304	430,398	198	3,371	8.4	469.5	469.5	469.9	0.4	
4314	431,386	290	4,231	6.7	475.0	475.0	475.7	0.7	
4322	432,165	490	10,057	2.8	490.9	490.9	491.8	0.9	
4328	432,755	467	8,819	3.1	491.0	491.0	491.9	0.9	
4332	433,237	351	5,759	4.7	491.1	491.1	492.0	0.9	
4337	433,679	180	3,833	7.0	491.4	491.4	492.2	0.8	
4342	434,165	170	3,451	7.8	491.7	491.7	492.5	0.8	
4347	434,665	170	3,062	8.8	492.2	492.2	493.0	0.8	
4352	435,165	170	2,833	9.5	493.1	493.1	493.7	0.6	
4356	435,603	168	2,567	10.5	494.0	494.0	494.6	0.6	
4360	436,032	170	2,461	10.9	495.2	495.2	495.7	0.5	
4366	436,614	178	2,693	10.0	497.3	497.3	497.8	0.5	
4371	437,128	170	2,652	10.1	498.5	498.5	499.2	0.7	
4377	437,665	245	3,055	8.8	500.3	500.3	500.7	0.4	
4381	438,097	315	3,820	7.0	501.7	501.7	502.5	0.8	
4386	438,580	165	2,442	11.0	502.5	502.5	503.5	1.0	
4391	439,133	165	2,623	10.3	504.7	504.7	505.4	0.7	
4395	439,515	165	2,668	10.1	505.9	505.9	506.5	0.6	
4400	439,983	165	2,922	9.2	507.1	507.1	507.9	0.8	
4406	440,551	165	2,515	10.7	508.0	508.0	508.9	0.9	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

DEEP RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Deep River (continued)								
4412	441,165	165	2,741	9.8	510.0	510.0	510.9	0.9
4417	441,709	158	2,775	9.6	511.5	511.5	512.2	0.7
4421	442,108	165	2,982	9.0	512.5	512.5	513.2	0.7
4428	442,844	240	3,681	7.3	514.9	514.9	515.4	0.5
4433	443,326	218	2,461	10.9	515.4	515.4	515.7	0.3
4439	443,868	195	2,372	11.3	517.8	517.8	518.8	1.0
4443	444,272	500	2,344	11.4	533.4	533.4	533.4	0.0
4448	444,821	315	2,444	10.8	539.4	539.4	539.4	0.0
4453	445,299	380	3,368	7.9	542.7	542.7	542.7	0.0
4457	445,723	320	3,159	8.4	544.2	544.2	544.2	0.0
4462	446,246	300	3,166	8.4	546.1	546.1	546.1	0.0
4467	446,727	307	3,844	6.9	547.8	547.8	547.8	0.0
4473	447,250	250	4,073	6.4	548.8	548.8	549.0	0.2
4477	447,736	290	4,721	5.5	549.4	549.4	549.8	0.4
4482	448,165	210	3,759	6.9	549.7	549.7	550.2	0.5
4487	448,665	180	3,402	7.6	550.2	550.2	550.8	0.6
4492	449,165	273	3,889	6.7	551.0	551.0	551.6	0.6
4497	449,665	274	3,988	6.5	551.7	551.7	552.4	0.7
4502	450,220	242	4,005	6.5	552.5	552.5	553.2	0.7
4507	450,748	180	2,918	8.9	553.1	553.1	553.8	0.7
4511	451,103	301	5,746	4.5	554.4	554.4	555.3	0.9
4516	451,615	307	3,758	6.9	569.7	569.7	569.9	0.2
4522	452,165	306	4,056	6.4	570.6	570.6	570.9	0.3

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

DEEP RIVER

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Deep River (continued)									
4527	452,665	250	3,991	6.5	571.4	571.4	571.6	0.2	
4532	453,165	270	4,236	6.1	572.0	572.0	572.3	0.3	
4536	453,619	295	4,602	5.6	572.6	572.6	572.8	0.2	
4542	454,165	265	4,486	5.8	573.0	573.0	573.4	0.4	
4547	454,710	350	5,542	4.7	573.5	573.5	574.0	0.5	
4552	455,165	295	5,119	5.0	573.8	573.8	574.3	0.5	
4557	455,665	500	7,273	3.6	574.3	574.3	574.8	0.5	
4563	456,257	360	5,650	4.6	574.6	574.6	575.1	0.5	
4568	456,832	595	8,027	3.2	575.1	575.1	575.5	0.4	
4574	457,409	574	7,053	3.6	575.4	575.4	575.8	0.4	
4579	457,917	520	6,554	3.9	575.7	575.7	576.1	0.4	
4586	458,569	470	6,480	4.0	576.2	576.2	576.6	0.4	
4593	459,297	280	4,581	5.6	578.1	578.1	578.5	0.4	
4599	459,859	177	3,152	8.1	578.5	578.5	579.1	0.6	
4603	460,253	165	2,849	9.0	579.2	579.2	579.8	0.6	
4608	460,785	150	2,677	9.6	580.2	580.2	580.9	0.7	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

DEEP RIVER

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Hasketts Creek									
002	150	57	424	9.4	580.2	564.0 ²	565.0 ²	1.0	
012	1,200	150	870	4.6	580.2	570.8 ²	570.9 ²	0.1	
013	1,319	29	245	16.3	580.2	569.8 ²	569.9 ²	0.1	
014	1,381	29	282	14.1	580.2	571.2 ²	571.2 ²	0.0	
015	1,500	150	925	4.3	580.2	574.5 ²	574.5 ²	0.0	
026	2,600	55	299	13.4	598.2	598.2	598.2	0.0	
029	2,900	225	870	4.6	602.4	602.4	602.5	0.1	
032	3,150	190	720	5.6	603.3	603.3	603.4	0.1	
044	4,350	124	584	6.7	608.6	608.6	608.6	0.0	
045	4,538	50	578	6.7	609.7	609.7	609.7	0.0	
046	4,571	50	578	6.7	609.7	609.7	609.7	0.0	
048	4,821	146	1,005	3.9	610.4	610.4	610.4	0.0	
053	5,271	145	989	3.9	611.3	611.3	611.4	0.1	
069	6,931	139	1,023	3.6	614.5	614.5	615.0	0.5	
070	7,047	32	473	7.8	614.5	614.5	614.9	0.4	
071	7,114	32	473	7.8	614.5	614.5	614.9	0.4	
072	7,230	133	798	4.7	614.9	614.9	615.4	0.5	
084	8,362	170	992	2.8	618.1	618.1	618.7	0.6	
089	8,941	145	812	3.4	618.9	618.9	619.9	1.0	
092	9,204	95	381	7.2	620.1	620.1	620.6	0.5	
095	9,500	105	393	7.0	623.3	623.3	623.3	0.0	
100	10,000	212	1,021	2.7	626.4	626.4	626.8	0.4	

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Deep River

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

HASKETTS CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Hasketts Creek (continued)									
104	10,413	120	614	4.5	627.1	627.1	628.0	0.9	
110	11,000	215	1,248	2.2	629.5	629.5	630.2	0.7	
115	11,500	178	948	2.8	630.2	630.2	631.2	1.0	
120	12,000	123	767	3.5	631.7	631.7	632.6	0.9	
125	12,508	77	495	5.4	633.2	633.2	634.2	1.0	
130	13,000	80	330	8.2	636.0	636.0	636.5	0.5	
136	13,618	208	1,000	2.7	639.6	639.6	640.2	0.6	
150	15,000	111	919	2.9	648.4	648.4	648.9	0.5	
158	15,784	160	1,181	2.3	649.4	649.4	650.2	0.8	
170	16,974	250	1,309	2.1	651.1	651.1	652.0	0.9	
175	17,500	164	1,030	2.6	651.9	651.9	652.9	1.0	
180	18,000	230	1,030	2.1	653.1	653.1	654.0	0.9	
184	18,440	235	1,160	1.8	654.1	654.1	655.0	0.9	
190	18,976	153	717	2.9	655.1	655.1	656.0	0.9	
195	19,500	111	667	3.2	656.5	656.5	657.5	1.0	
201	20,088	117	667	3.2	658.1	658.1	659.0	0.9	
206	20,603	197	1,097	1.9	659.5	659.5	660.3	0.8	
210	20,998	132	911	2.3	663.6	663.6	664.4	0.8	
213	21,315	154	817	2.6	664.3	664.3	665.1	0.8	
216	21,607	220	1,543	1.4	665.1	665.1	666.0	0.9	
219	21,909	180	1,337	1.6	666.7	666.7	667.6	0.9	
222	22,158	80	646	3.3	666.9	666.9	667.9	1.0	
225	22,500	163	809	2.6	668.1	668.1	669.1	1.0	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

HASKETTS CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Hasketts Creek (continued)									
230	23,000	108	680	3.1	670.4	670.4	671.0	0.6	
241	24,124	183	1,186	1.6	675.5	675.5	676.3	0.8	
245	24,500	133	712	2.7	675.7	675.7	676.7	1.0	
250	25,000	77	451	4.3	677.7	677.7	678.5	0.8	
259	25,875	54	315	6.1	682.3	682.3	682.9	0.6	
263	26,334	141	876	2.2	684.9	684.9	685.6	0.7	
269	26,911	165	944	2.1	685.7	685.7	686.7	1.0	
275	27,499	133	662	2.9	687.2	687.2	688.2	1.0	
280	28,010	129	585	3.3	689.5	689.5	690.4	0.9	
285	28,500	139	618	3.1	691.5	691.5	692.4	0.9	
290	28,999	65	338	5.7	693.4	693.4	694.3	0.9	
295	29,500	93	268	7.2	696.8	696.8	697.3	0.5	
303	30,343	100	800	2.1	701.4	701.4	702.3	0.9	
310	31,000	41	229	7.2	702.2	702.2	703.1	0.9	
315	31,500	75	377	4.4	708.8	708.8	709.2	0.4	
320	32,000	48	288	5.7	712.6	712.6	713.2	0.6	
325	32,500	44	276	6.0	716.8	716.8	717.7	0.9	
330	33,000	65	371	4.5	720.7	720.7	721.7	1.0	
333	33,280	72	402	4.1	722.6	722.6	723.4	0.8	
335	33,500	40	260	6.3	723.8	723.8	724.7	0.9	
340	34,000	39	226	7.3	728.7	728.7	729.4	0.7	
344	34,441	82	486	3.4	732.8	732.8	733.7	0.9	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

HASKETTS CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Hasketts Creek Tributary 1									
002	150	112	398	2.3	652.2	649.2 ²	650.2 ²	1.0	
014	1,350	100	284	3.3	656.1	656.1	656.5	0.4	
030	2,950	103	382	2.4	663.1	663.1	663.7	0.6	
043	4,250	40	130	6.2	669.6	669.6	669.8	0.2	
Little Polecat Creek									
004	402	106	1,087	3.6	658.1	654.1 ³	655.1 ³	1.0	
010	989	120	1,181	3.3	658.1	655.3 ³	656.3 ³	1.0	
015	1,452	152	1,246	3.1	658.1	656.4 ³	657.3 ³	0.9	
019	1,875	218	1,779	2.2	658.1	657.3 ³	658.3 ³	1.0	
025	2,500	275	1,952	2.0	658.2	658.2	659.2	1.0	
031	3,101	222	1,730	2.2	659.1	659.1	660.0	0.9	
036	3,588	205	1,780	2.2	659.8	659.8	660.7	0.9	
040	4,049	104	875	4.4	660.3	660.3	661.3	1.0	
045	4,527	124	1,124	3.3	662.2	662.2	662.8	0.6	
050	5,000	100	871	4.1	663.0	663.0	663.7	0.7	
054	5,439	95	768	4.6	664.1	664.1	664.7	0.6	
062	6,157	163	933	3.8	666.9	666.9	667.3	0.4	
065	6,500	100	817	4.4	667.8	667.8	668.7	0.9	
071	7,067	100	928	3.8	669.6	669.6	670.4	0.8	
075	7,500	139	1,340	2.7	670.7	670.7	671.5	0.8	

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Hasketts Creek

³Elevation computed without consideration of backwater effects from Polecat Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

FLOODWAY DATA

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

**HASKETTS CREEK TRIBUTARY 1 -
LITTLE POLECAT CREEK**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Little Polecat Creek (continued)									
080	8,000	288	2,444	1.5	671.3	671.3	672.2	0.9	
085	8,498	244	2,150	1.7	671.5	671.5	672.5	1.0	
089	8,876	198	1,567	2.3	671.8	671.8	672.8	1.0	
096	9,552	570	3,930	0.9	672.5	672.5	673.3	0.8	
101	10,097	540	3,256	1.1	672.8	672.8	673.6	0.8	
107	10,722	265	1,397	2.6	673.5	673.5	674.0	0.5	
117	11,704	234	1,846	1.9	676.8	676.8	677.0	0.2	
120	12,005	295	2,075	1.7	677.1	677.1	677.3	0.2	
125	12,500	270	1,838	1.9	677.4	677.4	677.9	0.5	
129	12,899	266	1,657	2.1	677.8	677.8	678.4	0.6	
135	13,548	283	1,709	1.9	678.7	678.7	679.4	0.7	
140	14,000	346	2,107	1.6	679.2	679.2	680.1	0.9	
145	14,473	245	1,497	2.2	679.7	679.7	680.6	0.9	
159	15,856	105	814	3.1	683.5	683.5	684.3	0.8	
165	16,500	117	851	3.0	684.4	684.4	685.2	0.8	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

LITTLE POLECAT CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Little Polecat Creek (continued)								
170	17,000	200	1,047	2.4	685.2	685.2	686.0	0.8
175	17,500	236	644	4.0	686.3	686.3	686.8	0.5
180	18,000	100	613	4.2	687.5	687.5	688.5	1.0
185	18,500	135	468	5.5	689.5	689.5	689.9	0.4
189	18,914	83	452	5.6	690.7	690.7	691.4	0.7
194	19,360	69	534	4.8	691.9	691.9	692.8	0.9
198	19,825	73	413	6.2	693.2	693.2	694.0	0.8
201	20,085	73	569	4.5	694.4	694.4	695.4	1.0
205	20,500	95	664	3.8	695.5	695.5	696.4	0.9
210	21,019	125	721	3.5	696.7	696.7	697.6	0.9
215	21,500	57	489	5.2	697.6	697.6	698.6	1.0
221	22,057	92	560	3.5	699.3	699.3	700.0	0.7
225	22,474	112	644	3.0	700.0	700.0	700.8	0.8
230	23,000	52	379	5.1	701.0	701.0	701.9	0.9
233	23,347	111	1,075	1.8	702.2	702.2	703.0	0.8

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

LITTLE POLECAT CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Little Polecat Creek (continued)								
239	23,934	42	269	7.2	702.2	702.2	703.1	0.9
246	24,564	37	216	4.7	706.4	706.4	706.5	0.1
250	25,000	59	198	5.2	707.6	707.6	707.6	0.0
255	25,500	45	150	6.8	710.2	710.2	710.6	0.4
260	26,000	35	108	9.4	716.9	716.9	716.9	0.0
265	26,502	32	190	5.4	721.7	721.7	721.7	0.0
270	27,000	49	121	8.5	724.3	724.3	724.3	0.0
280	27,989	34	337	3.0	737.2	737.2	737.4	0.2
285	28,500	34	232	4.4	737.3	737.3	737.9	0.6
290	29,000	34	217	4.7	738.3	738.3	738.9	0.6
294	29,410	34	157	6.5	739.5	739.5	740.3	0.8
300	30,000	115	611	1.7	746.0	746.0	746.9	0.9
305	30,500	50	245	4.2	746.4	746.4	747.4	1.0
310	31,000	49	253	4.0	748.4	748.4	749.0	0.6
318	31,811	28	87	7.5	752.3	752.3	752.7	0.4
321	32,115	294	631	1.0	767.8	767.8	767.9	0.1
325	32,500	120	343	1.9	768.3	768.3	768.4	0.1
330	32,972	110	305	2.1	769.3	769.3	769.4	0.1

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

LITTLE POLECAT CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			INCREASE
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	
Little Polecat Creek Tributary 1								
002	235	88	397	3.9	681.0	679.1 ²	680.1 ²	1.0
010	1,012	56	304	5.2	683.5	683.5	684.2	0.7
015	1,534	52	205	7.7	686.5	686.5	687.0	0.5
020	2,000	47	355	4.4	688.9	688.9	689.8	0.9
025	2,516	69	197	8.0	695.6	695.6	695.7	0.1
030	2,953	57	344	4.6	699.3	699.3	699.5	0.2
033	3,276	48	357	4.4	699.8	699.8	700.5	0.7
040	4,000	28	221	7.1	701.4	701.4	702.2	0.8
045	4,500	33	236	6.6	703.5	703.5	704.2	0.7
049	4,948	28	231	6.8	704.9	704.9	705.8	0.9
053	5,313	28	227	6.9	706.1	706.1	707.0	0.9
059	5,911	81	415	3.3	708.2	708.2	709.0	0.8
064	6,421	79	381	3.6	709.4	709.4	710.3	0.9
069	6,931	26	186	7.3	711.2	711.2	712.0	0.8
076	7,602	27	221	6.2	713.9	713.9	714.8	0.9
080	8,014	24	148	9.2	715.3	715.3	716.3	1.0
085	8,452	30	182	7.5	719.6	719.6	719.9	0.3
089	8,864	41	169	8.1	723.1	723.1	723.5	0.4
095	9,500	25	173	7.8	728.6	728.6	729.6	1.0
100	10,000	24	157	8.7	732.3	732.3	732.6	0.3
105	10,500	24	170	8.0	735.5	735.5	735.9	0.4

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Little Polecat Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

LITTLE POLECAT CREEK TRIBUTARY 1

TABLE 13

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Little Polecat Creek Tributary 1 (continued)									
110	11,000	24	180	7.5	737.7	737.7	738.4	0.7	
114	11,403	43	301	4.5	739.4	739.4	740.4	1.0	
120	11,998	142	1,083	1.3	745.3	745.3	746.3	1.0	
126	12,586	125	667	2.0	745.7	745.7	746.6	0.9	
130	12,988	119	557	2.4	746.1	746.1	747.1	1.0	
135	13,500	24	128	5.7	746.9	746.9	747.9	1.0	
141	14,063	21	112	6.5	750.3	750.3	750.5	0.2	
145	14,488	29	146	5.0	752.1	752.1	752.7	0.6	
151	15,077	19	123	5.9	754.1	754.1	754.9	0.8	
157	15,685	25	134	5.4	756.9	756.9	757.5	0.6	
163	16,292	25	89	5.0	760.1	760.1	761.1	1.0	
171	17,081	19	81	5.4	765.0	765.0	765.7	0.7	
175	17,525	19	75	5.9	767.8	767.8	768.2	0.4	
180	18,000	19	75	5.9	771.1	771.1	771.5	0.4	
185	18,534	16	51	8.7	776.2	776.2	776.5	0.3	
192	19,219	15	55	8.0	787.9	787.9	788.1	0.2	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

FLOODWAY DATA

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

LITTLE POLECAT CREEK TRIBUTARY 1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Little Polecat Creek Tributary 2								
002	201	24	106	5.4	746.0	745.9 ²	746.9 ²	1.0
011	1,092	77	277	2.1	750.8	750.8	751.8	1.0
017	1,666	19	92	6.3	753.8	753.8	754.4	0.6
022	2,181	38	158	3.6	757.9	757.9	758.9	1.0
029	2,881	18	102	5.6	762.4	762.4	763.0	0.6
034	3,448	15	44	7.3	767.3	767.3	767.7	0.4
040	3,981	22	97	3.3	771.3	771.3	771.8	0.5
046	4,591	15	39	8.3	779.2	779.2	779.3	0.1
050	4,984	15	66	4.9	783.3	783.3	784.2	0.9
055	5,500	15	41	7.9	789.1	789.1	789.2	0.1

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Little Polecat Creek Tributary 1

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

LITTLE POLECAT CREEK TRIBUTARY 2

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Little Polecat Creek Tributary 3									
004	425	26	144	7.5	698.6	697.8 ²	698.8 ²	1.0	
010	1,000	26	144	7.6	703.1	703.1	703.4	0.3	
015	1,500	27	116	9.4	708.1	708.1	708.6	0.5	
020	2,000	27	197	5.5	712.5	712.5	712.5	0.0	
025	2,500	27	145	7.5	714.2	714.2	714.5	0.3	
030	3,000	26	146	7.5	718.2	718.2	718.4	0.2	
033	3,326	28	152	7.1	720.7	720.7	720.8	0.1	
038	3,762	55	384	2.8	727.3	727.3	728.0	0.7	
043	4,337	62	216	5.0	727.9	727.9	728.9	1.0	
047	4,723	121	205	5.3	731.9	731.9	731.9	0.0	
050	4,973	80	453	2.4	735.6	735.6	736.5	0.9	
053	5,320	56	336	2.6	736.0	736.0	737.0	1.0	
059	5,921	62	154	5.7	739.0	739.0	739.2	0.2	
065	6,539	55	254	3.4	743.0	743.0	744.0	1.0	
070	7,000	26	160	5.5	744.6	744.6	745.5	0.9	
078	7,787	27	136	4.6	748.2	748.2	748.7	0.5	
080	8,000	25	120	5.2	749.0	749.0	749.5	0.5	
085	8,510	22	94	6.6	752.7	752.7	753.4	0.7	

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Little Polecat Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

LITTLE POLECAT CREEK TRIBUTARY 3

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Little Polecat Creek Tributary 4								
000	30	80	527	2.7	704.7	703.7 ²	704.7 ²	1.0
008	829	76	348	4.1	707.0	707.0	707.7	0.7
015	1,500	73	446	2.2	710.2	710.2	710.9	0.7
020	2,000	65	324	3.1	711.3	711.3	711.9	0.6
025	2,500	45	254	3.9	713.0	713.0	714.0	1.0
030	3,035	30	183	5.4	717.4	717.4	717.4	0.0
034	3,406	80	344	2.9	720.0	720.0	720.4	0.4
038	3,840	165	966	1.0	728.4	728.4	728.4	0.0
045	4,500	75	265	3.7	728.7	728.7	728.7	0.0
050	5,033	60	197	4.5	731.6	731.6	731.6	0.0
057	5,706	30	188	4.7	734.8	734.8	735.5	0.7
067	6,704	95	326	1.7	742.4	742.4	743.3	0.9

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Little Polecat Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

LITTLE POLECAT CREEK TRIBUTARY 4

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Little Polecat Creek Tributary 5								
001	75	14	99	8.3	709.1	707.6 ²	708.6 ²	1.0
007	728	14	98	8.3	712.7	712.7	713.3	0.6
015	1,530	14	88	9.0	719.0	719.0	719.8	0.8
019	1,887	14	93	8.5	722.5	722.5	723.1	0.6
025	2,484	14	98	8.1	727.3	727.3	727.7	0.4
030	3,017	57	445	1.8	738.5	738.5	739.1	0.6
035	3,461	40	218	3.6	739.0	739.0	739.6	0.6
039	3,931	40	163	4.9	741.6	741.6	742.3	0.7
048	4,847	37	202	3.9	746.8	746.8	747.5	0.7
055	5,500	40	201	3.1	749.6	749.6	750.3	0.7
060	6,000	12	68	9.0	752.2	752.2	752.7	0.5
064	6,440	12	85	7.2	756.8	756.8	757.1	0.3
071	7,078	20	98	4.4	760.5	760.5	761.3	0.8
075	7,456	16	80	5.5	762.8	762.8	763.4	0.6

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Little Polecat Creek Tributary 4

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

LITTLE POLECAT CREEK TRIBUTARY 5

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Little Uwharrie River								
244	24,405	375	2,361	1.4	534.3	534.3	535.1	0.8
256	25,591	124	944	3.4	535.4	535.4	536.3	0.9
270	27,005	159	902	3.6	541.6	541.6	542.5	0.9
280	28,000	259	1,140	2.8	545.0	545.0	546.0	1.0
292	29,200	123	662	4.8	550.8	550.8	551.8	1.0
328	32,800	208/0 ²	1,137	2.7	573.5	573.5	574.5	1.0
337	33,655	91	464	6.0	577.8	577.8	578.8	1.0
344	34,367	135	729	3.8	584.9	584.9	584.9	0.0
357	35,655	77	523	5.4	594.2	594.2	595.1	0.9
368	36,798	78	330	6.7	604.1	604.1	605.1	1.0
378	37,771	44	245	9.0	619.8	619.8	620.0	0.2
386	38,606	36	281	7.8	632.3	632.3	633.0	0.7
395	39,512	43	377	5.8	647.3	647.3	648.1	0.8
405	40,482	54	286	7.6	655.9	655.9	655.9	0.0
416	41,633	75	281	7.8	675.1	675.1	675.2	0.1
428	42,772	80	431	5.1	687.6	687.6	688.6	1.0
440	44,025	34	221	9.0	695.9	695.9	696.5	0.6
453	45,260	28	235	8.2	708.2	708.2	708.6	0.4
464	46,412	44	304	6.3	719.6	719.6	720.4	0.8
474	47,383	79	478	4.0	726.7	726.7	727.7	1.0

¹Feet above mouth

²Width/width within county boundary

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

LITTLE UWHARRIE RIVER

TABLE 13

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Little Uwharrie River (continued)									
485	48,461	88	383	5.0	731.1	731.1	732.1	1.0	
493	49,263	52	389	4.5	739.1	739.1	739.7	0.6	
504	50,412	48	317	5.5	747.6	747.6	748.5	0.9	
516	51,643	57	329	5.3	757.5	757.5	758.2	0.7	
531	53,095	36	270	6.4	767.4	767.4	768.3	0.9	
545	54,544	49	375	4.6	775.5	775.5	776.2	0.7	
558	55,775	142	287	5.2	783.5	783.5	783.6	0.1	
568	56,752	77	345	4.3	789.6	789.6	790.3	0.7	
579	57,878	63	282	4.7	794.6	794.6	795.4	0.8	
589	58,921	498	3,385	0.4	813.5	813.5	813.6	0.1	
604	60,430	178	1,093	1.1	813.5	813.5	813.6	0.1	
612	61,177	75	405	2.3	813.8	813.8	814.1	0.3	
625	62,533	304	1,736	0.4	829.4	829.4	829.4	0.0	
638	63,795	75	447	1.7	831.9	831.9	831.9	0.0	
649	64,888	36	145	5.2	836.2	836.2	836.8	0.6	
663	66,326	56	106	5.4	850.0	850.0	850.4	0.4	
675	67,521	28	157	3.7	862.9	862.9	863.9	1.0	
685	68,453	28	83	6.9	873.1	873.1	873.2	0.1	
693	69,298	54	157	3.7	890.6	890.6	891.4	0.8	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

FLOODWAY DATA

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

LITTLE UWHARRIE RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Long Branch								
003	305	43	179	5.0	508.2	507.8 ²	508.6	0.8
012	1,200	44	209	4.3	515.8	515.8	516.7	0.9
018	1,800	45	205	4.4	521.6	521.6	521.6	0.0
022	2,242	32	112	8.1	529.2	529.2	529.3	0.1
027	2,672	28	155	5.8	545.9	545.9	546.8	0.9
034	3,437	81	182	7.0	554.3	554.3	554.3	0.0
042	4,200	33	130	7.0	564.0	564.0	564.6	0.6
050	4,975	30	132	5.3	572.6	572.6	573.0	0.4
059	5,861	32	148	4.7	580.0	580.0	581.0	1.0
067	6,706	40	178	3.9	587.9	587.9	588.8	0.9
074	7,354	36	158	2.9	595.9	595.9	596.8	0.9
081	8,080	20	79	5.7	607.5	607.5	608.0	0.5
087	8,747	24	86	5.3	621.8	621.8	622.5	0.7
093	9,297	20	81	5.6	633.2	633.2	634.1	0.9
101	10,144	30	105	4.3	646.6	646.6	647.5	0.9
108	10,814	40	92	4.9	666.4	666.4	666.4	0.0

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Cedar Fork Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

LONG BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Mill Creek (into Deep River)								
003	278	43	617	7.3	431.4	420.2 ²	421.2 ²	1.0
013	1,300	48	648	7.0	431.4	423.0 ²	423.6 ²	0.6
015	1,540	52	488	9.3	431.4	425.5 ²	425.9 ²	0.4
021	2,116	113	817	5.5	431.4	429.3 ²	430.2 ²	0.9
025	2,500	98	758	5.3	431.4	430.9 ²	431.9 ²	1.0
033	3,267	40	410	9.9	433.7	433.7	434.7	1.0
041	4,070	65	609	6.6	438.8	438.8	439.4	0.6
045	4,500	37	376	10.7	440.2	440.2	441.2	1.0
049	4,927	37	339	11.9	444.1	444.1	444.8	0.7
053	5,306	81	648	6.2	448.3	448.3	449.2	0.9
060	5,961	91	858	4.7	451.2	451.2	452.1	0.9
069	6,884	65	722	5.6	453.3	453.3	454.3	1.0
074	7,383	101	842	4.7	454.8	454.8	455.6	0.8
081	8,094	54	622	6.4	456.2	456.2	457.2	1.0
086	8,583	78	885	4.5	457.8	457.8	458.7	0.9
094	9,373	125	865	4.6	459.5	459.5	460.5	1.0
102	10,220	167	1,106	3.6	461.3	461.3	462.3	1.0
111	11,091	49	597	6.6	463.0	463.0	463.9	0.9
116	11,628	47	500	7.9	464.5	464.5	465.2	0.7
121	12,126	57	569	7.0	466.5	466.5	466.9	0.4
127	12,721	51	605	6.5	468.3	468.3	468.5	0.2

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Deep River

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

FLOODWAY DATA

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

MILL CREEK (INTO DEEP RIVER)

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Mill Creek (into Deep River) (continued)								
131	13,127	47	410	9.6	468.9	468.9	469.4	0.5
135	13,458	47	378	10.5	471.6	471.6	471.8	0.2
141	14,060	47	515	7.7	475.7	475.7	475.8	0.1
144	14,442	53	650	6.1	476.8	476.8	477.0	0.2
152	15,186	67	624	6.3	478.2	478.2	478.5	0.3
156	15,646	54	459	8.6	479.5	479.5	479.8	0.3
161	16,083	51	421	9.4	481.9	481.9	482.2	0.3
169	16,942	58	594	6.7	485.8	485.8	486.3	0.5
173	17,332	79	765	5.2	486.8	486.8	487.4	0.6
185	18,520	104	832	3.9	490.2	490.2	490.5	0.3
193	19,320	45	466	6.9	491.8	491.8	492.1	0.3
200	19,981	45	511	6.3	492.9	492.9	493.8	0.9
206	20,619	109	700	4.6	494.6	494.6	495.4	0.8
216	21,560	59	503	6.4	497.1	497.1	498.1	1.0
224	22,415	56	562	5.6	499.8	499.8	500.7	0.9
230	23,046	43	387	8.1	501.7	501.7	502.4	0.7
235	23,500	45	421	7.5	503.7	503.7	504.5	0.8
244	24,402	47	496	6.3	506.8	506.8	507.3	0.5
254	25,428	48	451	7.0	509.6	509.6	509.9	0.3
260	26,000	50	585	5.4	511.1	511.1	511.5	0.4
265	26,500	46	463	6.8	511.8	511.8	512.3	0.5
269	26,890	48	426	7.4	512.8	512.8	513.2	0.4
276	27,562	49	449	6.6	514.8	514.8	515.2	0.4

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

MILL CREEK (INTO DEEP RIVER)

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Mill Creek (into Deep River) (continued)								
280	28,030	83	615	4.8	516.5	516.5	516.7	0.2
288	28,775	50	499	6.0	517.7	517.7	518.0	0.3
293	29,301	47	503	5.9	518.5	518.5	518.9	0.4
300	30,000	36	304	9.8	519.7	519.7	520.0	0.3
305	30,505	47	437	6.8	522.5	522.5	522.8	0.3
309	30,911	39	433	6.9	523.5	523.5	524.0	0.5
317	31,703	54	421	7.1	525.3	525.3	526.2	0.9
321	32,065	174	1,023	2.9	526.9	526.9	527.8	0.9
326	32,635	191	935	3.2	528.0	528.0	528.8	0.8
334	33,441	137	726	4.1	530.0	530.0	531.0	1.0
340	34,000	107	798	3.7	532.4	532.4	533.1	0.7
348	34,845	213	1,301	2.1	534.0	534.0	535.0	1.0
353	35,295	182	1,092	2.3	535.1	535.1	535.7	0.6
363	36,283	262	1,595	1.6	536.5	536.5	537.2	0.7
371	37,088	211	1,026	2.5	537.1	537.1	538.1	1.0
385	38,519	284	1,539	1.7	540.3	540.3	540.6	0.3
393	39,327	368	1,682	1.5	540.8	540.8	541.7	0.9
401	40,120	376	1,343	1.9	542.1	542.1	543.0	0.9
405	40,515	174	791	3.2	543.3	543.3	544.0	0.7
416	41,563	136	747	2.5	546.0	546.0	547.0	1.0
424	42,397	34	264	5.0	547.5	547.5	548.4	0.9
428	42,802	30	202	6.6	548.8	548.8	549.4	0.6

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

MILL CREEK (INTO DEEP RIVER)

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Mill Creek (into Deep River) (continued)									
431	43,058	71	338	3.9	552.0	552.0	552.1	0.1	
436	43,564	32	248	5.3	553.3	553.3	553.5	0.2	
443	44,318	37	206	6.4	555.4	555.4	556.0	0.6	
449	44,888	41	225	5.9	558.9	558.9	559.1	0.2	
456	45,570	87	436	3.0	561.5	561.5	562.3	0.8	
463	46,343	70	335	4.0	563.9	563.9	564.8	0.9	
472	47,232	109	483	2.7	568.0	568.0	568.6	0.6	
481	48,140	101	371	3.6	571.3	571.3	572.3	1.0	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

MILL CREEK (INTO DEEP RIVER)

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Muddy Creek								
418	41,809	76	938	4.4	698.1	698.1	699.1	1.0
424	42,363	70	757	5.4	699.0	699.0	700.0	1.0
430	43,044	69	713	5.8	700.8	700.8	701.7	0.9
434	43,440	118	1,027	4.0	702.1	702.1	703.0	0.9
439	43,913	198	1,485	2.8	703.4	703.4	704.2	0.8
444	44,419	155	1,254	3.1	704.1	704.1	705.1	1.0
449	44,911	157	1,244	3.2	705.0	705.0	706.0	1.0
454	45,429	107	1,081	3.7	710.1	710.1	710.5	0.4
460	46,005	124	1,170	3.4	710.8	710.8	711.2	0.4
466	46,630	119	1,016	3.9	711.7	711.7	712.0	0.3
470	47,005	103	761	5.2	711.8	711.8	712.6	0.8
472	47,237	96	768	5.1	712.4	712.4	713.4	1.0
477	47,658	93	744	5.3	713.8	713.8	714.7	0.9
480	48,005	91	785	5.0	714.9	714.9	715.7	0.8
486	48,622	104	858	4.6	716.8	716.8	717.3	0.5
490	49,050	123	1,169	3.4	717.6	717.6	718.3	0.7
496	49,632	156	1,415	2.8	719.6	719.6	720.6	1.0
504	50,391	168	1,700	2.2	720.6	720.6	721.5	0.9
508	50,849	178	1,461	2.6	721.0	721.0	721.9	0.9
511	51,105	210	1,740	2.2	721.3	721.3	722.3	1.0
515	51,505	229	1,923	1.9	721.7	721.7	722.7	1.0
518	51,825	233	1,832	2.0	722.0	722.0	723.0	1.0
522	52,201	140	1,093	2.5	722.7	722.7	723.7	1.0
528	52,777	125	958	2.9	723.4	723.4	724.3	0.9

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

MUDDY CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Muddy Creek (continued)								
535	53,496	95	644	4.3	724.2	724.2	725.2	1.0
542	54,162	85	633	4.4	725.9	725.9	726.5	0.6
547	54,650	40	358	7.7	726.7	726.7	727.5	0.8
553	55,284	35	300	9.2	729.8	729.8	730.2	0.4
559	55,945	33	300	9.2	733.2	733.2	733.9	0.7
563	56,326	32	242	11.4	735.4	735.4	736.0	0.6
565	56,474	32	242	11.4	736.6	736.6	737.5	0.9
567	56,664	87	645	4.3	739.4	739.4	740.1	0.7
570	57,016	137	951	2.9	740.4	740.4	741.3	0.9
578	57,823	149	903	3.0	742.2	742.2	742.9	0.7
584	58,375	161	817	3.4	743.4	743.4	744.1	0.7
587	58,669	89	728	3.8	744.5	744.5	745.4	0.9
590	59,005	233	1,959	1.4	747.5	747.5	748.4	0.9
594	59,364	207	1,617	1.7	747.7	747.7	748.6	0.9
600	60,046	236	1,435	1.8	748.3	748.3	749.3	1.0
603	60,330	134	760	3.3	748.6	748.6	749.5	0.9
610	60,965	98	639	4.0	750.7	750.7	751.7	1.0
618	61,835	105	742	3.4	753.2	753.2	753.9	0.7
630	63,031	114	881	2.9	755.6	755.6	756.5	0.9
634	63,432	124	862	2.9	759.0	759.0	759.0	0.0
641	64,063	80	752	3.4	759.5	759.5	759.8	0.3
647	64,670	133	853	3.0	759.8	759.8	760.3	0.5
649	64,866	160	818	2.6	760.0	760.0	760.5	0.5

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

MUDDY CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Muddy Creek (continued)								
655	65,500	75	539	4.0	760.5	760.5	761.0	0.5
664	66,397	96	536	4.0	761.7	761.7	762.1	0.4
670	67,000	111	380	5.7	768.4	768.4	768.4	0.0
675	67,500	70	651	3.3	772.2	772.2	772.5	0.3
678	67,810	93	857	2.5	772.7	772.7	773.4	0.7
680	68,000	149	1,184	1.8	772.8	772.8	773.7	0.9
684	68,409	206	1,337	1.6	773.3	773.3	774.2	0.9
690	69,000	216	1,309	1.7	773.7	773.7	774.7	1.0
694	69,373	119	657	3.3	773.9	773.9	774.9	1.0
703	70,291	209	1,404	1.5	780.8	780.8	780.9	0.1
716	71,627	66	360	6.0	782.1	782.1	782.5	0.4
720	71,970	84	621	3.5	785.2	785.2	785.9	0.7
730	73,000	186	821	1.5	787.1	787.1	788.1	1.0
735	73,500	131	412	3.0	788.6	788.6	789.3	0.7
740	74,000	134	500	2.4	791.5	791.5	792.4	0.9
745	74,549	144	746	1.6	795.2	795.2	796.2	1.0
754	75,395	99	280	4.4	798.7	798.7	798.9	0.2
760	75,995	129	516	2.4	802.5	802.5	803.5	1.0
766	76,564	86	361	3.4	804.7	804.7	805.5	0.8
769	76,928	43	281	4.4	807.4	807.4	808.2	0.8
775	77,495	42	264	4.6	808.9	808.9	809.8	0.9
780	77,995	25	146	8.4	810.6	810.6	811.5	0.9
784	78,409	93	422	2.9	814.7	814.7	815.5	0.8
789	78,909	56	281	3.0	817.8	817.8	818.7	0.9

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

MUDDY CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Muddy Creek (continued)								
795	79,450	28	166	5.1	819.2	819.2	820.1	0.9
800	80,004	24	85	9.9	825.8	825.8	825.8	0.0
807	80,677	52	270	3.1	830.4	830.4	831.4	1.0
812	81,152	42	112	7.5	834.1	834.1	834.3	0.2
816	81,639	80	267	3.2	838.9	838.9	839.6	0.7
823	82,337	25	109	7.7	845.5	845.5	846.3	0.8
Muddy Creek East Tributary								
002	163	55	308	7.0	722.3	717.4 ²	718.4 ²	1.0
005	500	55	358	6.0	722.3	719.7 ²	720.2 ²	0.5
010	1,013	65	427	5.1	722.3	721.5 ²	721.8 ²	0.3
014	1,417	54	347	6.2	722.3	721.9 ²	722.8 ²	0.9
020	2,040	56	414	5.2	724.7	724.7	725.0	0.3
025	2,479	48	227	9.5	725.5	725.5	726.1	0.6
027	2,691	73	554	3.9	727.6	727.6	728.1	0.5
030	3,000	92	569	3.8	728.1	728.1	728.7	0.6
035	3,500	39	274	7.9	729.1	729.1	729.8	0.7
039	3,941	49	285	7.6	731.8	731.8	732.0	0.2
045	4,515	72	422	5.1	736.0	736.0	736.7	0.7
049	4,945	42	328	6.6	737.4	737.4	738.2	0.8
054	5,373	172	856	2.5	739.0	739.0	740.0	1.0
058	5,780	111	541	4.0	740.1	740.1	740.9	0.8
061	6,066	135	800	2.7	741.1	741.1	742.1	1.0

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Muddy Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

**MUDDY CREEK - MUDDY CREEK EAST
TRIBUTARY**

TABLE 13

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Muddy Creek East Tributary (continued)								
068	6,815	60	374	5.1	742.5	742.5	743.4	0.9
075	7,536	133	1,378	1.4	750.7	750.7	751.7	0.9
082	8,185	227	2,150	0.9	750.9	750.9	751.8	0.9
085	8,500	254	2,033	0.9	750.9	750.9	751.9	1.0
090	9,000	168	1,037	1.8	751.1	751.1	752.0	0.9
095	9,534	40	287	6.7	751.3	751.3	752.3	1.0
099	9,903	60	444	3.9	753.1	753.1	753.8	0.7
103	10,315	50	299	5.8	753.6	753.6	754.6	1.0
109	10,912	100	1,315	1.0	766.5	766.5	766.5	0.0
114	11,383	100	892	1.4	766.5	766.5	766.6	0.1
119	11,884	31	253	5.0	766.5	766.5	766.7	0.2
130	13,042	133	1,994	0.6	778.9	778.9	779.0	0.1
140	14,000	155	1,428	0.9	778.9	778.9	779.1	0.2
145	14,500	153	1,169	1.1	779.0	779.0	779.2	0.2
149	14,889	116	542	2.3	779.1	779.1	779.3	0.2
152	15,190	103	453	2.8	779.6	779.6	779.9	0.3
158	15,778	37	199	6.4	785.2	785.2	786.2	1.0
163	16,301	37	160	7.9	790.0	790.0	790.3	0.3
167	16,748	45	232	5.5	793.1	793.1	794.1	1.0
174	17,401	72	353	3.6	800.4	800.4	801.1	0.7
181	18,050	42	176	4.6	803.0	803.0	803.8	0.8
184	18,448	32	128	6.3	805.5	805.5	806.4	0.9
190	19,031	127	804	1.0	813.8	813.8	814.6	0.8

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

MUDDY CREEK EAST TRIBUTARY

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Muddy Creek West Tributary								
001	57	70	316	3.7	786.0	782.3 ²	783.3 ²	1.0
002	192	31	226	5.1	786.1	786.1	787.0	0.9
007	678	30	130	8.9	788.4	788.4	788.6	0.2
011	1,103	50	329	3.5	791.4	791.4	792.0	0.6
015	1,500	40	283	4.1	791.8	791.8	792.8	1.0
020	2,000	40	195	6.0	793.3	793.3	794.1	0.8
025	2,500	40	175	6.6	797.3	797.3	797.4	0.1
030	3,000	60	173	6.7	802.0	802.0	802.1	0.1
035	3,500	60	279	4.2	805.5	805.5	806.3	0.8
042	4,170	63	152	7.6	811.5	811.5	811.5	0.0
045	4,507	66	359	3.2	817.3	817.3	817.3	0.0
048	4,762	170	378	3.1	818.0	818.0	818.0	0.0
052	5,160	90	584	2.0	822.0	822.0	822.8	0.8
054	5,370	85	522	2.2	822.2	822.2	823.1	0.9
058	5,840	80	264	4.4	823.1	823.2	824.0	0.8
061	6,125	95	282	4.1	826.6	826.5	826.7	0.2
064	6,390	90	216	5.4	829.3	829.3	829.8	0.5
066	6,641	40	191	6.1	833.2	833.2	833.8	0.6
070	6,972	35	156	7.4	836.3	836.3	836.7	0.4
073	7,328	40	244	4.8	842.4	842.4	843.2	0.8

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Muddy Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

MUDDY CREEK WEST TRIBUTARY

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Penwood Branch								
000	40	125	446	5.2	615.6	613.5 ²	613.5 ²	0.0
015	1,540	204	602	3.8	622.7	622.7	623.5	0.8
036	3,640	200	816	2.8	634.6	634.6	635.0	0.4
038	3,816	124	638	3.6	636.4	636.4	636.8	0.4
057	5,733	31	281	7.1	646.7	646.7	647.1	0.4
058	5,817	146	564	3.5	647.2	647.2	647.5	0.3
063	6,292	140	575	3.1	649.1	649.1	649.8	0.7
078	7,842	150	547	3.2	656.6	656.6	657.2	0.6
098	9,792	153	535	3.3	668.4	668.4	668.6	0.2
105	10,517	200	713	2.5	672.0	672.0	672.6	0.6
106	10,603	21	181	9.7	672.0	672.0	672.3	0.3
122	12,218	178	657	2.7	680.1	680.1	680.8	0.7
129	12,868	160	582	3.0	683.3	683.3	684.0	0.7
130	13,037	12	104	16.9	689.3	689.3	689.5	0.2
131	13,099	12	92	19.2	689.9	689.9	689.9	0.0
132	13,168	115	1,562	1.1	696.1	696.1	696.1	0.0
142	14,218	100	862	2.0	696.2	696.2	696.6	0.4
153	15,318	138	1,063	1.7	696.5	696.5	697.5	1.0
183	18,318	129	349	3.5	711.0	711.0	711.6	0.6
185	18,493	133	321	3.4	712.3	712.3	712.9	0.6
189	18,913	145	278	3.9	719.2	719.2	719.3	0.1

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Hasketts Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

PENWOOD BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Penwood Branch (continued)	19,163	100	225	4.8	723.1	723.1	723.1	0.0
	19,393	66	182	5.9	726.2	726.2	726.2	0.0
	19,593	94	189	5.7	729.9	729.9	729.9	0.0
	20,543	74	285	3.8	739.4	739.4	740.0	0.6
	21,643	56	195	5.0	746.5	746.5	746.8	0.3
Penwood Branch Tributary	30	50	103	4.3	714.6	714.6	715.2	0.6
	2,530	48	117	3.7	758.0	758.0	758.2	0.2
	3,030	40	41	4.3	769.3	769.3	769.3	0.0

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

FLOODWAY DATA

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

**PENWOOD BRANCH - PENWOOD BRANCH
TRIBUTARY**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Polecat Creek								
003	314	118	1,341	6.7	598.5	584.1 ²	585.1 ²	1.0
008	789	124	1,334	6.8	598.5	585.4 ²	586.1 ²	0.7
015	1,500	116	1,271	7.1	598.5	587.2 ²	587.7 ²	0.5
020	2,000	94	1,073	8.4	598.5	588.5 ²	588.8 ²	0.3
025	2,500	116	1,296	7.0	598.5	590.4 ²	590.6 ²	0.2
032	3,160	88	1,158	7.8	598.5	591.8 ²	592.0 ²	0.2
040	3,966	96	1,244	7.2	598.5	593.6 ²	593.8 ²	0.2
044	4,424	89	1,265	7.1	598.5	594.6 ²	594.8 ²	0.2
049	4,947	88	1,125	7.9	598.5	596.3 ²	596.5 ²	0.2
055	5,450	133	2,408	3.7	620.3	620.3	620.4	0.1
060	6,000	106	1,984	4.5	620.5	620.5	620.7	0.2
065	6,533	97	1,843	4.8	620.7	620.7	620.9	0.2
072	7,209	88	1,665	5.4	621.0	621.0	621.3	0.3
079	7,854	89	1,445	6.2	621.3	621.3	621.6	0.3
084	8,413	89	1,422	6.3	621.8	621.8	622.2	0.4
088	8,831	81	1,328	6.7	622.1	622.1	622.6	0.5
094	9,438	82	1,307	6.8	622.7	622.7	623.3	0.6
098	9,847	82	1,308	6.8	623.4	623.4	623.8	0.4
105	10,500	92	1,366	6.5	624.0	624.0	624.6	0.6
111	11,069	81	1,267	7.0	624.6	624.6	625.2	0.6
114	11,432	81	1,258	7.1	625.1	625.1	625.7	0.6
117	11,656	78	1,234	7.2	625.8	625.8	626.2	0.4
126	12,588	79	1,068	8.3	626.9	626.9	627.6	0.7

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Deep River

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

POLECAT CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Polecat Creek (continued)								
130	13,047	69	978	8.9	627.9	627.9	628.4	0.5
135	13,500	75	1,085	8.0	629.1	629.1	629.5	0.4
143	14,322	98	1,165	7.5	630.7	630.7	631.7	1.0
147	14,713	145	1,588	5.5	642.1	642.1	642.3	0.2
152	15,165	88	1,184	7.4	642.6	642.6	642.9	0.3
159	15,932	99	1,268	6.9	643.7	643.7	644.2	0.5
168	16,761	88	1,209	7.2	644.8	644.8	645.4	0.6
175	17,545	82	1,135	7.7	645.9	645.9	646.6	0.7
180	18,021	92	1,211	7.2	646.8	646.8	647.5	0.7
188	18,826	81	1,139	7.6	647.9	647.9	648.8	0.9
199	19,850	83	1,168	7.5	649.9	649.9	650.6	0.7
200	20,024	61	983	8.9	650.4	650.4	651.2	0.8
210	20,963	108	1,539	5.7	652.2	652.2	653.2	1.0
216	21,582	235	2,748	3.2	653.3	653.3	654.2	0.9
222	22,217	236	2,893	3.0	653.8	653.8	654.6	0.8
227	22,738	139	1,819	4.8	653.9	653.9	654.9	1.0
232	23,226	198	2,100	4.1	654.8	654.8	655.6	0.8
239	23,920	176	1,932	4.5	655.7	655.7	656.6	0.9
246	24,588	160	1,983	4.4	656.8	656.8	657.6	0.8
253	25,263	155	2,098	4.1	657.6	657.6	658.5	0.9
257	25,654	159	2,275	3.8	658.0	658.0	659.0	1.0
263	26,253	77	1,286	6.1	658.5	658.5	659.5	1.0
268	26,813	80	1,400	5.6	659.3	659.3	660.3	1.0
275	27,519	75	1,330	5.9	660.1	660.1	661.1	1.0

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

POLECAT CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Polecat Creek (continued)								
280	28,000	96	1,521	5.1	660.7	660.7	661.7	1.0
284	28,413	104	1,680	4.6	661.4	661.4	662.4	1.0
292	29,160	142	2,239	3.5	662.4	662.4	663.4	1.0
296	29,550	137	2,308	3.4	662.9	662.9	663.9	1.0
307	30,683	341	4,377	1.8	663.9	663.9	664.9	1.0
315	31,500	198	2,538	3.0	664.2	664.2	665.2	1.0
321	32,062	169	2,443	3.1	664.7	664.7	665.7	1.0
325	32,450	157	2,417	3.2	665.0	665.0	665.9	0.9
329	32,860	125	1,779	4.3	665.3	665.3	666.2	0.9
335	33,500	190	2,570	3.0	666.0	666.0	667.0	1.0
339	33,852	211	2,746	2.8	666.4	666.4	667.2	0.8
346	34,641	173	2,531	3.0	666.8	666.8	667.8	1.0
350	35,000	127	1,827	4.2	667.0	667.0	668.0	1.0
355	35,535	161	2,424	3.2	667.7	667.7	668.6	0.9
359	35,873	189	2,799	2.7	668.0	668.0	668.9	0.9
365	36,502	334	4,637	1.7	668.4	668.4	669.4	1.0
370	37,000	398	5,378	1.4	668.6	668.6	669.6	1.0
381	38,124	443	5,063	1.5	669.0	669.0	669.9	0.9
398	39,814	497	6,646	1.2	670.3	670.3	671.0	0.7
405	40,504	474	5,179	1.5	670.3	670.3	671.1	0.8
409	40,880	407	4,577	1.7	670.4	670.4	671.3	0.9
418	41,812	497	5,765	1.3	670.7	670.7	671.6	0.9

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

POLECAT CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Polecat Creek (continued)								
429	42,856	457	4,467	1.6	671.0	671.0	672.0	1.0
434	43,394	140	1,558	4.5	671.2	671.2	672.1	0.9
440	43,979	453	4,451	1.6	672.5	672.5	673.5	1.0
447	44,651	174	1,774	3.9	672.8	672.8	673.8	1.0
454	45,422	228	2,344	3.0	674.4	674.4	675.4	1.0
461	46,120	366	3,611	1.9	675.6	675.6	676.4	0.8
465	46,500	260	2,783	2.5	675.8	675.8	676.7	0.9
474	47,373	247	2,293	3.0	677.0	677.0	677.8	0.8
479	47,924	397	4,012	1.7	677.8	677.8	678.7	0.9
487	48,717	578	5,363	1.3	678.3	678.3	679.3	1.0
503	50,337	398	3,464	2.0	680.0	680.0	680.9	0.9
510	51,006	227	1,869	3.6	680.3	680.3	681.2	0.9
514	51,368	98	1,057	6.4	682.3	682.3	682.4	0.1
521	52,076	110	1,107	6.1	684.8	684.8	685.3	0.5
528	52,825	84	993	6.8	687.0	687.0	687.7	0.7
536	53,615	137	1,446	4.7	689.3	689.3	690.1	0.8
544	54,374	274	2,630	2.6	691.0	691.0	692.0	1.0
550	55,000	101	1,152	5.9	691.8	691.8	692.6	0.8
554	55,446	234	2,149	3.2	693.6	693.6	694.5	0.9
560	56,000	153	1,747	3.9	694.6	694.6	695.5	0.9
567	56,693	311	3,316	2.0	695.8	695.8	696.7	0.9
571	57,084	369	3,370	2.0	696.1	696.1	697.0	0.9
576	57,643	225	2,306	2.9	696.6	696.6	697.6	1.0
582	58,172	151	1,764	3.7	697.4	697.4	698.3	0.9

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

POLECAT CREEK

TABLE 13

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Polecat Creek (continued)								
589	58,921	185	2,095	3.2	698.7	698.7	699.7	1.0
597	59,713	159	1,632	4.0	700.1	700.1	701.1	1.0
601	60,083	132	1,524	4.3	700.9	700.9	701.9	1.0
609	60,897	125	1,451	4.5	702.3	702.3	703.3	1.0
Polecat Creek Tributary 4								
003	315	284	1,143	2.4	670.9	663.7 ²	664.7 ²	1.0
010	1,000	404	1,751	1.6	670.9	665.0 ²	666.0 ²	1.0
015	1,500	479	1,830	1.5	670.9	665.6 ²	666.6 ²	1.0
019	1,891	471	1,699	1.6	670.9	666.2 ²	667.2 ²	1.0
024	2,403	168	1,027	2.6	670.9	667.2 ²	668.1 ²	0.9
030	2,983	99	501	5.4	670.9	668.7 ²	669.5 ²	0.8
035	3,500	135	898	3.0	671.3	671.3	672.3	1.0
040	4,000	237	1,323	1.9	672.6	672.6	673.5	0.9
045	4,500	300	1,461	1.7	673.2	673.2	674.2	1.0
050	5,000	251	1,211	2.1	673.9	673.9	674.9	1.0
055	5,522	116	694	3.7	674.9	674.9	675.8	0.9
060	5,979	88	513	5.0	676.1	676.1	677.0	0.9
065	6,500	62	537	4.7	678.0	678.0	678.8	0.8
070	6,951	134	743	3.4	679.4	679.4	680.2	0.8
075	7,547	88	640	4.0	680.8	680.8	681.7	0.9
080	7,982	49	468	5.4	681.8	681.8	682.7	0.9

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Polecat Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

**POLECAT CREEK - POLECAT CREEK
TRIBUTARY 4**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Polecat Creek Tributary 5								
007	679	24	166	6.0	683.1	683.0 ²	684.0 ²	1.0
013	1,280	24	148	6.7	686.5	686.5	686.9	0.4
019	1,931	24	144	6.9	690.8	690.8	691.0	0.2
022	2,247	145	1,065	0.9	700.5	700.4	700.4	0.0
028	2,782	162	702	1.4	702.5	702.5	703.5	1.0
032	3,235	120	541	1.8	703.4	703.4	704.3	0.9
037	3,717	100	339	2.9	704.9	704.9	705.7	0.8
041	4,129	85	300	3.3	707.2	707.2	708.2	1.0
046	4,606	85	346	2.5	709.8	709.8	710.7	0.9
Polecat Creek Tributary 6								
002	201	18	108	6.7	679.3	671.0 ³	672.0 ³	1.0
009	850	18	82	8.9	679.3	676.7 ³	676.8 ³	0.1
013	1,262	18	91	8.0	681.0	681.0	681.5	0.5
021	2,050	18	74	9.9	690.7	690.7	690.8	0.1
025	2,500	18	83	8.7	697.2	697.2	697.6	0.4
031	3,051	33	122	5.9	702.2	702.2	702.2	0.0
036	3,575	63	118	6.2	708.0	708.0	708.0	0.0
040	4,000	23	104	7.0	712.6	712.6	712.6	0.0
044	4,408	26	110	6.6	715.9	715.9	716.0	0.1
050	4,958	18	114	6.4	720.9	720.9	721.2	0.3
055	5,500	42	118	6.2	727.8	727.8	727.9	0.1
062	6,161	17	89	4.6	733.4	733.4	734.4	1.0
067	6,677	15	57	7.1	736.4	736.4	736.7	0.3

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Polecat Creek Tributary 4

³Elevation computed without consideration of backwater effects from Polecat Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

**POLECAT CREEK TRIBUTARY 5 -
POLECAT CREEK TRIBUTARY 6**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Polecat Creek Tributary 7								
002	231	12	91	7.7	695.5	685.3 ²	686.3 ²	1.0
008	779	21	83	8.4	695.5	689.5 ²	689.6 ²	0.1
014	1,384	34	144	4.8	695.5	693.9 ²	694.0 ²	0.1
020	1,965	26	124	5.6	696.7	696.7	697.2	0.5
024	2,377	32	107	6.5	701.9	701.9	702.5	0.6
030	3,044	38	185	3.8	707.9	707.9	708.9	1.0
036	3,609	50	142	4.9	712.3	712.3	712.3	0.0
042	4,167	55	193	2.1	715.9	715.9	716.9	1.0

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Polecat Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

FLOODWAY DATA

POLECAT CREEK TRIBUTARY 7

TABLE 13

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Richland Creek								
529	52,922	184	1,509	5.8	489.1	489.1	489.5	0.4
533	53,322	215	1,948	4.5	490.6	490.6	491.0	0.4
544	54,372	214	2,062	4.2	492.0	492.0	492.9	0.9
555	55,472	209	1,810	4.8	493.7	493.7	494.5	0.8
563	56,272	204	1,666	5.3	495.5	495.5	496.1	0.6
569	56,922	110	1,545	5.7	497.0	497.0	497.5	0.5
576	57,622	107	1,169	7.5	498.0	498.0	498.5	0.5
587	58,722	113	1,594	5.5	500.9	500.9	501.4	0.5
606	60,622	115	1,622	5.2	503.4	503.4	504.0	0.6
610	61,022	150	1,771	4.8	504.0	504.0	504.6	0.6
621	62,122	200	2,518	3.4	505.8	505.8	506.3	0.5
642	64,172	55	830	10.2	507.9	507.9	508.2	0.3
662	66,186	80	587	13.6	524.5	524.5	524.5	0.0
692	69,186	153	1,255	6.4	541.6	541.6	541.6	0.0
719	71,886	164	1,683	4.7	547.1	547.1	547.2	0.1
730	73,036	179	1,274	5.1	550.5	550.5	551.1	0.6
735	73,486	245	1,056	6.2	553.4	553.4	553.9	0.5
736	73,595	82	475	13.8	553.7	553.7	553.7	0.0
737	73,706	150	1,058	6.2	556.3	556.3	556.3	0.0

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

RICHLAND CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Taylor's Creek								
008	812	88	964	3.3	413.5	408.7 ²	409.7	1.0
016	1,600	138	982	3.3	413.5	410.2 ²	411.0	0.8
025	2,464	83	636	5.0	413.5	411.5 ²	412.5	1.0
032	3,237	55	498	6.4	413.9	413.9	414.7	0.8
040	4,000	42	406	7.9	417.6	417.6	418.1	0.5
048	4,784	84	652	4.9	420.4	420.4	421.4	1.0
055	5,457	78	736	4.2	423.4	423.4	424.4	1.0
063	6,305	52	333	9.3	430.7	430.7	431.7	1.0
069	6,906	33	226	13.8	457.5	457.5	457.6	0.1
075	7,539	145	614	5.1	470.1	470.1	470.2	0.1
084	8,400	400	1,750	1.7	471.8	471.8	472.7	0.9
097	9,657	114	558	5.3	473.9	473.9	474.7	0.8
108	10,772	50	421	7.0	477.6	477.6	478.4	0.8
120	12,000	290	1,435	1.9	482.7	482.7	483.6	0.9
129	12,866	168	818	3.3	484.0	484.0	485.0	1.0
136	13,600	88	526	5.1	485.7	485.7	486.7	1.0
144	14,400	138	1,117	2.4	488.3	488.3	489.1	0.8
152	15,200	266	1,557	1.7	489.1	489.1	490.0	0.9
161	16,098	149	702	3.8	490.1	490.1	491.0	1.0
172	17,164	74	654	4.0	492.9	492.9	493.7	0.8

¹Feet above mouth

²Elevation computed without consideration of backwater effects from Caraway Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

TAYLORS CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Taylor's Creek (continued)								
185	18,520	433	1,781	1.5	495.1	495.1	496.0	0.9
195	19,459	300	1,147	2.1	495.7	495.7	496.6	0.9
202	20,243	204	875	2.8	496.9	496.9	497.9	1.0
212	21,182	134	732	3.3	498.7	498.7	499.7	1.0
227	22,725	74	536	4.5	502.5	502.5	503.2	0.7
236	23,624	43	220	11.0	504.8	504.8	505.4	0.6
245	24,521	48	256	9.4	509.7	509.7	509.9	0.2
252	25,220	48	356	6.5	520.9	520.9	521.2	0.3
264	26,415	77	399	5.8	528.4	528.4	529.1	0.7
272	27,209	54	341	6.2	538.2	538.2	539.2	1.0
278	27,758	55	442	4.8	543.4	543.4	544.4	1.0

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

TAYLORS CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Uwharrie River								
2882	288,183	52	625.1	7.2	578.4	578.4	578.8	0.4
2895	289,500	56	508.8	7.8	583.6	583.6	583.8	0.2
2910	291,000	64	580.3	6.8	594.5	594.5	595.1	0.6
2926	292,609	62	701.0	5.6	599.8	599.8	600.3	0.5
2939	293,924	52	449.0	8.6	604.1	604.1	604.8	0.7
2950	295,043	70	625.0	6.2	609.7	609.7	610.2	0.5
2964	296,420	90	725.5	5.4	616.4	616.4	617.3	0.9
2981	298,099	56	459.0	8.0	621.8	621.8	622.5	0.7
2997	299,685	70	588.4	6.3	626.8	626.8	627.7	0.9
3010	301,000	68	536.6	6.7	631.6	631.6	631.9	0.3
3025	302,500	61	487.1	7.3	637.8	637.8	637.9	0.1
3041	304,108	64	490.3	6.8	645.8	645.8	645.8	0.0
3055	305,485	34	326.5	10.1	653.0	653.0	653.2	0.2
3065	306,500	56	541.4	6.1	657.7	657.7	658.5	0.8
3081	308,061	56	435.3	7.3	664.8	664.8	665.3	0.5
3096	309,644	64	494.2	4.9	674.6	674.6	674.8	0.2
3111	311,137	102	809.7	3.0	678.7	678.7	679.4	0.7
3130	313,000	141	1026.7	2.2	682.9	682.9	683.9	1.0
3145	314,500	139	1038.9	1.9	686.4	686.4	687.2	0.8
3156	315,550	60	343.4	5.8	688.2	688.2	688.8	0.6

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

UWHARRIE RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Uwharrie River (continued)								
3170	317,027	156	1074.0	1.9	693.6	693.6	694.2	0.6
3187	318,687	85	240.0	4.5	695.7	695.7	696.7	1.0
3199	319,857	28	181.7	6.0	702.3	702.3	703.0	0.7
3210	321,025	40	247.0	4.4	707.3	707.3	708.0	0.7
3223	322,302	34	146.2	7.5	714.8	714.8	714.9	0.1

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

UWHARRIE RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Uwharrie River Tributary 10								
001	138	32	248	6.7	668.1	667.4 ²	668.1	0.7
009	861	50	294	5.7	676.4	676.4	676.5	0.1
018	1,824	42	236	7.0	680.5	680.5	681.1	0.6
027	2,700	45	236	7.0	688.1	688.1	688.5	0.4
040	4,015	26	103	11.9	696.2	696.2	696.3	0.1
046	4,597	49	370	3.3	702.8	702.8	703.1	0.3
053	5,319	56	459	2.7	706.0	706.0	706.9	0.9
062	6,240	103	589	2.1	708.2	708.2	709.1	0.9
072	7,218	72	274	4.5	709.7	709.7	710.7	1.0
081	8,139	38	171	6.7	714.6	714.6	714.8	0.2
087	8,682	50	234	4.2	717.7	717.7	718.2	0.5
095	9,501	80	202	4.9	722.3	722.3	722.7	0.4

¹Feet above mouth

²Elevations computed without consideration of backwater effects from Uwharrie River

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

UWHARRIE RIVER TRIBUTARY 10

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Uwharrie River Tributary 11								
004	390	91	290	4.0	694.1	693.3 ²	693.9	0.6
014	1,385	28	215	5.4	698.5	698.5	699.3	0.8
028	2,785	25	161	7.2	706.5	706.5	706.5	0.0
040	4,000	64	601	1.8	721.8	721.8	722.6	0.8
051	5,070	47	196	5.6	725.3	725.3	725.5	0.2
061	6,056	36	160	6.4	738.0	738.0	738.9	0.9
070	6,973	77	295	3.5	746.2	746.2	747.1	0.9

¹Feet above mouth

²Elevations computed without consideration of backwater effects from Uwharrie River

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

UWHARRIE RIVER TRIBUTARY 11

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Vestal Creek								
154	15,401	76	343	4.3	650.9	650.9	651.7	0.8
155	15,542	126	566	2.6	651.5	651.5	652.4	0.9
157	15,701	110	419	3.5	653.0	653.0	653.4	0.4
171	17,101	110	456	3.2	663.6	663.6	664.0	0.4
174	17,401	110	425	3.4	665.8	665.8	666.2	0.4
175	17,538	38	137	10.7	667.9	667.9	667.9	0.0
183	18,301	92	246	5.5	680.6	680.6	680.6	0.0
186	18,626	90	254	3.8	686.6	686.6	686.8	0.2
198	19,826	68	306	3.1	694.7	694.7	695.6	0.9
213	21,301	92	322	3.0	703.6	703.6	704.6	1.0
232	23,201	78	237	3.5	718.7	718.7	718.9	0.2
239	23,901	73	264	3.2	723.7	723.7	723.8	0.1

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

TABLE 13

FLOODWAY DATA

VESTAL CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION (FEET NAVD 88)			INCREASE	
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY		
Vestal Creek Tributary 1	002	180	71	236	3.4	687.4	688.0	0.6	
	005	530	93	335	2.4	689.1	690.0	0.9	
	019	1,905	100	200	3.3	704.4	704.5	0.1	
	020	2,000	100	661	1.0	710.2	710.2	0.0	
	021	2,065	100	436	1.5	710.2	710.4	0.2	
	025	2,490	100	186	3.5	713.2	713.4	0.2	
	032	3,240	100	158	4.1	731.1	731.1	0.0	
	038	3,757	90	189	3.5	744.7	744.7	0.0	
	039	3,865	150	1,975	0.3	757.3	757.4	0.1	
	044	4,365	54	110	5.2	768.2	768.2	0.0	
	057	5,665	79	111	3.1	805.2	805.2	0.0	
	064	6,365	27	69	3.3	814.3	814.3	0.0	
	Vestal Creek Tributary 2	001	100	90	126	3.9	664.9	664.9	0.0
		009	900	80	124	4.0	676.0	676.0	0.0
019		1,900	75	113	4.4	691.6	691.6	0.0	
027		2,650	80	155	3.2	705.3	705.7	0.4	
028		2,840	80	217	2.3	709.7	710.2	0.5	
034		3,350	91	103	3.8	733.3	733.4	0.1	
Vestal Creek Tributary 3	000	0	60	316	4.7	650.9	651.9	1.0	
	014	1,400	85	341	3.6	662.0	662.8	0.8	

¹Feet above mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 13

FLOODWAY DATA

**RANDOLPH COUNTY, NC
AND INCORPORATED AREAS**

**VESTAL CREEK TRIBUTARY 1 – VESTAL CREEK TRIBUTARY 2 –
VESTAL CREEK TRIBUTARY 3**